

General catalog 20 Clothing and personal protective equipment 24

WE ARE PIP GLOBAI



INDUSTRIAL STARTER Individual Protection Specialist since 1962 in Europe, he is now part of the family

PIP GLOBAL SAFETY



11 production + 20.000 plants references 33 offices +186.000 m² worldwide of centers of distribution

¹² Present in f 18 states

Europe, Asia and Australia.

ЕТҮ

PIP Protective Industrial Products

Leading group in the production and distribution of safety gloves and PPE with over 35 years of history

and presence in North America, South America,





OWN BRANDS





Fall arrester Helmets







Clothing Footwear Filtering facials Gloves

Gloves

Eyeglassses

Gloves



PIP Europe

In 2006, PIP® opened sales offices and warehouses in Italy, Greece and Spain.

These activities were initiated in collaboration with local partners, who invested in the company to promote its rapid growth through extensive operational plans throughout Europe.

Although the business has grown in Europe, economic instability and inherent challenges have led to many unforeseen structural changes. However, PIP®'s presence in Europe has resulted in strong alliances and relationships.

Most recently, in 2016, PIP® decided to consolidate all of its European operations by opening a single entity, PIP France.

The challenge for PIP France was to harmonize its product line and market entry strategy.

Within two years, PIP France doubled sales and optimized the offerings of PIP®'s main brands-G-Tek® for hand protection and Bouton® for eye protection.

Given the enormous success achieved in such a short period, in 2018 PIP France joined the PIP Global family as the hub of our activities in France and Northern Europe.

As of today, PIP Global safety's position in the European market is much stronger thanks to the acquisitions of Industrial Starter Group and Kit Safety, which allowed PIP to expand its presence with offices in Italy, Spain, Poland, the Czech Republic, and Ireland.

Important brands recognized worldwide









YOUR WORK MATTERS, Workwear

Safety, comfort and style for workers start here. Our challenge is to design durable, comfortable and attractive garments so that workers feel good about what they wear to work. Products characterized by the use of technical materials in combination with Italian pattern and style. Specialists in stretch fabric.

WHEN WORKING AT HEIGHT USE MAXIMUM SAFETY

A whole range of fall arrest systems, devices and lifelines for work at height. Regardless of the risk and level, Akrobat offers you the solution for your needs, complying with the strict EU regulations for work at height.

CONFIDENCE TO DO THE JOB™

WORK GLOVES G-Tek[®] is where mechanical protection meets optimum levels of dexterity, fit and form in technical gloves. With the most versatile line of supports and coatings to meet every worker's needs.

ADVANCED LENS TECHNOLOGIES IN SAFETY EYEWEAR™ VIEW PROTECTION

 $\ensuremath{\mathsf{Bouton}}\xspace^{\ensuremath{\mathsf{@}}}$ designs innovative and stylish protective eyewear that

workers want to wear. Our high-performance glasses offer superior comfort and feature advanced lens technology that protects and enhances vision.



ADVANCED NON-SLIP TECHNOLOGY DISPOSABLE GLOVES

Grippaz[®] technology features a fish scale pattern that provides unparalleled grip performance. Grippaz[®] gloves are ergonomically designed to provide traction grip on both the outside and inside of the glove.

The proprietary Grippaz[®] nitrile formula offers greater flexibility and fits more snugly than traditional gloves, providing maximum cor durability and dexterity. Infrt



INDEX

ISSALINE CLOTHING

WINTER	5 - 29
HEADGEAR	28
VARIOUS WORKWEAR	29 - 42
STRETCH WORKWEAR	43 - 71
STRETCH EXTREME	60 - 64
T-SHIRTS - POLO SHIRTS - SHIRTS	65 - 69
TECHNICAL SOCKS - UNDERWEAR	72 - 74
HIGH VISIBILITY WINTER	75 - 78
HIGH VISIBILITY COTTON POLYESTER	79 - 80
HIGH VISIBILITY WAISTCOATS - T-SHIRTS - POLO SHIRTS	81 - 83
HIGH VISIBILITY WATERPROOF	78

SPECIAL CLOTHING

ISSALINE M-PRO MULTIPROTECTION	84 - 86
ISOTHERMALS	87
FORESTRY	88
PIP HEATING WAISTCOAT - COOLING TOWEL	89
ISSALINE SINGLE-USE COVERALL	90 - 91
APRONS	91
ISSALINE WATERPROOF	92

ISSALINE GLOVES

ICONOGRAPHY OF USE	94 - 95
NITRILE	96 - 98
POLYURETHANE	98 - 99
LATEX	100 - 101
BISPALMATIC	100
GARDENING	101
INDUSTRIAL	102
SAFETY NITRILE	104 - 105
SAFETY PVC TEXTILES	106
SAFETY SINGLE USE GLOVES	107
SAFETY LEATHER	108 - 109
SAFETY ELECTRICALLY INSULATING	110
ANTI-HEAT - STEEL	111
WELDING LEATHER - DOCKER	112 - 113
WINTER	114
WORK & SPORT	115 - 116

G-TEK GLOVES

SAFETY RECYCLATES	124 - 125
SAFETY ANTI-CUT	126 - 128
PRECISION	129
GENERAL PURPOSE	130
WINTERWEAR	130

GRIPPAZ GLOVES

SAFETY SINGLE-USE NITRILE 132

BREATING PROTECTION

ISSALINE FILTERING AND NON-FILTERING MASKS	134 - 135

HEAD PROTECTION	
ISSALINE HELMETS	136
AKROBAT HELMETS	137 - 138

WELDING PROTECTION	
VARIOS	139 - 141

SIGNAGE AND VARIOUS EQUIPMENT	142 - 143

BOUTON EYE PROTECTION

BUUTUN EYE PRUTECTION	
SPORT	147 - 149
INDUSTRIAL	150 - 153
CLASSIC	155
GOGGLES	156 - 157
SOLAR	158
OTG - VISORS	159
ACCESSORIES - DISPLAYS	160
PIP HEARING PROTECTION	
SINGLE-USE AND REUSABLE EARPLUGS	161 - 169
EARMUFFS	171
PIP HEATING WAISTCOAT - COOLING TOWEL	172
FALL ARRESTOR	
AKROBAT	173 - 192
SHOES	
ISSALINE INDUSTRY	194 - 201
ISSALINE INDUSTRY PLUS	197
ISSALINE EXTREME	202 - 203
ISSALINE PROFESSIONAL & SPORT	204
ISSALINE WHITE - CLOGS	206 - 207
ISSALINE BOOTS	
PVC - NITRILE - POLYURATHANE	209 - 211
SALUBER	
INSOLE	212
MERCHANDISING	
ISSALINE WALL	214 - 217
ISSALINE MODULAR SYSTEM	218 - 220
ISSALINE MODULAR WOOD	221 - 222
MERCHADINSING SUPPORTS	

DISPLAYS, BANNERS, MANNEQUINS	223 - 224



Practical for leisure, perfect for work.

Our target, our challenge, is to realize durable, comfortable and even attractive gar- ments; to make this we use technical fabrics, we cooperate with experienced designers and pack the product in qualified and reliable laboratories. What is all this about ? Workwear or sportwear for leisure? Leave it to you to judge.

ICONS To help you quickly identify the main features of the articles. ICONS To let you easly find the products' main features. SOFT These products are manufactured with a technical fabric that gives to SHELL the garment extra protection against weather conditions thanks to its feature against wind, waterproofness and breathability. WIND PROOF Products manufactured with breathable fabric that keeps the body BREATHABLE dry for a better comfort. Products manufactured with waterproof fabric. WATER \bigcirc PROOF Teflon® TREATMENT A product Teflon treated on its surface grants **TEFLON** water repellency. Teflor TREATMENT The fabric of these products with treatment on their surface are more resistant to dirt. Products equipped with a very nice and useful gadget inside a pocket. ROLLER It is an expandable and retractable nylon yarn with a little karabiner KEYS for hooking your keys and not lose them anymore. It is an elastic fabric that has the same elasticity in all directions, thus **4 WAY** guaranteeing the worker excellent freedom of movement. **STRETCH**



WHAT IS THIS YELLOW LABEL?

All our garments equipped with a yellow label showing the RdP number (Test Report) / Certificate issued by the Ritex accredited laboratory, are certified as PPE in "CAT. I "while garments that are not CE marked or generically CE marked, or not accompanied by certification, ARE NOT PERSONAL PROTECTION DEVICES, but generic clothing.

The tests necessary for the RdP / certificate also serve to check the resistances of the materials that must be equal to or higher than our standards.

REGULATION (EU) 2016/425 on PPE

4

794 shart meet the semanal faulth and safety regenerates (dense of all SIRA ANDA (D) 2005(470) in trans of regenerates interneousness, transfer and affectives "Preference stationg - Semanal regularments.

8815B

SSALINE

Workwear.

Performance, Style and Safety.

ISSALINE workwear is the ideal choice for professionals who want a functional, durable and stylish outfit to face every working day with confidence. With a focus on quality and attention to detail, our clothing line guarantees maximum performance for workers in every

field.

Key Features:

high-quality materials. We use resistant and durable fabrics to ensure that our garments are ready to withstand the daily challenges of the job.

Ergonomic design:

ISSALINE clothing is designed with an ergonomic design to ensure a comfortable fit and optimum freedom of movement.

Protection for all Occasions:

From windproof and rainproof jackets to protective suits and reflective vests, we offer solutions for every working condition.

Integrated functionality:

our garments are equipped with pockets and compartments strategically positioned to facilitate the transport of essential tools and equipment on the job.

Professional Style:

combine performance and style with our modern and stylish garments designed to give a professional and well-groomed appearance to the worker.

Whether you are a bricklayer, gardener or industrial technician, ISSALINE workwear provides you with the safety and comfort you need to tackle your tasks with confidence and style. Choose ISSALINE for a reliable outfit and superior quality, and discover how our clothing can contribute to your success at work.

Note: The certification values shown in this catalogue may vary due to the continuous updating process; for exact data, please ask for updated technical data sheet.

16-368-EN

9035B



SUSTAINABILITY is not a trend for us, but a process.

As a company with global economic relations, we are committed to complying with applicable legislation, respecting social and ecological standards, and thus acting sustainably throughout our global value chain. Responsibility towards people and the environment is constantly implemented comprehensively, continuously improved and is deeply anchored in our core processes and products.

We reduce the use of plastic and we use cardboard boxes.

We are firmly committed to reducing the use of plastic or plastic-derived packaging (where possible); using recyclable cardboard boxes.

Sustainable boxes.

ISSALINE is committed to using this packaging system, which is ecologically more sustainable than plastic. A packaging system that not only helps us generate less environmental impact, but also facilitates the display of the product in the shop, an added value to the product.



clothing made from recycled* material

*See specifications in the article composition.





GREEN HEART®

GREEN HEART FOR A BETTER WORLD

In products' field, we take our responsibility and meet demands of partners, end customers and retailers for ecofriendly articles by developing sustainable products under the Green Heart label.



04508B KIND





8883B TUBE

SSALINE

SOFTSHELL WATERPROOFNESS Breathability



WP - WATERPROOFNESS: is measured in mm reached by a water column placed over the fabric before the water pass trough it: the higher the column (higher pressure) the more waterproof the fabric.

LITY: is measured in mvp that's the qty of water vapour (in grams) that vaporises through one square meter fabric over a 24 hour. The larger the number, the more breathable the fabric.

SOFTSHELL Issa garments use tPu membrane from sportwear that allow to combine two features, waterproofing and breathability, considered incompatible for long time. Issa membrane presents thousands of tiny holes, small enough not to pass the water molecule, but large enough to allow vapor perspiration so as to keep the body dry and body temperature pleasant.

1000MM WR 1000 MVP

The body of an adult man can produce a quantity of sweat per hour equal to 50 ml in resting phase, one liter per hour during heavy work activities and up to four liter during an Olympic mara- thon. It can be easily understood that the sweat that cannot be transferred outside stays on the skin and soaks clothes causing a cold effect in winter and hot one in summer.



04508B

KIND

CE CAT. I - EN ISO 13688:2013

Waterproof and breathable softshell made entirely of recycled material, equipped with three front pockets and two large full pockets; drawstring at the waist for a better fitting. This jacket match with Boom pants 9030B, 9032B and 9035B. The garment is made from recycled materials and in line with this choice, the packaging is in cardboard boxes and not in plastic.

Composition: 100% recycled 150D polyester bonded with 100% recycled fleece

Somposition respect of social polyage bolique with room activity of a g/m² 320 TPU membrane (recycled): W/P 3.000 mm e MVP 1.000 g/m²/24 h. Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colour: 040 blue with black inserts,

080 grey, 081 anthracite grey with black insert.

box Full box: 10 pcs.

display 04508D

M/2 - L/2 - XL/2 - XXL/2 = 8 box





04527B

POSH

CE CAT. I - EN ISO 13688:2013

Softshell jacket with high levels of waterproofing and breathability, equipped with high visibility inserts on the shoulders and chest (even if it does not meet the requirements of the specific EN20471 standard). The front has two lower pockets and one on the chest, the latter has a taped zip while inside two large pockets ensure high capacity. Drawstring at the waist and concealed hood are two further technical features of the product. The garment is made from recycled materials and in line with this choice, the packaging is in cardboard boxes and not in plastic.

Composition: 96% recycled polyester 4% spandex bonded with 100% recycled fleece

g/m²: 310 TPU Membrane: W/P 8.000 mm e MVP 3.000 g/m²/24 h.

Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour:

083 anthracite grey with black inserts

box Full box: 10 pcs.

display 04527D

M/2 - L/2 - XL/2 - XXL/2 = 8 box







04515N (04515NB) JUST

CE CAT. I - EN ISO 13688:2013 All - new softshell jacket features four pockets and highly soft fabric as well as technical. Equipped with high visibility piping inserts and practical roller key holder. Composition outer part: 94% polyester, 6% spandex bonded microfleece **g/m² exterior:** 310 **TPU Membrane:** W/P 8.000 mm e MVP 1.000 g/m²/24 h.

04509 SNAPPY

page 18

Padding: no. Sizes: XS-S-M-L-XL-XXL-3XL+ colour 040-060-80 4XL-5XL Colour: **Colour:** 040 blue retro-reflective inserts grey, 060 black retro-reflective inserts grey, 080 grey retro-reflective inserts grey, 070 red retro-reflective inserts grey.

box Full box: 10 pcs.



JUST LADY CE CAT. I - EN ISO 13688:2013

softshell jacket for women has four pockets and a particularly soft but technical fabric. Fitted with high-visibility piping and a handy key ring roller.

Composition outer part: 94% polyester, 6% spandex bonded microfleece

g/m² exterior: 310 **TPU Membrane:** W/P 8.000 mm e MVP 1.000 g/m²/24 h.

Padding: no. WOMAN Sizes: S-M-L-XL-XXL

Colour: 040 blue retro-reflective inserts grey, 060 black retro-reflective inserts grey, only on request 070 red retro-reflective inserts grey, only on request

Single packed in a poly bag for hanging Full box: 10 pcs.



WINTER PROTECTION





04520 PERFECT

CE CAT. I - EN ISO 13688:2013

This jacket is the ideal choice for those who do not want to give up the convenience of softshell even during the coldest winter days as the additional padding further increases the natural resistance to cold, typical of this technical fabric.

Composition outer part: 94% polyester, 6% spandex bonded microfleece g/m² exterior: 310

TPU Membrane: W/P 8.000 mm e MVP 1.000 g/m²/24 h. Padding composition: 100% polyester g/m²Padding: 80 sleeves / 100 body Sizes: XS-S-M-L-XL-XXL-3XL+ colour 040-060 **4XL-5XL** Colour: 040 blue retro-reflective inserts grey, 060 black retro-reflective inserts grey, 080 grey retro-reflective inserts grey,

Single packed in a poly bag for hanging Full box: 10 pcs.





FOXY

CE CAT. I - EN ISO 13688:2013 - EN 14058:2017

Suitable for all those who love the typical features of the Softshell (waterproof, breathable, and wind-resistant) but are looking for an higher thermal coefficient. Extremely lightweight. Padded softshell with five outer pockets with taped zippers and two inner pockets. Adjustable and detachable hood and collar lined by soft micro fleece. Equipped with a practical roller key holder.

Composition outer part: 94% polyester, 6% spandex bonded microfleece **g/m² exterior:** 240 **TPU Membrane:** TPU W/P 8.000 mm e MVP 800 g/m²/24 h. Padding: 100 % polyester. g/m² Padding: 100. Sizes: S-M-L-XL- XXL-3XL-4XL-5XL Colour: 060 black with red inserts.

Single packed in a poly bag for hanging Full box: 10 pcs.





DEER CE CAT. I - EN ISO 13688:2013 - EN 14058:2017

Padded softshell waterproof and breathable jacket, provided with four taped zippers outer pockets and two inner pockets, adjustable and detachable hood. Easy dress system for waist size adjusting. Collar lined by soft micro fleece. Composition outer part: 94% polyester, 6% spandex bonded microfleece g/m² exterior: 240

TPU Membrane: TPU W/P 8.000 mm e MVP 800 g/m²/24 h. Padding: 100 % polyester.

g/m² Padding: 100. Sizes: S-M-L-XL-XXL-3XL

PADDED

Colour: black with red inserts.

Single packed in a poly bag for hanging Full box: 10 pcs.







04529B **SPRINGER**

CE CAT. I - EN ISO 13688:2013

Stretch jacket thanks to the innovative fabric that gives the garment an incredible elasticity and consequently is characterized by high comfort. The garment is equipped externally with two pockets plus a third document holder, inside there are two large pockets.

Composition outer part: 83% nylon, 17% spandex g/m²: 340

Padding: no Sizes: S-M-L-XL-XXL-3XL **Colour:** 040 blue with orange inserts, 060 black with inserts yellow, 080 grey with inserts red

box Full box: 10 pcs.

display

04529D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.





04526B RUSH

CE CAT. I - EN ISO 13688:2013

Softshell with four taped zips for improved water resistance, detachable hood, three outside pockets and two large inner pockets. The garment features an original asymmetric design that makes it ideal even for nonwork use.

Exterior composition grey: 65% polyester, 35% cotton Exterior composition black: polyester piquet **g/m²:** 320 g/m² **TPU Membrane:** W/P 8.000 mm e MVP 800 g/m²/24 h. Padding: no. Sizes: S-M-L-XL-XXL-3XL Colour: 083 grey with inserts black, box

Full box: 6 pcs

display 04526D

Sizes: M/1-L/2-XL/2 -XXL/1 = 6 pz .



8880B

SILKY EXTREME

CE CAT. I - EN ISO 13688:2013

The Extreme line SILKY jacket is among the most technical garment in the Issa range; supposedly it is a soft technical jersey but in reality it is a modern waterpro-of and breathable softshell with antiabrasion fabric inserts. Hood and 4 large outer pockets plus 2 inside complete the product making it unique in its kind. Composition: 100% polyester a maglia

g/m²: 400

Contrast composition: 94% polyester, 6% spandex g/m²: 330 / 350 TPU Membrane: W/P 8.000 mm e MVP 3.000 g/m²/24 h.

Padding: no Sizes: S-M-L-XL-XXL-3XL

Colour: 040 blue with inserts black, 080 grey with inserts black,

box

Full box: 6 pcs.

display 8880D M/1 - L/2 - XL/2 - XXL/1 = 6 pcs.

/ For B2B orders: www.industrialstarter.com 10

ISSALINE CLOTHING

⋪







8884B **CLEVER EXTREME**

CE CAT. I - EN ISO 13688:2013

Extreme line technical softshell with detachable sleeves, HI-VI inserts, highly breathable membrane, non-detachable hood and taped zips. Composition outer part: 94% polyester, 6% spandex bonded microfleece

g/m² exterior: 330, contrasting fabric 350 **TPU Membrane:** W/P 8.000 mm e MVP 3.000 g/m²/24 h. Padding: no

Sizes: S-M-L-XL-XXL-3XL **Colour:** 040 blue with inserts black and retroreflective grey,

080 grey with inserts black and retroreflective grey,

box Full box: 6 pcs.

display

8884D M/1 - L/2 - XL/2 - XXL/1 = 6 pcs







04518N SLY

CE CAT. I - EN ISO 13688:2013

Softshell waterproof and breathable jacket with detachable hood and seeves. By taking off the sleeves, it becomes a practical vest also for milder seasons. Provided with four 4 outer pockets and two large inner ones'. Water protection cover flap for sleeves zippers' closure.

Composition outer part: 94% polyester, 6% spandex bonded microfleece

g/m² exterior: 310 **TPU Membrane:** W/P 8.000 mm e MVP 800 g/m²/24 h. Padding: no.

Sizes: XS-S-M-L-XL-XXL-3XL

Colour: 083 grey with inserts black

Single packed in a poly bag for hanging Full box: 10 pcs.





04094B BONNY

CE CAT. I - EN ISO 13688:2013

Technical jacket with fixed hood, two large front pockets and one document pocket, two large inner pockets and one "napoleon pocket". Waist drawstring to adjust fitting.

Composition outer part: 94% polyester, 6% spandex bonded microfleece

g/m² exterior: 310 TPU Membrane: W/P 8.000 mm e MVP 800 g/m²/24 h. g/m² Padding: 140 Sizes: S-M-L-XL-XXL-3XL

Colour:

083 grey with inserts black

box

Full box: 6 pcs.



04094D Sizes: M/1-L/2-XL/2 -XXL/1 = 6 pcs. .







8888B **ICONIC EXTREME** CE CAT. I - EN ISO 13688:2013

"Iconic" Jacket from the ISSALINE EXTREME line combines style and functionality to meet daily challenges. Made with nylon main fabric and contrasting softshell, it adapts to multiple uses. Zippered side, chest and forearm pockets offer practicality and functionality. An inside pocket carries cell phone on the worn left side and an internal zippered storage pocket on the right side add further practicality. The hood increases versatility in variable conditions. High-tenacity fabric is featured on the upper back, shoulders and cuffs. Reflective piping on the upper back, although it do not meet the minimum requirements for high visibility, increase visibility in low light conditions. Aesthetically appealing and technologically advanced, it is an ideal choice for work and leisure.

Plus:

Prus: - Interior zipper to facilitate any customizations - Elasticized cuffs - High tenacity fabric sleeve bottoms - Reflective piping inserts - High-tenacity fabric inserts - Wrap-around hood. Composition: Main fabric: 100% nylon Contrast fabric: softshell 94% polyester, 6% spandex. Filling g/m²: 200 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colour: 040 navy blue with black inserts, 081 anthracite with black inserts.



display 8888D M/1 - L/2 - XL/2 - XXL/1 = 6 pcs.




Zippered pockets on the forearm and on the bust.



the bottom of the sleeve.

Elasticized cuffs and high tenacity at Bottom adjustable drawstring.





High-tenacity fabric and reflective piping on the upper back.









RESISTANT FABRIC WITH MEMBRANE

SLEEVES





04531B WISE

CE CAT. I - EN ISO 13688:2013 - EN 14058:2017

Winter jacket in high resistant fabric ideal for "demanding" environments such as construction; detachable sleeves, foldaway hood, four front pockets and a large inner pocket. Reflective fabric inserts to improving visibility while not respecting the minimums required by specific legislation for high visibility.

Composition outer part: polyester dobby **g/m² exterior:** 240 g/m²

TPU Membrane: W/P 5.000 mm e MVP 1.000 g/m²/24h. Padding: 120 g/m².

Sizes: S-M-L-XL-XXL-3XL- 4XL-5XL

Colour: 040 light-blue with blue inserts, 083 grey with black inserts.

box





page 57

04531D Sizes: M/1-L/2-XL/2 -XXL/1 = 6 pcs. 04533B LUCKY page 20

HIGH RESISTANT MEMBRANE





04532B KEEN

CE CAT. I - EN ISO 13688:2013 - EN 14058:2017

Winter jacket in very resistant fabric ideal for "demanding" environments such as building construction; the garment is equipped with a retractable hood, four front pockets and a large internal pocket. Inserts in reflective fabric to increase visibility while not respecting the minimums required by the accessifie high withit updiduction. the specific high visibility legislation.

04527B POSH

page 7

Composition outer part: polyester dobby g/m² exterior: 240 **TPU Membrane:** W/P 5.000 mm e MVP 1.000 g/m²/24h.

g/m² Padding: 120 Sizes: S-M-L-XL-XXL-3XL- 4XL-5XL

Colour:

083 grey with back inserts.

box Full box: 6 pcs.



04532D Sizes: M/1-L/2-XL/2 -XXL/1 = 6 pcs. **ESSENTIAL**



04099 GREENWICH

CE CAT. I - EN ISO 13688:2013

Synthetic feather technical jacket with two external pockets and a big inside pocket. Composition outer part: 100% polyester g/m² exterior: 60 Padding: 100% polyester

g/m² Padding: 200. Sizes: S-M-L-XL-XXL-3XL Colour: 040 dark blue inner orange,

Single packed in a poly bag for hanging Full box: 10 pcs.



04100B FAST CE CAT. I - EN ISO 13688:2013

CE CAT. I - EN ISO 13688:2013 "Fast" winter jacket from the ISSALINE line is made of fabric extremely durable, designed for "demanding" environments such as construction. It presents a simple, essential and professional style. It features an elastic waistband for a better fit and a waterproof taped main zipper. It also features two side pockets with waterproof taped seams and a large pocket inside on the worn right side with Velcro closure. Outer composition: 100% Taslon Oxford nylon with PU coating Lining composition: 100% polyester g/m²: 160 the body and padding, 120 the sleeves. Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour:

Colour: 040 blue,

081 anthracite.

box Full box: 6 pcs.

display **04100D** M/1 - L/2 - XL/2 - XXL/1 = 6 pcs.





SSALINE



04661 **PARKA MASTER PLUS** CE CAT. I - EN ISO 13688:2013

Waterproof winter 4 IN 1 jacket. Outer shell: waterproof with four bellow pockets, hand warming pocket, concealed hood in collar, badge holder, mobile phone and google zipper pocket, back aeration. Inner detachable: quilted anti cold and tartan-patterned flannel lined, could be worn alone, two outer pockets plus inner one, detachable sleeves.

Composition outer part: 35% polyester, 65% PVC g/m² exterior: 180

Detachable inner composition: 100% polyester, lined with 100% cotton tartan flannel, velvet collar and piping. Padding composition: 100% polyester g/m² Padding: 180 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue.

Single packed in a poly bag Full box: 10 pcs.



04650A **PARKA NORMAL**

CE CAT. I - EN ISO 13688:2013 Seam and taped, cold- and waterproof jacket with four outer and one inner pocket, inner neck hood, badge holder, phone holder, drawstring waistḃand.

Composition outer part: 100% PVC coated polyester g/m² exterior: 180 Padding composition: 100% polyester g/m² Padding: 180 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue. Single packed in a poly bag

Full box: 10 pcs.



04650 only on request NORMAL PARKA WITH HOOD CE CAT. I - EN ISO 13688:2013

Waterproof winter jacket with four outer pockets plus inner one, inner collar hood, badge holder, mobile phone pocket, drawstring waistband. Composition outer part: 100% PVC coated polyester g/m² exterior: 180 Padding composition: 100% polyester g/m² Padding: 180 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue.

Single packed in a poly bag Full box: 10 pcs.



04035 **POLAR JACKET** CE CAT. I - EN ISO 13688:2013

Winter quilted jacket with detachable sleeves, high collar, outer and inner pockets plus two mobile phone pockets, waist adju-stable elastic band. Concealed badge holder.

Composition outer part: 80% polyester, 20% cotton. g/m² exterior: 150 Lining composition: 100% polyester g/m² Padding: 180 Sizes: M-L-XL-XXL-3XL-4XL-5XL 04031 Colour: 040 blue. MULTIPOCKETS

VEST Single packed in a poly bag page 22 Full box: 10 pcs.

4 IN 1



04554 HEKLA

CE CAT. I - EN ISO 13688:2013 4 IN 1 jacket with detachable quilted inner shell; outer shell is equipped with three large pockets plus mobile phone pocket, HI-VIz inserts and practical concealed hood.

Composition outer part: 100% polyester pongee pvc coated. g/m² exterior: 200 Internal composition: 100 % polyester taffeta quilted g/m² Padding: 120

Sizes: M-L-XL-XXL-3XL Colour: 083 grey with inserts black

Single packed in a poly bag Full box: 10 pcs.













8882B

CUNNY EXTREME

CE CAT. I - EN ISO 13688:2013 Technical Softshell bodywarmer by Extreme line, with HV inserts, highly breathable membrane, two

concealed pockets. The front zip and chest pocket are taped to increase the water resistance of the garment.

Composition: 94% polyester, 6% spandex bonded microfleece

g/m²:330 Contrast fabric composition: 96% polyester 4% spandex bonded microfleece

g/m²: 350 **TPU Membrane:** W/P 8.000 mm e MVP 800 g/m²/24 h.

Padding: no

Sizes: S-M-L-XL-XXL-3XL

8882D

M/1 - L/2 - XL/2 - XXL/1 = 6 pcs.

Colour:

080 grey with inserts black 8884B 8833B **CLEVER** HEAVY box page 11 page 63 Full box: 6 pcs. display



04509 **SNAPPY**

CE CAT. I - EN ISO 13688:2013

Softshell bodywarmer with three outer pockets and a practical Inner pocket, piping inserts to increase the visibility of the user. It is equipped with a membrane to ensure breathability and waterproofing at the same time.

Composition outer part: 94% polyester, 6% spandex bonded

microfleece g/m² exterior: 310

8832B

LIGHT

page 63

TPU Membrane: W/P 8.000 mm e MVP 1.000 g/m²/24 h. Padding: no

Sizes: 040 - 060 XS- S-M-L-XL-XXL-3XL-4XL-5XL colour 070 - 080 XS-S-M-L-XL-XXL-3XL

Colour: 040 blue with retro-reflective inserts grey, 060 black with retro-reflective inserts grey, 080 grey with retro-reflective inserts grey,

070 red with retro-reflective inserts grey,

Single packed in a poly bag for hanging Full box: 10 pcs.





VEGA

CE CAT. I - EN ISO 13688:2013


Directly from sportwear a practical and modern vest made by softshell bonded with soft micro fleece. Excellent fit thanks to stretchable fabric Nylon inserts and reflective piping. Practical front chest pocket.

Composition outer part: 94% polyester 6% spandex bonded microfleece

g/m² exterior: 330 **TPU Membrane:** W/P 8.000 mm e MVP 800 g/m²/24 h. Padding: no Sizes: S-M-L-XL-XXL-3XL

Colour: 060 black with inserts light grey

Single packed in a poly bag for hanging Full box: 20 pcs.







04007 BALI

CE CAT. I - EN ISO 13688:2013

Sportwear softshell vest. Fabric's composition provides brea-thability, waterproofing and windproofing, features that working world has learned to appreciate. With three front pockets and two inner ones. Provided with practical roller key holder. Composition outer part: 94% polyester 6% spandex bonded

microfleece g/m² exterior: 300

TPU Membrane: W/P 8.000 mm e MVP 800 g/m²/24 h. Padding: no Sizes: XS-S-M-L-XL-XXL-3XL

Colour: 040 blue whith inserts black,

Single packed in a poly bag for hanging Full box: 20 pcs.

NEW





04506B KIDDY

CE CAT. I - EN ISO 13688:2013

 LE CALL 1- EN ISU 13088:2013

 The waterproof and breathable Softshell vest "Kiddy" is made entirely of recycled material, equipped with three front pockets and two large inside pockets. It features a drawstring waist for optimal size adjustment. This vest pairs perfectly with the Boom 9030B, 9032B and 9035B pants. In keeping with its "green" feature, the garment comes in a cardboard package instead of plastic.

 Composition: 100% recycled 150D polyester laminated with 100% recycled fleece g/m²: 320

 TPU membrane (recycled): W/P 3.000 mm and MVP 1.000 g/m²/24 h.

 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

 Colopy:

Colour: 040 blue black inserts 080 light grey black inserts 081 anthracite grey black inserts.

ण box

Full box: 20 pcs.



04506D 1/S - 2/M - 3/L - 3/XL - 2/XXL - 1/3XL = 12 pcs.





RESISTANT FABRIC WITH MEMBRANE







04533B LUCKY

CE CAT. I - EN ISO 13688:2013

Very resistant fabric vest ideal for "demanding" environments such as construction; the garment has four front pockets and a large internal pocket. Reflective fabric inserts to increase visibility while not respecting the minimums required by the specific high visibility legislation.
Composition outer part: polyester dobby

g/m² exterior: 240 TPU Membrane: W/P 5.000 mm and MVP 1.000 g/m²/24h. g/m² Padding: 120 Sizes: S-M-L-XL-XXL-3XL- 4XL-5XL Colour: 040 light-blue with inserts blue, 083 grey with inserts blue,

box Full box: 10 pcs.

display

display 04533D Sizes: 2/M - 2/L - 2/XL - 2/XXL = 8 pcs.

VERY RESISTANT FABRIC





04532B KEEN

O4527B POSH page 7



9060B WISE page 57



\bigcirc

04065 Ocean

CE CAT. I - EN ISO 13688:2013 Padded lightweight bodywarmer, by essential and sportwear cutting. Oxford fabric gives the bodywarmer excellent abrasion resistance and waterproofing, enhancing both work and sport use. Inner band to reinforce pad in the central part of greatest wear. Composition outer part: polyester oxford PU coated.

g/m² exterior: 230 Internal composition: polyester taffeta g/m² Padding: 200 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour: 040 blue, 060 black

210 black/light grey.

Single packed in a poly bag **Full box:** 10 pcs.





MULTI POCKETS





04027 RING

CE CAT. I - EN ISO 13688:2013

MULTI POCKETS padded bodywarmer (two front pockets, two concealed zip pockets, one mobile phone and two pen pockets. High waterproofing and resistance. Suitable for customizations. Composition outer part: 100% polyester pongee

spalmato PVC. g/m² exterior: 240 Internal composition: 100% polyester taffeta g/m² Padding: 160 Sizes: S-M-L-XL-XXL-3XL

Colour: 040 blue. Single packed in a poly bag

Full box: 20 pcs.



04028 **DOGGHY VEST** CE CAT. I - EN ISO 13688:2013

Winter quilted vest, velvet trimming, two outer pockets, snap buttons closure. Composition outer part: 100% quilted polyester, polyester lining and padding. g/m² exterior: 240 Internal composition: 100% polyester taffeta g/m² Padding: 160 Sizes: S-M-L-XL-XXL Colour: 040 blue.

Single packed in a poly bag Full box: 20 pcs.

MULTI POCKETS



04031 MULTIPOCKET BODYWARMER CE CAT. I - EN ISO 13688:2013

Winter quilted bodywarmer, high collar, extended back, armhole with elastic, outer and inner pockets plus one mobi-le phone pocket. Concealed badge holder. **Composition outer part:** 80% polyester, 20% cotton. g/m² exterior: 150 Internal composition: 100% polyester Internal composition: 100% polyester g/m² Padding: 180 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour: 040 blue. 080 grey **only on request** 084 light grey/anthracite. Single packed in a poly bag **Full box:** 20 pcs.





MICROFLEECE

04805 MONVISO

CE CAT. I - EN ISO 13688:2013

Monviso is a practical half zip microfleece. Can be worn alone for mid-seasons and in warmer areas, but also as garment for winter season. Adjustable elastic waist.

Composition: microfleece 100% polyester. g/m²: 230 Sizes: S-M-L-XL-XXL-3XL **Colour:** 040 blue, 060 black 080 grey. Single packed in a poly bag





04055 **EVERYTIME JACKET** CE CAT. I - EN ISO 13688:2013

Fleece jacket with antipilling treatment, outer zippered pockets and one large inner pocket, waterproof fabric inserts on shoulders and outer forearms. Drawstring bottom.

Composition: 100% polyester. g/m²: 280

Sizes: S-M-L-XL-XXL **Colour:**

040 blue.

Single packed in a poly bag Full box: 20 pcs.



04806 only on request MEJA

CE CAT. I - EN ISO 13688:2013 Practical micro fleece with long zip closure and pockets. Can be worn alone for mid-seasons and in warmer areas, but also as under wear for winter sea-son. Adjustable elastic waist

Composition: microfleece 100% polyester. g/m²: 230 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue, 060 black 080 grey.

Single packed in a poly bag Full box: 20 pcs.



OREGON CE CAT. I - EN ISO 13688:2013 Oregon is an heavy weight (450 g/m²) sweatshirt ideal for cooler climates, otherwise, can be used in temperate zones alternatively to a traditional jacket. A central zip and three frontal pockets give to Oregon a modern look and multiple use.

Composition outer part: 100% polyester g/m²: 450 Padding: no Sizes: S-M-L-XL-XXL Colour: 040 blue with inserts light grey

Single packed in a poly bag for hanging Full box: 10 pcs.

尔





04807 **ORTIGARA**

CE CAT. I - EN ISO 13688:2013 Microfleece with 4 pockets, fixed hood and elasticated inserts for better comfort. A light and warm garment at the same time.

Composition outer part: 100% polyester anti-pilling microflece.

g/m²: 160 Padding: no Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue with inserts orange, 060 black with inserts orange, 081 grey with inserts orange,

Single packed in a poly bag for hanging **Full box:** 10 pcs.



8881B **REVENGE EXTREME** CE CAT. I - EN ISO 13688:2013

Knitted jacket of Extreme line with anti-abrasion inserts, two front pockets, one chest document pocket and two large inner pockets. The garment can be combined with Extreme line items or even with other trousers. The lightness and softness allows it to be used both as an outer garment and under a vest or winter jacket.

Main composition: 100% knitted polyester Composition inserts: 97% polyester, 3% spandex g/m²: 270 Padding: no Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colour: 040 blue with inserts black, 080 grey with inserts black,

box Full box: 6 pcs.



8881D M/1 - L/2 - XL/2 - XXL/1 = 6 pcs.





ISSALINE

04820 Verena

 CE CAT. I - EN ISO 13688:2013

 Half-zip sweatshirt with elastic rib on cuffs and bottom.

 Stabilized fabric to prevent shrinkage.

 Composition: 65% polyester 35% cotton

 g/m²: 280
 Sizes: S-M-L-XL-XXL-3XL

 Colour:

 040 blue
 060 black

 070 red
 080 grey.

 Single packed in a poly bag

 Full box: 20 pcs.



04822 PELMO

CE CAT. I - EN ISO 13688:2013 Sweatshirt with long zip and two large front pockets, cuffs and bottom with elastic rib. Stabilized fabric to avoid shrinkage Composition: 65% polyester 35% cotton g/m²: 280 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue 060 black 080 grey. Single packed in a poly bag

Single packed in a poly bag Full box: 20 pcs.

04819 only on request FALORIA

 CE CAT. I - EN ISO 13688:2013

 Round neck sweatshirt, cuffs and bottom with elastic rib.

 Stabilized fabric to avoid shrinkage.

 Composition: 65% polyester 35% cotton

 g/m²: 280

 Sizes: S-M-L-XL-XXL-3XL

 Colour:

 040 blue

 060 black

 080 grey.

 Single packed in a poly bag

 Full box: 20 pcs.



O4824 ANTELAO CE CAT. I - EN ISO 13688:2013 Sweatshirt with long zip, hood, two front pockets, cuffs and bottom with elasticated rib. Stabilized fabric to prevent shrinkage. Composition: 65% polyester 35% cotton g/m²: 280 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue 060 black 080 grey. Single packed in a poly bag Full box: 20 pcs.







ISSALINE

EXTREME SWEATSH \mathbf{D}

8883B TUBE

CE CAT. I - EN ISO 13688:2013

CE CAT. I - EN ISO 13688:2013 Technical sweatshirt from the Extreme line with hood, two front po-ckets, a document holder on the chest and two large internal pockets. The garment can be combined with products from the Extreme line or also with other trousers. The sweatshirt also has the characteristic of using recycled polyester which, together with the cotton and the cardboard packaging, make it a product that can be appreciated by those looking for "green" solutions. Composition: 65% recycled polyester, 35% cotton g/m²: 280 Sizes: S-M-LXL-XXL-3XL-4XL-5XL Colour: O40 blue with black inserts, 081 anthracite grey with black inserts, box 💭

Full box: 6 pcs

display **8883D** M/1 - L/2 - XL/2 - XXL/1 = 6 box







04379

BASEBALL CUP ISSALINE cap with visor. Composition: 100% cotton g/m²: 80 Sizes: one size Colour: 060 black single packed in a poly bag Full box: 10 pcs.



00995 Belt

Two-color reversible belt with metal buckle. Composition strap: 100% cotton Sizes: one size Colour: 083 grey/black, 150 blue/beige

single packed in a poly bag **Full box:** 50 pcs.



04380 CASQUETTE Thinsulate®

Winter cap. **Composition:** acrylic with Thinsulate® inner lining **g/m²:** 160 **Sizes:** one size **Colour:** 060 black, 080 grey. single packed in a poly bag **Full box:** 10 pcs.



Full

O4370 PADDED CAP Winter padded cap with ear flaps and back elastic band.

Full box: 10 pcs.

Composition: polyester PVC coated, polyester padding, nylon lining Sizes: one size Colour: 040 blue.



KNEEPADS Suitable for all the preset garments. Dimensions: 15,5x26 cm. Composition: 100% EVA Sizes: only adjustable. Colour: grey 5 pa. Full box: 20 prs.

00990



00980 TOM KNEEPADS Ergonomic knee pad to be a

Ergonomic knee pad to be applied externally by velcro closure; Pad designed to meet the needs of those who are forced to work for a long time kneeling (e.g. tilers). Supplied with handly blister. Sizes: only adjustable. Colour: black

box Full box: 10 prs.





FOR EXTRAORDINARY WORKERS

04522

68200R

WINTER TROUSERS SELECTION



8832B LIGHT EXTREME page 63



8833B HEAVY EXTREME page 63

8032 FUSTIAN page 37







8731WB WINTER MONOCOLOR STRETCH

8832B

8532 AV FUSTIAN page 80



We are proud to present a wide range of options to meet the needs of professionals in a variety of fields.

Below, you can explore our lines of workwear in stretch cotton, each with features unique to offer comfort and protection in every situation. Regardless of your profession or field, our catalog of workwear offers options that will meet your needs. We are confident that you will find the perfect workwear for working safely and comfortable and always stylish.

Choose the line that best suits your needs and rely on our quality, experience and dedication to your working success.



EUROPA

Europa line: Our Europa line is synonymous with durability and comfort. Made from 100% cotton, this range of workwear is ideal for those seeking strength and durability. The Europa line garments are designed to offer maximum protection in demanding work environments.

Key features: - 100% cotton fabric.

- Traditional style design.
- Ideal for industrial and blue-collar environments.



SHOT

Shot line: Garments in SHOT line are made of 100% cotton fabric, by far the absolutely the best material for breathability and healthiness. The grammage of 250 g/m² allows the garment to be used all year round, especially during the summer season, solving the problems typical of garments containing polyester or synthetic fabrics.

Key features: - 100% cotton fabric.

- Traditional style design. - Versatile clothing for multiple situations.



EASYSTRETCH **START STRETCH**

Easy Stretch and Start trousers: Our work trousers are the ideal choice for those who want maximum comfort and elasticity during working day. For those who want practical and technical clothing. Equipped with multi-purpose pockets and retro-reflective inserts. The technical trousers, in addition to a practical pocket mobile phone, allow the insertion of knee pads.

Key features:

- Stretch fabric. - Fit.

- Clothing equipped with multifunctional pockets.











BOOM STRETCH

Boom line: Our ISSALINE BOOM line is dedicated to people who seek a combination of style, comfort and elasticity. These garments are designed with attention to details and are perfect for people who want a professional look without sacrificing comfort.

Key features:

- Superior quality stretch fabric.
 Modern and elegant design.
 Perfect for professionals who require style in the workplace.



STRETCH

Stretch line: Our Stretch line is the perfect choice for people who need flexibility and freedom of movement during work activities. These elasticated garments are designed to fit the body, allowing a full range of movement without restrictions.

- Key features: High quality stretch fabric. Reinforcements in stressed areas.
- Suitable for active and dynamic professionals.











RETCH S ſREME

Stretch extreme line: The Stretch Extreme line is our proposal for people who deal with extreme situations and need highly resistant and flexible clothing. These garments are designed to challenge the toughest conditions without compromises.

Key features:

- Extremely technical stretch fabric.

- Reinforced seams and protective details.
- Slim fit and extremely comfortable.







8030 EUROPA page 37













8030T EUROPA TOP page 41

8031 SUMMER



8028 RAPTOR page 41



8030P EUROPA

page 37

8630 PAINTER page 39





8930 SHOT page 42

5030 M-PRO page 85





page 79









8532 AV FUSTIAN page 80

8438 AV

LIGHT

page 79

32 STRETCH PANTS



8038B EASYSTRETCH

page 44



8038BL LADY Easystretch page 44



8036B START page 45



8036BW START HEAVY page 45



9030B STRETCH BOOM page 50



8730B BICOLOR STRETCH page 56



8730WB WINTER BICOLOR STRETCH page 59



8731B MONOCOLOR STRETCH page 56



8731WB WINTER MONOCOLOR STRETCH page 59





page 62





page 46





8738 STRETCH ON

JEST

page 47

STRETCH

8025BP JEST STRETCH page 47

11 SOFTSHELL PANTS



page 5



page 5



9035B BOOM

page 5



8833B HEAVY EXTREME

page



page 6

8832B LIGHT EXTREME



8837B EXTREME LIGHT SUMMER 2023 page 63



LIGHT page 83



FUSTIAN

page 37



8036BW Start Heavy page 45



8730WB WINTER BICOLOR STRETCH BICOLOR STRETCH BICOLOR STRETCH page 59

page 59









HV FUSTIAN page 80

10 WINTER PANTS



8833B HEAVY



8832B LIGHT EXTREME

8532



8045 **EUROPA SHORT JACKET**

CE CAT. I - EN ISO 13688:2013 Two stitched pockets on chest with flap and button. Fastener with flap covered buttons. Cuffs with button. Shirt collar. Composition: 100% cotton g/m²: 250 Sizes: S-M-L-XL-XXL-3XL

Colour: 040 blue, Single packed in a poly bag **Full box:** 10 pcs.

8050 **EUROPA JACKET** CE CAT. I - EN ISO 13688:2013

Two stitched pockets and a little stitched chest pocket. Fastening with buttons covered by flap, removable elastic on cuffs. Sewn half-belt to avoid entanglement. Shirt collar. Composition: 100% cotton g/m²: 250 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue,

Single packed in a poly bag Full box: 20 pcs.



8035 **EUROPA BIB TROUSERS** CE CAT. I - EN ISO 13688:2013

Stitched side pockets, stitched back pocket with button and rule pocket. Chest pocket with zip. Side opening with button to easier wearing. Adjustable braces with plastic buckl.

Composition: 100% cotton g/m²: 250 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue.

Single packed in a poly bag Full box: 20 pcs.



8070 **EUROPA COVERALL**

CE CAT. I - EN ISO 13688:2013 2 stitched pockets and 2 stitched chest little pockets with flap and button. Back pocket with button and rule pocket. Elastic on the rear part of waist. Removable elastic on cuffs. Fastening with zip in nylon covered by flap. Shirt collar.

Composition: 100% cotton **g/m²:** 250 Sizes: S-M-L-XL-XXL-3XL **Colour:**

020 green, 040 blue, 042 royal blue only on request

Single packed in a poly bag Full box: 10 pcs.





8030 Europa trousers

CE CAT. I - EN ISO 13688:2013 Front slanted welt pockets, back stitched pocket with button, rule pocket. Belt loops on waist with elastic on the back. Flap with covered buttons. Composition: 100% cotton g/m²: 250 Size 020 080: XS-S-M-L-XL-XXL-3XL Size 040: XS-S-M-L-XL-XXL-3XL-4XL-5XL Colour: 020 green, only on request 040 blue, 042 royal blue, only on request

080 grey Single packed in a poly bag Full box: 20 pcs.

LARGE POCKET

8030P EUROPA TROUSERS WITH LARGE POCKET

CE CAT. I - EN ISO 13688:2013 Trousers with elastic waistband, side pocket with badge holder, two front and one rear pockets, mobile phone and rule holder pocket. Large side pocket. Flap with zipper closure and contrast stitchings.

Composition: 100% cotton g/m²: 250 Sizes: XS-S-M-L-XL-XXL-3XL-4XL-5XL

Colour: 040 blue,

Single packed in a poly bag **Full box:** 20 pcs.



8031 SUMMER TROUSERS CE CAT. I - EN ISO 13688:2013

Two slanted welt pockets. Back pocket and two large side pockets with flap and velcro. Belt loops on waist with elastic on the back. Composition: 100% cotton g/m²: 210 Sizes: XS-S-M-L-XL-XXL-3XL Colour: 040 blue, 080 grey Full box: 20 pcs.

LIGHT



8034 SUMMER SHORT TROUSERS CE CAT. I - EN ISO 13688:2013 Two slanted welt pockets. Back pocket and two large side pockets with flap and velcro. Belt loops on waist with

pockets with flap and velcro. Belt loops on waist with elastic on the back. **Composition:** 100% cotton **g/m²:** 210 **Sizes:** S-M-L-XL-XXL

Colour: 040 blue,

Single packed in a poly bag **Full box:** 20 pcs.



FUSTIAN


8032 FUSTIAN TROUSERS

CE CAT. I - EN ISO 13688:2013 Elastic waistband, front slanted pockets, back patch pocket with button and rule holder pocket. Composition: 100% fustian cotton g/m²: 350

Sizes: S-M-L-XL-XXL Colour: 040 blue,

Single packed in a poly bag Full box: 20 pcs.





8100 **EUROPA COAT**

CE CAT. I - EN ISO 13688:2013 Two stitched pockets and a little stitched chest pocket. Removable elastic on cuffs. Sewn half-belt. Shirt collar. Fastening with buttons covered by flap.

Composition: 100% cotton g/m²: 250 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue,

Single packed in a poly bag Full box: 20 pcs.



08100 MAN COAT CE CAT. I - EN ISO 13688:2013

Two stitched pockets and little pocket on chest, buttons with flap. Sewn half-belt. Shirt collar. Removable elastic on cuffs. Composition: 65% polyester terital, 35% cotton **g/m²:** 155 Sizes: S-M-L-XL-XXL Colour:

020 green only on request 040 blue, 050 white, 060 black Single packed in a poly bag

Full box: 20 pcs.



7070 **BICOLOR OVERALL**

CE CAT. I - EN ISO 13688:2013 Two-tone suit with two front pockets at chest height, one side pocket, one back pocket, two waist pockets and two pass-through pockets (useful if you use the garment over another trousers). Elastic waist for greater comfort and computed logitia at the comfort and removable elastic at the wrists.

Composition: 60% cotton, 40% polyester **g/m²:** 220 Sizes: S-M-L-XL-XXL-3XL Colour: 027 green/black, 083 grey/black. Full box: 10 pcs.



08105 **WOMAN COAT**

CE CAT. I - EN ISO 13688:2013 Two stitched pockets and little chest pocket. Women shape and row of but-tons, covered buttons, darts and sewn half-belt. Composition: 65% polyester terital, 35% cotton **g/m²:** 155 Sizes: S-M-L-XL-XXL (female sizes are one size smaller of female ones). Colour: 040 blue,

050 white,

Single packed in a poly bag Full box: 20 pcs.





8630 PAINTER TROUSERS CE CAT. I - EN ISO 13688:2013 Front slanted welt pockets, side pocket with flap and velcro, side rule pocket, hack pocket with flap and velcro. Belt loops on waist with elastic on the back. Flap with zip. Composition: cotton 100% g/m²: 220 Sizes: S-M-L-XL-XXL Colour: 050 white Full box: 20 pcs.



8730B STRETCH page 56




08182 RAPALLO page 67 **08185 CAPRI** page 66



16-319-EN

A DIST



35060N

R



08125 SHORT-SLEEVED SANITARY WHITE

only on request

Short-sleeved ranglan tunic. Closed v-neck. Slits on both hips. 1 upper pocket and 2 lower pockets. Composition: 65% polyester, 35% cotton g/m²: 190 Sizes: XS-S-M-L-XL-XXL-3XL Colour: 050 white,

Single packed in a poly bag **Full box:** 25 pcs.

08120 PANTS WHITE SANITARY

only on request Elasticized waist pants with front welt patch pockets. **Composition:** 65% polyester, 35% cotton g/m²: 190 Sizes: XS-S-M-L-XL-XXL-3XL Colour: 050 white, Single packed in a poly bag

Full box: 25 pcs.







08115 **UNIFORM FOR SANITARY**

only on request White sanitary full set (set with vest and trousers). Short sleeved vest in ranglan. Closed V-neck. Slits on both sides. 1 chest pocket and 2 lower pockets. Elasticated waist trousers with front pockets with thread connection.

Composition: 65% polyester, 35% cotton g/m²: 190 Sizes: XS-S-M-L-XL-XXL-3XL **Colour:** 050 white, 110 celeste

Single packed in a poly bag **Full box:** 14 pcs.

Ж



TWO LARGE POCKETS

8030T EUROPE TOP TROUSERS CE CAT. I - EN ISO 13688:2013

Trousers with elastic waistband, side pocket with badge holder, two front and one rear pockets, mobile phone and rule holder pocket. Flap with zipper closure and contrast stitchings. Composition: 100% cotton g/m²: 245 Sizes: XS-S-M-L-XL-XXL-3XL Colour: 040 blue Full box: 10 pcs.



CARGO STYLE

8028 RAPTOR CE CAT. I - EN ISO 13688:2013 "Cargo" pants, with many zippers and pockets. Composition: 100% canvas cotton g/m²: 215 Sizes: S-M-L-XL-XXL-3XL Colour: 020 green. box Full box: 10 pcs.

display 8028D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.



CARGO STYLE



Composition: 100% cotton g/m²: 215 Sizes: S-M-L-XL-XXL-3XL Colour: 020 green

box Full box: 10 pcs.

display 8040D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.





ISSALINE

SHOT WORKWEAR

SHOT line clothing are made of 100% cotton, by far the best fabric for breathability and health. The 250 g/m² basic weight allows clothing to be used all year around clothing to be used all year around, expecially during summertime by solving the typical problems of clothing containing polyester or synthetic fabrics. Each item is finished with coloured inserts and practical multipurpose pockets. Technical trousers, as weel as a practical mobile phone pocket, allow knee pads' inserts.

8945 SHOT JACKET

CE CAT. I - EN ISO 13688:2013 With central zip, two chest pockets and two welt pockets. Adjustable waist through buttons. Foldaway badge holder. Composition: 100% cotton **g/m²:** 250 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue with black inserts, 080 grey with black inserts.

Single packed in a poly bag for hanging Full box: 10 pcs.



8935 SHOT BIB TROUSERS CE CAT. I - EN ISO 13688:2013

Two front pockets, one large side pocket, mobile phone pocket and rule pocket. Two rear pockets and one large bib pocket. Elastic waistband, adjustable braces and badge holder.

Composition: 100% cotton **g/m²:** 245 Sizes: S-M-L-XL-XXL-3XL Colour:

080 grey with black inserts.

Single packed in a poly bag for hanging Full box: 10 pcs.





8970 **SHOT COVERALL**

CE CAT. I - EN ISO 13688:2013 Central zipper, two chest pockets and two front welt pockets. Waist adjustment through buttons. Foldaway badge holder.

Composition: 100% cotton g/m²: 245

Sizes: S-M-L-XL-XXL-3XL

Colour: 080 grey with black inserts.

Single packed in a poly bag for hanging Full box: 10 pcs.

8930 **SHOT TROUSERS** CE CAT. I - EN ISO 13688:2013

100% cotton fabric 250 g/m². With rule pocket, large side pockets, foldaway mobile's holder and knee-band. The elastic on waist and its shape make it very comfortable. With foldaway badge holder. Composition: 100% cotton g/m²:250 Sizes: S-M-L-XL-XXL-3XL **Colour:** 040 blue with black inserts, 080 grey with black inserts.

Single packed in a poly bag for hanging Full box: 10 pcs.



THE STRETCH SPECIALIST

SSALINE

DIE

Seventeen years ago we introduced the STRETCH concept to the world of workwear. It seemed an impossible challenge, but the more than 6 million garments sold have proven otherwise. From 2017 with the STRETCH EXTREME line and in 2021 and 2022 with the START and BOOM lines, thanks to technical solutions and renewed fit and design, ISSALINE aims to consolidate its leadership in workwear.









8038B boxed version in stock in Italy EASYSTRETCH

CE CAT. I - EN ISO 13688:2013

Trousers 100% stretch cotton with elastic waistband, two side pockets and two back pockets. Flap with zipper closure.

Composition: 98% cotton, 2% elastan, g/m²:260

Sizes: XS-S-M-L-XL-XXL-3XL Colour: 040 blue, 060 black, 080 grey

box [

Full box: 10 pcs.

display 8038D

Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.

CONFORMED WOMAN

8038BL LADY EASYSTRETCH

CE CAT. I - EN ISO 13688:2013 stretch cotton with elastic waistband, two side pockets and two back pockets. Flap with zipper closure. Composition: 98% cotton, 2% spandex g/m²:260

Sizes: conformed woman S-M-L-XL-XXL Colour: 040 blue box

Full box: 10 pcs.

8189L **POLO PORTOFINO** LADY page 66



8038 only on request - without boxes and different colors EASYSTRETCH

CE CAT. I - EN ISO 13688:2013 Trousers 100% stretch cotton with elastic waistband, two side pockets and two back pockets. Flap with zipper closure.

Composition: 98% cotton, 2% elastan,

g/m²:260 Sizes: XS-S-M-L-XL-XXL-3XL Colour: 020 green, 025 beige, 040 royal blue, 050 white, 060 black, 080 grey

Single packed in a poly bag Full box: 10 pcs.



8038 only on request **EASYSTRETCH AV** EN ISO 13688:2013

EN ISO 20471:2013 + A1: 2016 CLASE 1 HI-VI trousers in stretch cotton, with two side pockets, two front pockets and two rear pockets, with refletive bands. Zip fastener.

Blue composition: 97% cotton, 3% elastan **g/m²:**260 Yellow composition: 61% cotton, 39% polyester, g/m²:255 Sizes: XS-S-M-L-XL-XXL-3XL Colour: 052 blue/yellow AV Full box: 10 pcs.





260 g/m²

8036B **START**

CE CAT. I - EN ISO 13688:2013

Stretch trousers with high visibility inserts, two front pockets, two back pockets covered by flaps, a side pocket with bellows and a rule holder pocket. Waistband improves the natural comfort of stretch fabric. Packed in box.

Composition: 97% cotton, 3% spandex g/m²:260 Sizes: XS-S-M-L-XL-XXL-3XL-4XL-5XL Colour: 040 blue with orange stitchings,

078 light grey with slightly darker grey stitchings, 081 anthracite with slightly lighter grey stitch. box

Full box: 10 pcs.

display

8036D

Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.



320 g/m²



8036BW

START HEAVY CE CAT. I - EN ISO 13688:2013

Stretch trousers with retro-reflective inserts, equipped with two front pockets, two back pockets covered by flaps, a side pocket with bellows and a rule holder pocket. Elastic waistband enhances the natural comfort of the stretch fabric. In brief, these trousers are same as 8036B version but with an heavier weight making them ideal for the winter months if required.

Composition: 97% cotton, 3% spandex

g/m²: 320

Sizes: XS-S-M-L-XL-XXL-3XL-4XL-5XL

Colour: 040 blue with orange stitchings, 078 light grey with slightly darker grey stitchings, 081 anthracite with slightly lighter grey stitch.

box

Full box: 10 pcs.

display

8036DW Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.

Same features as the trousers. Composition: 97% cotton, 3% spandex

Colour: 040 blue with orange stitchings, 078 light grey with slightly darker grey stitchings, 081 anthracite with slightly lighter grey stitch.

START SHORT TROUSERS

CE CAT. I - EN ISO 13688:2013

Sizes: S-M-L-XL-XXL-3XL

box Full box: 10 pcs

8041B

g/m²:260



Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.



8738 Stretch on

CE CAT. I - EN ISO 13688:2013

Multipocket 100% canvas cotton trousers. With stretch fabric inserts in the most stressed areas for better workers' comfort. Adjustable size with elastic and buttons. Supplied in paperboard box.

Composition: 100% canvas cotton with inserts in stretch. g/m²: 250 Sizes: S-M-L-XL-XXL-3XL Colour: 049 blue avio blue inserts grey anthracite, 080 grey inserts grey anthracite, 200 green inserts grey anthracite only on request

box Full box: 10 pcs.

display 8738D

Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.





8023B only on request BERMUDA JEANS STRETCH LIGHT

CE CAT. I - EN ISO 13688:2013 IThanks to stretch fabric and weight, this jeans is very comfortable; you can wear it all year round, but it is excellent during the warmer months. Frontal pockets and contrast reinforced fabric. Mobile phone pocket and rule pocket. Flap

Composition: 98% cotton, 2% spandex g/m²: 280 after washing Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue Full box: 12 pcs.





THE PIONEER

8025B JEANS JEST STRETCH CE CAT. I - EN ISO 13688:2013

Stretch cotton fashion jeans with stone washed treatment. Front and back welt mobile phone pockets. Fly with button closure.

Composition: 75% cotton, 24% polyester, 1% spandex g/m²: 450 after washing Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour: 040 blue

box Full box: 10 pcs.

display 8025D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 -3XL/1 = 12 pcs.

8838B JEANS EXTREME

CE CAT. I - EN ISO 13688:2013 Athletic fit jeans with reinforcements in antiabrasion cordura-like fabric that, joined with the back reinforcement, further improve the strenght of this garment. With four pockets, plus both foldaway rule

four pockets, plus both foldaway rule holder and mobile phone pockets. **Composition:** 98% cotton, 2% spandex **g/m²:** 320 after washing

Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue with black inserts



3XL/1 = 12 pcs.

display 8838D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 -





8025BP Jeans Stretch Multipockets

CE CAT. I - EN ISO 13688:2013 Stretch jeans, with stone washed treatment. Mobile phone front stash pocket and ruler rear pocket, two compartment large side pocket with flap and zip fastening. Flap with button closure. Composition: 75% cotton, 24% polyester, 1% spandex g/m²: 450 after washing Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour: 040 blue

Full box: 10 pcs.

display 8025BPD Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 -3XL/1 = 12 pcs.










8839B JEANS BERMUDA EXTREME CE CAT. I - EN ISO 13688:2013

Athletic fit short jeans with anti abrasion Cordura like fabric reinforcements, that, together with back reinforcement, improves robustness. With four pockets, plus a mobile phone pocket and a rule holder pocket, both concealed. **Composition:** 98% cotton, 2% spandex g/m²: 280 before washing Sizes: S-M-L-XL-XXL-XXL **Colour:** 040 blue with black inserts,

box Full box: 10 pcs.

display 8839D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.





8016B PEAKY STRETCH CE CAT. I - EN ISO 13688:2013

Soft and comfortable trousers. Elastic at the waist and bottom at the ankles. Two slanted welt side pockets and two rear pockets.

Composition: 97% cotton 3% spandex g/m²: 250 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour:

020 olive green 040 blue

box

Full box: 10 pcs.

display

8016D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.



SUPER Comfort





STRETCH BOOM

Our ISSALINE BOOM line is dedicated to people who seek a combination of style, comfort and elasticity. These garments are designed with attention to details and are perfect for people who want a professional look without sacrificing comfort.

REVIN

Key features: - Superior quality stretch fabric. - Modern and elegant design. - Perfect for professionals who require style in the workplace. . 263-NP222

8810B

17366

9032B



46200





9045B **STRETCH BOOM JACKET** CE CAT. I - EN ISO 13688:2013

Work jacket in stretch mixed fabric with four front pockets; covered front zipper, waist adjustment. Three reflective pipings offer visibility in cases of poor visibility (where an EN20471 certified product is not required).

Composition: 60% cotton, 37% polyester, 3% lycra **g/m²:**260 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour: 040 blue/inserts black, 080 grey/inserts black, 081 anthracite/inserts black.

box Full box: 10 pcs.

9034B **STRETCH BOOM BERMUDA**

CE CAT. I - EN ISO 13688:2013

Work Bermuda shorts in mixed stretch fabric with two front pockets, a large pocket on the left leg, a retractable front phone pocket, wo rear pockets and a meter pocket. Other features of the garment are the elastic waistband which together with the stretch fabric enhance the comfort of the trousers while the back reinforcement increases its resistance. Three reflective pipings offer visibility in cases of poor visibility (where an EN20471 certified product is not required).

Composition: 60% cotton, 37% polyester, 3% lycra **g/m²:**260 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour: 040 blue/inserts black, 080 grey/inserts black, 081 anthracite/inserts black D box

Full box: 10 pcs.





9030B **STRETCH BOOM TROUSERS** CE CAT. I - EN ISO 13688:2013

Work trousers in mixed stretch fabric with two front pockets, a large pocket on the left leg, a retractable front telephone pocket, two rear pockets and a meter pocket. Other features of the garment are the elastic waistband which together with the stretch fabric enhance the comfort of the trousers while the rear reinforcement and the knee pads increase its resistance. Three reflective pipings offer visibility in cases of poor visibility (where an EN20471 certified product is not required).

Composition: 60% cotton, 37% polyester, 3% lycra **g/m²:** 260 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL **Colour:** 040 blue/inserts black, 080 grey/inserts black, 081 anthracite/inserts black

box Full box: 10 pcs.







4 seasons





9035B **TROUSERS BOOM 4 SEASONS**

(4 WAY STRETCH) CE CAT. I - EN ISO 13688:2013 4-way stretch softshell trousers which, thanks to their intermediate weight, allow the use throughout all the year. The garment has a knee pad holder, ruler pocket, two back pockets and a large side pocket. Two side inserts in stretch fabric increase comfort at the waist while the high visibility inserts offer a minimum of night visibility. Supplied with belt.

Composition: 92% polyester 8% spandex with dual function treatment: quick drying of water and expulsion of perspiration through the fabric - "3M SCOTHGARD treatment" g/m²: 210 Sizes: S-M-L-XL-3XL-4XL-5XL

Colour: 081 anthracite grey



Full box: 10 pcs.

display

9035D S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL /1 = 12 box











Removable belt.

Pockets with Velcro closure and retro-reflective piping.

Kneepad pockets.

Welt pockets.

Cell phone pocket.



R



A WAY STRETCH

BELT INCLUDED 115 g/m²

9032B

BOOM SOFTSHELL LIGHT TROUSERS

CE CAT. I - EN ISO 13688:2013

Summer trousers in lightweight Stretch softshell 4-WAY fabric, equipped with knee pad holder, mobile phone pocket, two front pockets, ruler pocket, two rear pockets and a side pocket. Two side inserts in stretch fabric increase comfort at the waist while the high-visibility inserts offer a minimum of visibility at night. The width of the leg bottom can be regulated by an elastic, which can easily be removed if considered dangerous. Provided with adjustable belt.

Composition: 92% polyester, 8% spandex, with dual function treatment: quick-drying water and expulsion of perspiration through the "3M SCOTCHGARD® Treatment" fabric.

g/m²: 115 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour: 049 avio blue, 081 anthracite.

hox



display

9032D

Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.



BELT INCLUDED 115 g/m²

9036B BOOM SOFTSHELL LIGHT SHORT TROUSERS CE CAT. I - EN ISO 13688:2013

Summer bermuda shorts in lightweight Stretch softshell 4-WAY fabric, equipped with a mobile phone pocket, ruler pocket, two rear pockets and a side pocket. Two side inserts in stretch fabric increase comfort at the waist, while the high visibility inserts offer a minimum of visibility at night. Provided with adjustable belt.

Composition: 92% polyester, 8% spandex, with dual function treatment: quick-drying water and expulsion of perspiration through the "3M SCOTCHGARD® Treatment" fabric.

g/m²: 115 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colour: 049 avio blue, 081 anthracite.

box

Full box: 10 pcs.

display 9036D

Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.















STRETCH

Stretch line: Our Stretch line is the perfect choice for people who need flexibility and freedom of movement during work activities. These elasticated garments are designed to fit the body, allowing a full range of movement without restrictions.

Key features: - High quality stretch fabric. - Reinforcements in stressed areas. - Suitable for active and dynamic professionals.

8745B

8730B

46205

issaline CLOTHING

SSALINE

STRETCH WORKWEAR

8735 STRETCH BIB TROUSERS CE CAT. I - EN ISO 13688:2013

With waistband, large side pocket and large rule pocket, large bib pocket for mobile provided with a shielding system against mobile's electromagnetic waves, knee-pad in reinforced and waterproof fabric, elastic adjustable barces.

Composition: 97% cotton, 3% spandex g/m²: 260 Sizes: S-M-L-XL-XXL-3XL Colour: 080 grey inserts black Full box: 10 pcs.



With elastic on waist, breathable mesh on sides. It is provided with large chest pocket for mobile with a shielding system against mobile's electromagnetic waves and several pokets of different sizes. Kneeband in reinforced waterproof fabric. **Composition:** 97% cotton, 3% spandex

g/m²: 260 Sizes: S-M-L-XL-XXL-3XL Colour: 080 grey inserts black Full box: 5 pcs.



8746B STRETCH VEST

CE CAT. I - EN ISO 13688:2013 Multipoket vest with inner mesh. It is provided with a shielding system against mobile's electromagnetic waves.

Composition: 97% cotton, 3% spandex g/m²: 260 Sizes: S-M-L-XL-XXL-3XL Colour: 080 grey inserts black

box Full box: 12 pcs

display 8746D

6/40D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.

8745B STRETCH JACKET CE CAT. I - EN ISO 13688:2013

With adjustable waist, brethable mesh on the sides. Pocket for mobile with a shielding system against mobile's electromagnetic waves, several pockets of different sizes. **Composition:** 97% cotton, 3% spandex g/m²: 260 Sizes: S-M-L-XL-XXL-XXL-4XL-5XL **Colour:** 080 grey inserts black box Full box: 12 pcs.





SSALINE

TECHICAL AND ELASTIC STRETCH CLOTHING.



ORIGINAL

8730B STRETCH TROUSERS CE CAT. I - EN ISO 13688:2013

Elasticated waist, large side pocket and rule pocket, knee pad holder in reinforced and waterproof fabric.

Composition: 97% cotton, 3% spandex g/m²: 260 Sizes: XS-S-M-.L-XL-XXL-XXL-4XL-5XL for colours 040 and 080, S-M-L-XL-XXL-XXL for colours 025 and 050

Colour: 025 beige inserts black, 040 blue with black inserts, 050 white inserts grey, 080 grey inserts black.

box Full box: 12 pcs.

display

8730D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.



8731B STRETCH TROUSERS CE CAT. I - EN ISO 13688:2013

Elastic on waist, with large side pocket and ruler pocket. Knee-band in stretch fabric. **Composition:** 97% cotton, 3% spandex **g/m²:** 260 **Sizes:** S-M-L-XL-XXL-3XL **Colour:** 025 beige inserts black, 040 blue inserts grey, 060 black inserts black, **only on request** 080 grey inserts black.

box Full box: 12 pcs.

display **8731D Sizes:** S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.













9060B

WISE TROUSERS CE CAT. I - EN ISO 13688:2013

CE CAT. 1 - EN ISO 13688:2013 "Wise" Stretch pant, made from 4-way stretch softshell fabric, is the ideal choice for those looking for a versatile and technical garment. In addition to the two front and back pockets, it features a large pocket on the left side and one on the right side with an additional pocket equipped with a taped zipper. Additional tool pockets, easily removable, complete the practicality of this garment. Reflective fabric inserts, although not meeting the minimum requirements for high visibility, increase visibility in low-light conditions. The elasticized waistband and removable waistband further enhance the comfort and adaptability features of this new 4 Way Stretch pant.

Plus: Zippers in the bottom of the pants, Knee pad holders, Removable pockets, Raised back waist and reinforced for added comfort, Triple stitching.

Outer composition: 92% polyester, 8% spandex Lining composition: 100% nylon oxford g/m²: 210

Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour: 083 grigio antracite/nero



display 9060D

S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.



Equipped with two pockets for tools (right and left) easily applicable with zipper



Raised and reinforced back waist for added comfort.







04527B POSH page 7



04532B KEEN page 14



04531B WISE page 14



04533B LUCKY page 20

YOUR WORK MATTERS

- THINKS

D





FLANNEL LINING

8730WB WINTER STRETCH TROUSERS CE CAT. I - EN ISO 13688:2013

EN 14058:2018 Winter stretch trousers lined with inner soft flannel. Elastic waistband. side pocket and rule holder pocket, knee pad reinforced and waterproof insert fabric.

Composition outer part: 97% cotton, 3% spandex g/m²:260 Lining composition: flanella 60% cotton, 40% polyester **g/m²:**160 Sizes: S-M-L-XL-XXL-3XL Colour: 080 grey with black inner pockets

box

Full box: 12 pcs.

display 8730WD

Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.





8731WB WINTER STRETCH TROUSERS

CE CAT. I - EN ISO 13688:2013 EN 14058:2018

Winter stretch trousers lined with inner soft flannel. Elastic waisthand. side pocket and rule holder pocket, knee pad stretch insert fabric. Composition outer part: 97% cotton, 3% spandex g/m²:260 Lining composition: flanella 60% cotton, 40% polyester g/m²:160

Sizes: S-M-L-XL-XXL-3XL Colour: 080 grey with black inner pockets

box

Full box: 12 pcs.

display

8731WD Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs



8734B **STRETCH SHORT TROUSERS**

CE CAT. I - EN ISO 13688:2013 With elastic on waist, large side pocket and rule pocket. Composition: 97% cotton, 3% spandex g/m²:220 Sizes: S-M-L-XL-XXL-3XL Colour: 025 beige inserts black, 040 blue with grey inserts, 050 white inserts grey, 080 grey inserts black



display

8734D

Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.

8772 **T-SHIRT STRETCH** CE CAT. I - EN ISO 13688:2013

Great comfort thanks to the breathability typical of cotton and the elasticity of the fabric. Perfect for work and leisure time. The color makes it perfectly matched with the trousers of the ISSALINE STRETCH line and not only.

Composition: 95% cotton, 5% elastan **g/m²:**180 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue inserts grey, 080 grey inserts black

Single packed in a poly bag for hanging Full box: 20 pcs.

8774 **POLO STRETCH** CE CAT. I - EN ISO 13688:2013

Great comfort thanks to the breathability typical of cotton and the elasticity of the fabric. Perfect for work and leisure time. The color makes it perfectly matched with the trousers of the ISSALINE STRETCH and not only.

Composition: 95% cotton, 5% elastar g/m²:180 Sizes: S-M-L-XL-XXL-3XL

Colour: 040 blue inserts grey, 080 grey inserts black

Single packed in a poly bag for hanging Full box: 20 pcs.



LONG SLEEVES POLO STRETCH CE CAT. I - EN ISO 13688:2013

Great comfort thanks to the breathability typical of cotton and the elasticity of the with the trousers of the ISSALINE STRETCH and not only.

Composition: 95% cotton, 5% elastan g/m²:180 Sizes: S-M-L-XL-XXL-3XL

Colour: 040 blue inserts grey, 080 grey inserts black

Single packed in a poly bag for hanging Full box: 20 pcs.









 \mathbf{A}



TRETCH XTREME **ST**

The Stretch Extreme line is our proposal for people who deal with extreme situations and need highly resistant and flexible clothing. These garments are designed to challenge the toughest conditions without compromises. Key features: - Extremely technical stretch fabric. - Reinforced seams and protective details. - Slim fit and extremely comfortable. 8845B 8883B 8830B 8830B 46200 44400

EXTREME winter



issaline CLOTHING

⋪



8845B JACKET ISSA STRETCH EXTREME CE CAT. I - EN ISO 13688:2013

Technical jacket with anti-abrasion and reflective piping inserts, large pockets and waist adjustment ensure comfort and ease of use. Once the sleeves are removed, the garment becomes a practical vest that can be used even during the hottest months. Supplied in single hangable box.

Composition: 65% polyester, 32% cotton, 3% spandex g/m²: 260

Sizes: 080 and 078 colour sizes: S-M-L-XL-XXL-XXL-4XL-5XL Other colours sizes: S-M-L-XL-XXL-XXXL Colour: 040 blue with black inserts,

078 light grey with black inserts, 080 anthracite grey with black inserts, 200 mud with black inserts,

box Full box: 10 pcs.

display 8845D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs.

DETACHABLE SLEEVES

8835B Stretch extreme Bib

CE CAT. I - EN ISO 13688:2013 Technical bib in stretch fabric, with anti-abrasion and reflective piping inserts, possibility of length adjustment thanks to adjustable elastic straps, elastic waist and fit. Ten pockets including a mobile phone holder and a rule holder, front pocket on the bib with pen holder. Triple stitching and tenacious fabric guarantee excellent resistance. In hanging box.

Composition: 65% polyester, 32% cotton, 3% spandex g/m²: 265 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colour: 080 grey anthracite with black inserts.

box Full box: 10 pcs.





STRETCH EXTREME

8830B **STRETCH TROUSERS EXTREME** CE CAT. I - EN ISO 13688:2013

Technical trousers with anti-abrasion and reflective piping inserts, length and width adjustment, fit and stretch fabric at the same time allow comfort and look in line with the finest technical trousers in the sports world. There are 9 pockets including a mobile phone holder and a rule holder. Triple stitching and particularly tenacious fabric guarantee excellent resistance even during toughest jobs. Supplied in single hangable box.

1

Composition: 65% polyester, 32% cotton, 3% spandex g/m²: 260 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL **Colour:** 040 blue with black inserts, 049 avio blue with black inserts,

078 light grey with black inserts, 080 anthracite grey with black inserts, 200 mud with black inserts,

box 💭 Full box: 10 pcs.

display 8830D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs

8834B SHORT TROUSERS STRETCH EXTREME CE CAT. I - EN ISO 13688:2013

Technical shorts with anti-abrasion inserts, reflective piping and stretch fabric; this garment allows both comfort and look in line with technical pants of the sports world. There are 9 pockets, including a mobile phone holder and a rule holder. Triple stitching and particularly tenacious fabric guarantee excellent resistance even during the hardest work. Supplied in single hanging box. Composition: 65% polyester, 32% cotton, 3% spandex

g/m²:260 Sizes: S-M-L-XL-XXL-3XL **Colour:** 040 blue with black inserts, 049 avio blue with black inserts, 078 light grey with black inserts, 080 anthracite grey with black inserts, 200 mud with black inserts.

box Full box: 10 pcs.

display 8834D Sizes: S/1 - M/2 - L/3 - XL/3 - XXL/2 - 3XL/1 = 12 pcs. **SLIM FIT**

Th.



SLIM FIT

ISSALINE CLOTHING



BELT INCLUDED $115 \,\text{g/m}^2$

4 WAY STRETCH

8837B **EXTREME LIGHT TROUSERS** CE CAT. I - EN ISO 13688:2013

Summer trousers in ultra-lightweight softshell fabric with contrasting very strong fabric. It is provided with 6 pockets, plus a mobile phone pocket and a tape measure pocket. Back reinforcement to increase resistance. Cooldry treatment. Supplied with adjustable belt and nacked in hox.

Composition: softshell 92% polyester, 8% spandex, with dual function treatment: rapid water drying and perspiration expulsion through the "3M SCOTCHGARD® Treatment" fabric con- trasting very strong fabric inserts.

g/m²: 115 g/m² Inserts : 165 Sizes: S-M-L-XL-XXL-3XL-4XL-5XL Colour: 049 avio blue with black inserts, 080 grey black inserts

box Full box: 10 pcs.



BELT INCLUDED $115 \,\text{g/m}^2$

4 WAY STRETCH

8836B **EXTREME LIGHT SHORT TROUSERS**

CE CAT. I - EN ISO 13688:2013 shorts trousers in ultra-lightweight softshell fabric with contrasting very strong fabric. It is provided with 6 pockets a rule pocket, plus a mobile phone pocket. Back reinforcement to increase resistance. Cooldry treatment. Supplied with adjustable belt and packed in box.

Composition: softshell 92% polyester, 8% spandex, with dual-function treatment: fast rapid drying of water and expulsion of sweat thanks to the 3M SCOTCHGARD® Treatment fabric with highly resistant fabric inserts.

g/m²:115 g/m² Inserts: 165 Sizes: S-M-L-XL-XXL-3XL

Colour: 049 avio blue with black inserts.

080 grey black inserts box

Full box: 10 pcs









8832B PANTALONE SOFTSHELL LIGHT EXTREME

CE CAT. I - EN ISO 13688:2013 Softshell trousers with membrane ideal for work use but also suitable for sports use. The two front pockets, the mobile phone pocket and the two rear pockets are all taped for use even in extreme weather situations. Cordura fabric inserts provide high resistance at the points of greatest wear. Elasticated waist and removable belt complete the features of this new Extreme garment.

Composition outer part: 94% polyester, 6% spandex bonded microfleece g/m² exterior: 260, contrasting fabric 300

TPU Membrane: W/P 8.000 mm e MVP 3.000 g/m²/24 h.

Padding: no Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colour: 040 blue with black inserts and grey retroreflec-

tive inserts, 080 anthracite grey with black inserts and grey retroreflective inserts

box Full box: 10 pcs.



SOFTSHELL WINTER 260 g/m^2



4 WAY STRETCH

8833B HEAVY EXTREME SOFTSHELL TROUSERS CE CAT. I - EN ISO 13688:2013

Long-lasting softshell trousers with membrane and microfleece, ideal for those who want a technical trouser and have to use it in particularly cold weather. Trousers equipped with four front pockets, two back pockets, a document pocket and a mobile phone pocket. Softshell fabric and Cordura inserts at the points of greatest wear guarantee excellent resistance. Elastic waistband and removable belt complete the outfit.

Composition outer part: 94% polyester, 6% spandex bonded microfleece

g/m² exterior: 320 TPU Membrane: W/P 8.000 mm e MVP 3.000 g/m²/24 h.

Padding: no Sizes: S-M-L-XL-XXL-3XL-4XL-5XL

Colour:

060 black with light grey retroreflective inserts, box

Full box: 10 pcs

display

8833D M/2 - L/2 - XL/2 - 2XL/2 = 8 pcs.

SOFTSHELL WINTER 320 g/m^2





EXTREME SUMMER



8825NB POLO STRETCH EXTREME page 69



8820NB T-SHIRT STRETCH EXTREME page

EXTREME WINTER





8881B REVENGE EXTREME page





8884B CLEVER Extreme page









EXTREME SHOES









46205 EXTREME Stretch

page 203



T-SHIRT e POLO

08189

<u>16-541-EN</u>





8180 T-SHIPT SOPPENTO

I-SHIRT SURRENTU
With sweatband in the neck.
Composition: 100% cotton
g/m²: 160
Sizes: M-L-XL-XXL
Colour:
030 orange,
040 blue,
050 white,
060 black,
080 grey.
Single packed in a poly bag
Full box: 30 pcs.



08185 Polo capri

Combed cotton, with sweatband in the neck.
Composition: 100% cotton
g/m²: 200
Sizes: M-L-XL-XXL
Colour:
030 orange,
040 blue,
050 white,
060 black, only on request
080 grey.
Single packed in a poly bag
Full box: 20 pcs.



O8189L POLO PORTOFINO LADY Made of stretch cotton, absorbs sweat. Women's

conformed. Composition: 95% cotton, 5% elastan. g/m²: 190 Sizes: S-M-L-XL-XXL Colour: 040 blue, 050 white, 080 grey. Single packed in a poly bag for hanging Full box: 20 pcs.





08182 T-Shirt Rapallo

T-shirt in combed cotton jersey with piping contrasting sleeves and neck, breathable finishes neckline with "V" seam. Composition: 100% cotton g/m²: 160 Sizes: S-M-L-XL-XXL-3XL Colour: 023 bottle green, 024 military green, 024 military green, 040 blue, 050 white, 060 black, 070 red, 080 grey.

Single packed in a poly bag **Full box:** 20 pcs.



08189 Polo Stretch Portofino

Strecth cotton polo shirt with contrasting piping on sleeves and on the edge of the collar with sweatband on the neck.

Composition: 95% cotton, 5% elastan. g/m²: 190 Sizes: S-M-L-XL-XXL-3XL Colour: 024 military green, 040 blue, 060 black, 070 red, 080 grey.

Single packed in a poly bag for hanging **Full box:** 20 pcs.



08196 POLO STRETCH CAMOGLI CE CAT. I - EN ISO 13688:2013

Streeth cotton long sleeves polo shirt with contrasting piping on sleeves and on the edge of the collar with sweatband on the neck. **Composition:** 95% cotton, 5% elastan piquet. **g/m²:** 190 **Sizes:** S-M-L-XL-XXL-3XL **Colour:** 040 blue, 060 black, 080 grey.

Single packed in a poly bag Full box: 20 pcs.



POLO and T-SHIRT in stretch fabric



8772 **T-SHIRT STRETCH** CE CAT. I - EN ISO 13688:2013

Great comfort thanks to the breathability typical of cotton and the elasticity of the fabric. Perfect for work and leisure time. The color makes it perfectly matched with the trousers of the ISSALINE STRETCH line and not only. Composition: 95% cotton, 5% elastan

g/m²:180 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue inserts grey 080 grey inserts black

Single packed in a poly bag for hanging Full box: 20 pcs.

8774 **POLO STRETCH** CE CAT. I - EN ISO 13688:2013

Great comfort thanks to the breathability typical of cotton and the elasticity of the fabric. Perfect for work and leisure time. The color makes it perfectly matched with the trousers of the ISSALINE STRETCH and not only. Composition: 95% cotton, 5% elastan

g/m²:180 Sizes: S-M-L-XL-XXL-3XL **Colour:** 040 blue inserts grey 080 grey inserts black

Single packed in a poly bag for hanging Full box: 20 pcs.



8776 LONG SLEEVES POLO STRETCH CE CAT. I - EN ISO 13688:2013

Long sleeves polo in stretch fabric with great comfort thanks to the breatha-bility typical of cotton and the elasticity of the fabric. Perfect for work and leisure time. The color makes it perfectly matched with the trousers of the ISSALINE STRETCH and not only. Composition: 95% cotton, 5% elastan

g/m²: 180 Sizes: S-M-L-XL-XXL-3XL Colour:

040 blue inserts grey 080 grey inserts black

Single packed in a poly bag for hanging Full box: 20 pcs.



8810B **T-SHIRT BOOM**

CE CAT. I - EN ISO 13688:2013 "Boom" line T-shirt in stretch cotton with front pocket. Composition: 100% cotton jersey g/m²:160 Sizes: S-M-L-XL-XXL-3XL Colour: 040 air force blue with black inserts, 080 anthracite with black inserts. box Full box: 20 pcs.



8815B POLO BOOM

CE CAT. I - EN ISO 13688:2013 Stretch cotton "Boom" polo shirt with front pocket. Composition: 95% cotton piquet, 5% elastan

g/m²: 180 Sizes: S-M-L-XL-XXL-3XL

Colour: 040 air force blue with black inserts, 080 anthracite with black inserts.

box Full box: 20 pcs.





8820NB EXTREME STRETCH COTTON T-SHIRT CE CAT. I - EN ISO 13688:2013

Extreme T-shirt in stretch cotton, with front pocket and abrasion resistant inserts on the shoulders (covered inside to avoid abrasion on the skin).
Composition: 100% stretch cotton (mechanical)
g/m²: 160
Sizes: S-M-L-XL-XXL-3XL
Colour: 040 blue with black inserts, 078 grey inserts black
box
Full box: 20 pcs.

O8160 LONG SLEEVES SHIRT CE CAT. I - EN ISO 13688:2013 Fastening with buttons, little chest pockets with pen pocket. Button on cuffs. Composition: 100% oxford cotton g/m²: 250 Sizes: S-M-L-XL-XXL Colour: 110 light blue. Full box: 12 pcs.



8825NB POLO STRETCH EXTREME CE CAT. I - EN ISO 13688:2013

Extreme polo shirt in stretch cotton, with front pocket and abrasion resistant inserts on the shoulders (covered inside to avoid abrasion on the skin). Composition: 95% cotton, 5% elastam g/m²: 190 Sizes: S-M-L-XL-XXL-3XL Colour: 040 blue with black inserts, 078 grey inserts black box Full box: 20 pcs.





The world is built by workers

We are the skin of the builders, repairers, maintainers and fabricators.

Because your work is important and our goal is to offer you a safe and comfortable way to do it, always preserving style.

A brand with decades of experience in the world of workwear and PPE, with an essence and origin from Italian style.

Because it's not just about what you do, but how you do it.







Issa socks are designed thinking of use that can makes a worker wearing them with safety shoes or athlete engaged in race or training. Mixing natural fibers (cotton and wool) with technical fibers (Kevlar, Coolmax, nylon, elastam, etc.) can get an excellent result in terms of strenght and footwellness. Issa socks are ready to face all challenges, you will always find the most suitable sock for your needs.





HOCKEY

Prized merino wool allows the maintenance of body heat and the avoidance of the accumulation of moisture, even in the harshest temperatures. The sock is industrially pre-washed and is naturally antibacterial. The anatomical reinforcements, the high-density insole, and the anti-stress cuffs guarantee pleasant comfort.

Composition: 90% Merino wool, 10% polyammide Sizes: S (35-38 conformed woman), M (39-42), L (43-46), XL (47-50) Colour / lenght: 019 ecrù / long

in blister

Minimum order: 3 pairs per size Full box: 24 pairs.





O1CCARL CARVING

Technical sock that provides excellent protection to those who work in particularly cold environments by mixing different materials. The antitorsion elastic band, the reinforcements, and the impact-cushioning insole make the article ideal also for use in sports.

Composition: 35% wool, 30% Acrylic, 20% Cotton, 15% Polyammide Sizes: S (35-38 conformed woman), M (39-42), L (43-46), XL (47-50) Colour / lenght: 80 grey / long

in blister Minimum order: 3 pairs per size Full box: 24 pairs. WINTER 01CBIAL

BIATHLON

The article has a decidedly sporty fit thanks to its anatomical structure and the tubular and elastic inserts distributed on the foot, ankle, and leg. The breathable and heat-regulating Tactel Multisoft fleece fabric guarantees an ideal and constant microclimate even in the coldest weather.

Composition: 100% anti-bacterial Tactel.

Sizes: S (35-38 conformed

woman), M (39-42), L (43-46), XL (47-50) **Colour / lenght:** 060 black inserts grey / long

in hlister

Minimum order: 3 pairs per size Full box: 24 pairs.

ALL SEASONS REINFORCEMENT KEVLAR® 00680

KEVLO

This socks has 3 important characteristics: antibacterial Amicor Plus that prevents bad odors, Klevlar that keeps the most stressed points (toe and heel) more resistant and the particular anatomic shape (there is a right sock and a left one). The average weight let the worker wear it throughout all the year. **Composition:** 50% cotton, 30% polyammide, 10% elastomer, 8% aramid, 2% elastan

mide, 10% elastomer, 5% aramid, 2% elastan Sizes: S (35-38 conformed woman), M (39-42), L (43-46), XL (47-50) **Colour / lenght:** 060 black inserts red, grey, yellow Kevlar / long

in blister

Minimum order: 3 pairs per size Full box: 24 pairs.



ALL SEASONS REINFORCEMENT KEVLAR® 01CTRIC

TRIATHLON

This sock has got three important charatteristics: Amicor Plus antibacterial that reduce the bad smell, Kevlar that give more resitance to the abrasion on the most stressed point (toe and heel) the special anatomic form (exist a left sock and a right one). The medium weight allows a all seasons use.

Composition: 50% cotton, 15% Amicor Plus, 15% polyammide, 10% elastomer, 8% Kevlar, 2% elastan

Sizes: S (35-38 conformed woman), M (39-42), L (43-46), XL (47-50)

Colour / lenght: 060 black inserts grey, yellow Kevlar / medium

in blister Minimum order: 3 pairs per size Full box: 24 pairs.



ALL SEASONS REINFORCEMENT KEVLAR® 01C0KVL

KV

The use of Kevlar, a high-tenacity fiber, guarantees this innovative sock with extreme resistance on the toe and heel, the parts subjected to the greatest friction. The anatomic structure and the graduated pressure mesh allow use for both work and sports. The average weight of the sock makes it usable throughout practically the entire year, in non-extreme conditions.

Composition: 62% cotton, 25% polyammide, 8% elastan, 5% aramid Sizes: S (35-38 conformed woman), M (39-42), L (43-46), XL (47-50) Colour / lenght: 060 black inserts yellow Kevlar / long

in blister Minimum order: 3 pairs per size Full box: 24 pairs.







ALL SEASONS

00670 Duoslalom

Pack of 2 pairs of winter sock SLALOM. Despite of its limited thickness, this sock can have a good resistance to cold thanks to Merinos wool. The good pressure on the calf benefit the blood circulation and give a winding-down effect. **Composition:** 23% Merino wool, 25% acrylic, 29% polypropylene, 18% polyammide, 2% elastan e 1% carbon fiber. **Sizes:** S/M (38-42), L/XL (43-47). **Colour / lenght:** 060 one pair grey/black with green inserts and one pair grey/black with orange inserts / long

in blister Minimum order: 3 blister of 2 pairs Full box: 12 blister da 2 pairs.

ALL SEASONS

01COFFL OFFICE

Meryl Skinlife, a technological bacteriostatic fiber, prevents the formation of bad odors. Anallergic and breathable, with heatregulating properties. The particular elasticity, the industrial prewashing, and the aforementioned features make this sock a versatile product ideal for all seasons, except in extreme situations. **Composition:** 100% Meryl Skinlife **Sizes:** S (35-38 conformed woman), M (39-42), L (43-46), XL (47-50) **Colour / lenght:** 060 black / long

in blister

Minimum order: 3 pairs per size Full box: 24 pairs.



BASKET

The Dupont Coolmax fabric favors the outward expulsion of sweat, giving the foot excellent heatregulation. The average density structure, the elastic on the foot and the anatomical reinforcements provide protection from impacts and micro-traumas while at the same time carrying out a relaxing action.

Composition: 60% polyester, 25% cotton, 12% polyammide, 3% elastan Sizes: S (35-38 conformed woman), M (39-42), L (43-46), XL (47-50) Colour / lenght: 080 grey / average lenght (American)

in blister Minimum order: 3 pairs per size Full box: 24 pairs.





BIKER

Sock «invisible» keeps the foot always cool and dry. The entire slab of the foot is an average density for cushion shock and give a nice touch to the foot. The back tab is slightly padded and protects the tendon from friction of the ankle. Ideal in the warmer months using safety shoes or sports shoes fabric.

Composition: 75% cotton, 22% polyammide, 3% elastan Sizes: S (35-38 conformed woman), M (39-42), L (43-46), XL (47-50) Colour / lenght: 060 black / equal shoes

in blister Minimum order: 3 pairs per size Full box: 24 pairs.



SUMMER 01CRUNC RUNNER

Thanks to Coolmax sock provides excellent breathability and thermal comfort even in the hottest periods of the year. The entire sole of the foot is protected from a medium density slab for mitigating impacts. The elastic band torsion and anti-stress cuff enhances the fit and performance both at work and sport.

Composition: 70% polyester, 25% polyammide, 5 % elastan Sizes: S (35-38 conformed woman), M (39-42), L (43-46), XL (47-50)

Colour / lenght: 080 light grey - dark grey / short

in blister Minimum order: 3 pairs per size Full box: 24 pairs.



DUOBIKE

"Invisible" sock that keeps always your foot cool and dry. The middensity insole protects against impacts and it is very comfortable. The back tongue is a lightly padded and protects ankle's tendon against friction. It is ideal in the hottest months together with safety shoes or sports shoes.

Composition: 75% Cotton, 22 Polyammide, 3% elastomer Sizes: M (38-42), I (43-47) Colour / lenght: 060 black inserts yellow, orange / equal shoes

in blister of 2 pairs Minimum order: 3 blisters of 2 pairs

Full box: 12 blisters (24 pairs).





DUORUN

Thanks to Coolmax, this sock is very breathable and allows a thermic comfort also during the hottest periods of the year. A mid-density insole protects all the sole against impacts. Anti-torsion elastic band and antistress cuff enhance its wearability and performances during both work and sports.

Composition: 70% polyester, 25% polyammide, 5 % elastan Sizes: M (38-42), XL (43-47) Colour / lenght: 060 black inserts green, orange / short

in blister of 2 pairs Minimum order: 3 blisters of 2 pairs Full box: 12 blisters (24 pairs).





706 only on request ECONOMIC SOCKS

Work socks of various colors. Economic. Composition: 40% cotton, 40% acrylic, 5% elastan, 15% other fibres. Sizes: one size. Colour / lenght: various/long. Minimum order: 3 per size Full box: 72 pairs.



707 only on request Cotton Cool and comfortable cotton socks. Composition: 100% cotton. Sizes: one size. Colour / lenght: 050 white, 060 black / long. Full box: 120 pairs.

SSALINE THERMO **ALSO FOR WINTER SPORTS ACTIVITIES**

8780 **ISSALINE THERMO T-SHIRT**

Thermal T-shirt with inner flannel that makes this garment very comfortable thanks also to the natural elasticity of the fabric. This specificity of the fiber ensures excellent thermal resistance and facilitates the expulsion of sweat outwards keeping the skin dry.

Composition: 100% polyester g/m²:150 Sizes: M(S/M) - XL(L/XL) - 3XL(XXL/3XL). Colour: 080 grey mélange with orange flat seams

box Full box: 5 pcs.



8785 **ISSALINE THERMO TROUSERS**

Thermal trousers with inner flannel that makes this garment very comfortable thanks also to the natural elasticity of the fabric. This specificity of the fiber ensures excellent thermal resistance and facilitates the expulsion of sweat outwards keeping the skin dry. Composition: 100% polyester g/m²: 150 Sizes: M(S/M) - XL(L/XL) - 3XL(XXL/3XL).

Colour: 080 grey mélange with orange flat seamse

box Full box: 5 pcs.



DRY STRETCH

ALSO FOR SPORTS ACTIVITIES IN ALL SEASONS

ISSALINE DRY STRETCH

Always dry on the skin
Warm in winter

• Fresh in summer

8795 SHORT SLEEVE T-SHIRT ISSALINE **DRY STRETCH**

T-Shirt ISSALINE Dry Stretch fabric. Composition: polyamide, polypropylene and elastan. Sizes: M(S/M) - XL(L/XL) - 3XL(XXL/3XL). Colour: 080 grey

box Full box: 5 pcs.

8790 **THREE QUARTER ISSALINE DRY STRETCH**

Pants ISSALINE Dry Stretch fabric. **Composition:** polyamide, polypropylene and elastan. **Sizes:** M(S/M) - XL(L/XL) - 3XL(XXL/3XL). Colour: 080 grey

box Full box: 5 pcs.



8797 LONG SLEEVE T-SHIRT ISSALINE **DRY STRETCH**

Long sleeves T-shirt ISSALINE Dry Stretch fabric. Composition: polyamide, polypropylene and elastan. Sizes: M(S/M) - XL(L/XL) - 3XL(XXL/3XL). Colour: 080 grey

box Full box: 5 pcs.





SSALINE

Clothing Hi-Vi HIGH VISIBILITY

Akrobat

ISSALINE by PIP offers high-visibility workwear that combines safety and comfort for working professionals.

Our high-visibility line is synonymous with compliance with current regulations and ensures a safer work environment. Let's explore together the different types of garments offered by ISSALINE by PIP.

Hi-Vi jackets are carefully designed to ensure maximum visibility in low-light conditions. The tri-color design not only meets safety standards, but also offers a comfortable and durable fit, ensuring optimal performance.

Hi-Vi vests are ideal for operators who need freedom of movement. Made from high-quality, reflective fabrics, ISSALINE vests provide visibility and safety without compromising comfort.

Hi-Vi pants combine style and function, providing reliable protection with durable, reflective materials. The range of sizes and fits offers a wide selection to fit every worker.

Hi-Vi polo shirts and t-shirts for a professional look without sacrificing safety are the ideal choice. With breathable and reflective materials, they combine style and safety for workers who work on the street or construction site.

Hi-Vi suits for environments that require extra attention to safety, offering protection without compromising freedom of movement. With reflective details and a comfortable fit.

In conclusion, ISSALINE by PIP is committed to providing high-quality solutions for workplace safety.

Note: The certification values shown in this catalogue may vary due to the continuous updating process; for exact data, please ask for updated technical data sheet.

0







04631N HI-VI 4 IN 1 BICOLOUR JACKET (04641N + 04648N)

EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016 - EN 343

Outer jacket (04641N): rollaway hood, fastener with zipper covered with flap and snap buttons, two outer tridimensional and double purpose muff pockets (one with badge holder), mobile phone pocket, drawstring waistband, 3M Scotchlite® reflective bands. Sealed seams. Lower body and sleeves in blue contrast tonality to reduce dirty's exposure.

Composition: - main fabric (yellow fluo / orange fluo): waterproof and breathable 300D polyester oxford PU coated with Teflon treatment - insert fabric (blue navy): waterproof and breathable 210D nylon oxford PU coated with Teflon treatment - body lining: 100% mesh polyester ; sleeve lining: taffeta polyester.

Inner jacket (04648N): fastener with buttons, two outer pockets, 3M Scotchlite[®] reflective bands. Detachable quilted and padded sleeves. Rib knit cuffs.

Composition: - main fabric (yellow fluo / orange fluo): waterproof 300D polyester oxford PU coated with Teflon treatment, polyester padding and quilted lining - sleeve fabric (blue navy): quilted 240T pongee polyester with padding and lining polyester

Sizes: S-M-L-XL-XXL-3XL Colour: 012 yellow fluo /blue, 032 orange fluo /blue Full box: 5 pcs.











04630N HI-VI 4 IN 1 BICOLOUR JACKET (04643N + 04648N)

EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016 - EN 343 NB: IT CAN BE ORDERED WITHOUT INNER JACKET = 04643N

Giacca esterna (04643N): Outer jacket (04643N): rollaway hood, fastener with zipper covered with flap and snap buttons, two outer tridimensional and double purpose muff pockets (one with badge holder), mobile phone pocket, drawstring waistband, 3M Scotchlite® reflective bands. Sealed seams.

Composition: - waterproof and breathable 300D polyester oxford PU coated with Teflon treatment - body lining: 100% mesh polyester ; sleeve lining: taffeta polyester.

Inner jacket (04648N): fastener with buttons, two outer pockets, 3M Scotchlite® reflective bands. Detachable quilted and padded sleeves. Rib knit cuffs.

Composition: - main fabric (yellow fluo / orange fluo): waterproof 300D polyester oxford PU coated with Teflon treatment, polyester padding and quilted lining - sleeve fabric (blue navy): quilted 240T pongee polyester with padding and lining polyester

Sizes: S-M-L-XL-XXL-3XL Colour: 012 yellow fluo, 032 orange fluo Full box: 5 pcs.





04648N HI-VI PADDED BODYWARMER

(interno del 04630N e del 04631N) EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016

Fastener with snap buttons, two outer pockets, 3M Scotchlite® reflective bands. Detachable quilted and padded sleeves. Rib knit cuffs. **Composition:** - main fabric (yellow fluo / orange fluo): waterproof 300D


polyester oxford PU coated with Teffon treatment, polyester padding and quilted lining - sleeve fabric (blue navy): quilted 240T pongee polyester with padding and lining polyester

Sizes: S-M-L-XL-XXL-3XL Colour: 012 yellow fluo, 032 orange fluo

Full box: 10 pcs.

N.B: it is the inner bodywarmer of 04630N and 04631N





4 IN 1

4 IN 1





04638N VALDIEZZA - HI-VI 4 IN 1 BICOLOUR JACKET (04639 + 04649)

EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016 - EN 343

Outer jacket (04639): rollaway hood, fastener with flap and snap buttons, two outer pockets (one with badge holder), mobile phone pocket, drawstring waistband, reflective bands. Sealed seams. Lower body and sleeves in blue

contrast tonality to reduce dirty's exposure. Unlined. **Composition:** - main fabric (yellow fluo / orange fluo): waterproof 300D polyester oxford PU coated - insert fabric (blue navy): waterproof 210D nylon oxford PU coated.

Inner jacket (04649): fastener with buttons, two outer pockets, reflective bands. Detachable quilted and padded sleeves. Rib knit cuffs. **Composition:** - main fabric (yellow fluo / orange fluo): waterproof 300D polyester oxford PU coated, polyester padding and quilted lining - sleeve fabric (blue navy): quilted polyester with padding and lining polyester **g/m²:** 130

g/m² polyester padding: 180 Sizes: S-M-L-XL-XXL-3XL + colour 047 4XL-5XL Colour: 047 orange fluo /blue, 048 yellow fluo/blue, Full box: 5 pcs.







To be used where it is not required the use of ing specifically certified

04610 **PARKA FOUR SEASONS** CE CAT. I - EN ISO 13688:2013

 \bigcirc

4 IN 1 waterproof winter jacket with reflective bands. **OUTER:** waterproof with four pockets, rollaway hood, drawstring waistband, badge holder.

INNER (DET ACHABLE): anti cold that can be worn alone with reflective bands, two outer pockets plus inner pocket, drawstring waistband.

Composition: polyester Sizes: S-M-L-XL-XXL **Colour:** 041 ink blue

Full box: 10 pcs.



04715 **REVERSIBLE HI-VI PILOT**

₫ 3

EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016

Reversible pilot jacket that serves a dual purpose as workwear high visibility one side, while the other side looks like a pleasant non-reflecting blue pilot for leisure activities.Fastener with zipper, detachable sleeves, knitted cuffs and waistband, four outer pockets and four zipped inner ones. Sleeve zipped pocket. Reflective

Full box: 10 pcs.

bands. Composition: polyester / cotton Sizes: S-M-L-XL-XXL Colour: 032 orange fluo / blue

REVERSIBLE DETACHABLE SLEEVES





SSALINE



04512 Flash

04069

+ A1:2016

REVERSE

pocket on HI-VI side.

Colour: 047 blue/orange fluo, 048 blue/yellow fluo

Full box: 20 pcs.

Composition: 100% polyester Sizes: S-M-L-XL- XXL-3XL

EN ISO 13688:2013 EN ISO 20471:2013 + A1:2016

Hi Vi certified softshell jacket ; with all benefits (lightness, breathability, waterproofing, windproofing, good coldresistance) for those ones who requires to be visible. With three outer and three inner pockets (of which one mobile phone pocket). Provided with practical roller key holder.

Composition: 100% polyester, softshell (polyester/spandex) with TPU Membrane TPU: W/P 10.000 mm e MVP 3.000 g/m²/24 h. Sizes: S-M-L-XL-XXL-3XL Colour:

REVERSIBLE

EN ISO 13688:2013 - EN ISO 20471:2013

Practical "travel companion" for all those who may

be walking or working outdoor: wearing it in one side makes visible, wearing it on the other provides

sober and sporty appearance. Reversible with four patch pockets on blue side and one mobile phone

012 yellow fluo /navy blue, 032 orange fluo /navy blue. **Full box:** 10 pcs.







FLEECE

04053 HI-VI BICOLOUR PULLOVER EN ISO 13688:2013 - EN ISO

20471:2013 + A1:2016 HI-VI fleece pullover, turtleneck zipper closure, elastic cuffs and waistband. Zipped pocket and two pockets. Anti pilling treatment. 3M Scotchlite® reflective bands. Composition: 100% polyester Sizes: S-M-L-XL-XXL Colour: 032 orange fluo/blue Full box: 10 pcs.



[JA



SWEAT SHIRT



04827 MIRROR EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016

HI-VI bicolour sweatshirt with central full zipper, two front pockets and two large inner pockets. Blue inserts, in addition to improving their aesthetics, protect the garment where it tends to get dirty the most. **Composition:** 25% cotton fleece, 75% polyester **g/m²:** 280 **Sizes:** S-M-L-XL- XXL-3XL

Colour: 047 orange fluo/blue. Full box: 10 pcs.



Sit

WATERPROOF



01800 GLARE HI-VI RAINSET EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016


EN ISO ISO83:2013 - EN ISO 2047 1:2013 + A1:2010 Waterproof rainset jacket and trousers certified high visibility, delivered in hangable packets. Taped seams, trousers with two pockets, elastic waistband and two regulating buttons on the lower part; jacket with small hood, two front pockets and zip flap.

pockets and zip flap. Composition: 150D polyester oxford/PU Sizes: S-M-L-XL- XXL-3XL

Colour: 047 orange fluo/blue

048 yellow fluo/blue

Full box: 20 set.







8445 **HI-VI JACKET** EN ISO 13688:2013 - EN ISO

20471:2013 + A1:2016 Two patch pockets with flap and button closure. Fastener with flap covered buttons and cuffs with buttons, adjustable waist with buttons. Shirt collar. Reflective bands on chest and sleeves. Composition: 60% cotton, 40% polyester **g/m²:**240 Sizes: S-M-L-XL- XXL-3XL Colour: 032 orange fluo, 047 orange fluo/blue, 048 yellow fluo/blue. Full box: 18 pcs.





8430N **HI-VI TROUSERS** EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016 Front slanted welt pockets, side bellow pocket with flap and velcro and badge holder, rear pocket with button, rule holder pocket. Back elastic waistband. Leg bottom reflective bands. Fly with zipper closure. NB: size S also complies to EN 20471 Composition: 60% cotton, 40% polyester **g/m²:** 240 Sizes: 032: S-M-L-XL- XXL-3XL 047-048: S-M-L-XL- XXL Colour: 032 orange fluo, 047 orange fluo/blue, 048 yellow fluo/blue. Full box: 18 pcs.





pocket and badge holder

rule pocket





Reflective bands 5, 6 or 7 cm

LIGHT 185 g/m²



Full box: 20 pcs.

8438 **HI-VI LIGHT TROUSERS** EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016 Very light high visibility trousers, suitable in summer months, elastic waistband, side pocket, 2 front pockets, rear pocket and rule holder pocket. Flap with zip. Composition: 65% polyester e 35 % cotton twill g/m²:185 Band washing: 25 Sizes: S-M-L-XL- XXL-3XL-4XL-5XL **Colour:** 047 orange fluo/blue,





8434 **HI-VI SHORT TROUSERS** EN ISO 13688:2013 - EN ISO 20471:2013

+ A1:2016 Front welt pockets with oblique opening, back pocket with flap and button. Belt loops on waist. Double reflective bands on the bottom part. Composition: 60% cotton, 40% polyester g/m²: 240 Sizes: S-M-L-XL- XXL **Colour:** 012 yellow fluo, 032 orange fluo Full box: 20 pcs.







8470 **HI-VI COVERALL**

EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016 Two patch pockets and two smaller ones with flap and button. Rear pocket with buttons and rule holder pocket. Back elastic waistband. Fastener with concealed nylon zipper, side pocket with velcro closureand badge holder. Shirt collar. Reflective bands on chest, sleeves and leg button. Composition: 60% cotton, 40% polyester g/m²: 240 Sizes: S-M-L-XL-XXL-3XL Colour: 032 orange fluo, 047 orange fluo/blue, 048 yellow fluo/blue

Full box: 10 pcs.













High-visibility fustian jacket with patch pockets and concealed badge holder. Reflective bands. **Composition:** 50% brushed fustian cotton, 50% polyester

g/m²: 350 Sizes: S-M-L-XL-XXL-3XL Colour: 032 orange fluo /blue Full box: 10 pcs.

FUSTIAN



2 EN ISO 20471:2013+* EN ISO

8532 HI-VI FUSTIAN TROUSERS EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016

HI-VI fustian trousers with back pocket, rule holder pocket and two side cargo pockets. Elastic waistband and zipper closure. Concealed badge holder on left leg pocket. Reflective bands. Composition: 50% brushed fustian cotton, 50% polyester.

g/m²: 350 Sizes: S-M-L-XL-XXL-3XL Colour: 032 orange fluo/blue

Full box: 10 pcs.





 \mathbf{R}



EN ISO 20471:2013+A1:2016 EN ISO 13888:2013

01210NB

HI-VI VEST

EN ISO 13688:2013

g/m²: 120 Band washing: 25

Sizes: one size

Full box: 50 pcs.

WITH BADGE HOLDER

Fastening with velcro. Reflective bands. With badge holder.

EN ISO 20471:2013 + A1:2016

Composition: 100% polyester

Colour: 012 yellow fluo, 032 orange fluo.

Single packed in a poly bag



01210N **HI-VI VEST** EN ISO 13688:2013 EN ISO 20471:2013 + A1:2016 Fastening with velcro. Reflective bands. Composition: 100% polyester **g/m²:** 120 Band washing: 25 Sizes: one size

Colour: 012 yellow fluo, 032 orange fluo. Single packed in a poly bag Full box: 50 pcs.



MULTY POCKET





01250 **HI-VI VEST WITH POCKETS** EN ISO 13688:2013

EN ISO 20471:2013 + A1:2016 Fastening with Velcro, 2 outer pockets and a mobile phone pocket. Stitched reflective bands. With badge holder.

Composition: 60% cotton, 40% polyester **g/m²:**240

Band washing: 25 Sizes: L (M/L) - XXL (XL/XXL) **Colour:** 012 yellow fluo, 032 orange fluo.

Single packed in a poly bag Full box: 25 pcs.



2 EN ISO 20471:2013+A1:2016 EN ISO 13688:2013

01260 HI-VI VEST ZIP EN ISO 13688:2013

EN ISO 20471:2013 + A1:2016 Very light vest with 2 front pockets, mobile phone pocket and a practical front zip. Composition: 100% polyester tricot g/m²:120 Band washing: 25 Sizes: L (M/L) - XXL (XL/XXL)

Colour: 012 yellow fluo, 032 orange fluo.

Single packed in a poly bag Full box: 25 pcs.





Perforated fabric detail

01265 **VEST MESH PERFORATED** EN ISO 13688:2013

EN ISO 20471:2013 + A1:2016 HV vest in perforated fabric, perfect for summer time with two large front pockets and one mobile phone pocket, front zip closure. Composition: 100% twill mesh polyester **g/m²:** 160 Band washing: 25 Sizes: L (M/L) - XXL (XL/XXL) **Colour:** 012 yellow fluo, 032 orange fluo. Single packed in a poly bag Full box: 25 pcs.







08194N **HI-VI POLO SHIRT**

Practical and light long-sleeved polo shirt certified HV with 50% cotton fabric in order to increase comfort and breathability. Heat-welded reflective bands and a chest pocket. Composition: 50% cotton, 50% polyester g/m²: 150 Sizes: S- M-L-XL-XXL-3XL

Colour: 047 orange fluo with blue inserts 048 yellow fluo with blue inserts.

Single packed in a poly bag **Full box:** 15 pcs.

EN ISO 20471:2013+A1:2016 EN ISO 1368R-2019

08186N

g/m²: 165

Colour:

Band washing: 25

047 orange inserts blue 048 yellow inserts blue.

Full box: 15 pcs.

Sizes: S-M-L-XL-XXL-3XL

Single packed in a poly bag

HV T-SHIRT

EN ISO 13688:2013

EN ISO 20471:2013 + A1:2016

Heat-welded reflected bands.

Composition: 50% cotton piquè, 50% polyester





08190N

HV POLO SHIRT

EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016

A practical and lightweight polo shirt, certified, with 50% cotton to increase, in compliance with legal constraints, comfort and breathability. Heat-welded reflective bands.

Composition: 50% cotton piquè, 50% polyester g/m²: 165 Band washing: 25

Sizes: S-M-L-XL-XXL-3XL

Colour: 047 orange with blue inserts

048 yellow with blue inserts

Single packed in a poly bag Full box: 15 pcs.





2 EN ISO 20471:2013+A1:2016 EN ISO 13688:2013

08184 **HV BASIC POLO**

EN ISO 13688:2013 EN ISO 20471:2013 + A1:2016 Economical polo shirt with reflective bands on chest and shoulders. Composition: 100% polyester piquè **g/m²:**160 Band washing: 25 Sizes: S-M-L-XL-XXL-3XL **Colour:** 012 yellow fluo, blue collar, 032 orange fluo, blue collar. Single packed in a poly bag Full box: 15 pcs.



08183 **HV BASIC T-SHIRT** EN ISO 13688:2013 EN ISO 20471:2013 + A1:2016 Basic T-shirt with reflective bands on chest and shoulders. Composition: 100% polyester piquè **g/m²:** 160 Band washing: 25 Sizes: S-M-L-XL-XXL-3XL Colour: 012 yellow fluo, 032 orange fluo.

11.1

Single packed in a poly bag Full box: 15 pcs.

EN ISO 13688:2013 - EN ISO 20471:2013 + A1:2016

A practical and light polo shirt certified with 50% cotton fabric in order to increase, in compliance with legal constraints, comfort and breathability.



NEW

color orange





STRETCH

2 20471-2015-A12016 8450B HI-VI SOFTSHELL LIGHT TROUSERS

EN ISO 13688:2013 - EN ISO 20471

Very light 4-WAY STRETCH softshell summer trousers (only 120 g/m2) certified for high visibility with heat-welded bands and knees pads holder. The garment has two front pockets, a side pocket with zip taped and concealed badge holder, a mobile phone pocket, two back pockets. Rear reinforcement to increase resistance. Supplied with adjustable belt. **Composition:** 95% polyester, 5% spandex ponge. With dual function treatment: quick-drying water and expulsion of perspiration through the "3M SCOTCHGARD® Treatment" fabric.

g/m²:120 Sizes: S-M-L-XL-XXL-3XL Colour:

047 orange fluo with navy blue inserts, 048 yellow fluo with navy blue inserts.

box Full box: 10 pcs. NEW color orange



A WAY

2 EN 192

EN ISO 20471:2013+A1:2016 8454B

HI-VI SOFTSHELL LIGHT BERMUDA EN ISO 13688:2013 - EN ISO 20471

Very light 4-WAY STRETCH softshell summer short trousers (only 120 g/m2) certified for high visibility with heat-welded bands. The garment has two front pockets, a side pocket with zip taped and concealed badge holder, a mobile phone pocket, two back pockets. Rear reinforcement to increase resistance. Supplied with adjustable belt.

Composition: 95% polyester, 5% spandex ponge. With dual function treatment: quick-drying water and expulsion of perspiration through the "3M SCOTCHGARD® Treatment" fabric. g/m²: 120 Sizes: S-M-L-XL-XXL-3XL

g/m²: 120 Sizes: S-M-L-XL-XXL-3XL Colour: 047 orange fluo with navy blue inserts, 048 yellow fluo with navy blue inserts.

box Full box: 10 pcs.

SSALINE

M-PRO MULTI-PROTECTION clothing

With almost 60 years of experience in the production and distribution of PPE, we are pleased to present the new ISSALINE M-PRO project, a complete range of multi-purpose clothing. In developing this project we have been guided by the desire to offer, to those who work in areas of high risk, the maximum and most up-to-date protection against the important risks to which they are subject in carrying out their work. In line with what has just been said, PPE has in fact the maximum number of possible protections, resulting in the majority of cases Pentavalenti, Atex and III Category certificates. Finally, the tradition accumulated in workwear helped us not to underestimate the aspects relating to comfort and wearability, non-secondary characteristics for those who must wear these garments for the whole day.





C E 0624 CAT. III Reg. EU 2016/425



,.**F**. <u>4</u> (Ex U STANDARD UNI EN 13034 2009 TIPO (PB) 6 IINI FN ISC ISO 11611:2015 CLASS 1 - A1 - A2 UNI EN 1149-5:2018 IEC 61482-2 2018 APC 1 STANDARD 11611 WELDING N ° WELDER CERTIFIED FIRE / HEAT WASH NO CERTIFIED STANDARD 1149 ANTISTATIC NO WAS CEPTIEIED STANDARD 6148 ARCO ELECTRIC ATEX Iron at 200° C AFTER EACH WASH WASHING Potentially infinite because permanent Potentially infinite because permanent Potentially infinite because permanent Potentially infinite because permanent Potentially infinite hecause nermanent


5585 PERMANENT M-PRO SWEATSHIRT

Long-sleeved sweatshirt, composed of two front and one back pieces, single-layered back yoke with back patch on the back, round sleeves, double-layered turtleneck collar, patch with pictograms in the right sleeve, central closure with plastic zip and double flap internal and external, the external flap is secured by a velcro fastening, 2 chest pockets and 2 pockets with zip fasteners at the waist and covered by flaps with velcro fastening, round sleeves, elastic cuffs, shuttle fabric lining contrast, bottom with elastic inserted.

Composition: 60% modacrilic 39% cotton 1% antistatic (carbon), weight 300 g/m⁴ Sizes: S-M-L-XL-XXL-3XL Colour: 040 navy blue Full box: 10 pcs.



CE 0624 CAT. II Reg. EU 2016/425



5580 PERMANENT M-PRO LONG SLEEVES POLO

Long-sleeved shirt, made up of a front and a back piece, double-faced fabric half moon applied to the shoulders, small back loop applied on the back, patch with pictograms in the right sleeve, round sleeves arm hole, shirt collar in basic fabric double layers, closed on the front by flap-covered buttons with base fabric, wrist with 2 cm hem, hem with 2 cm hem and slits on the sides, back bottom longer than the front to offer more protection during movements. **Composition:** 60% modacrilic 39% cotton 1% antistatic (carbon), weight 200 g/m² **Sizes:** S-M-L-XL-XXL-3XL

Sizes: S-M-L-XL-XXL-33 Colour: 040 navy blue Full box: 10 pcs.



UNI EN 13034 2009 TIPO 6

STANDARD 13034 CHEMICAL ERTIFICATE WASH

43

IEC 61482-2 2018 APC 1

STANDARD 61482 ARCO ELECTRIC CERTIFICATE WASH 1

30

(Ex

ATEX

30





Disponibile only on request

CE₀₆₂₄ CAT. III Reg. EU 2016/425





5577 PERMANENT M-PRO SHIRT Only on demand The shirt is composed of two front quarters and a back part, back joke applied, rear small fabric loop, shirt collar with double layer fabric, patch with pictograms in the right sleeve, 2 pockets on the chest covered with flaps stopped by an automatic metal button, round sleeves arm hole, cuffs closed with metal snap fasteners composed of double fabric, covered slit of the shirt's wrist, bottom of the shirt with side vents, there are no visible metal parts on the outside that can touch the body of the wearer inside.

Co **nposition:** 60% modacrilic 39% cotton 1% antistatic (carbon), weight 180 g/m² Sizes: S-M-L-XL-XXL-3XL

Colour: 040 navy blue **Full box:** 10 pcs.



 $C \in O_{0624}$ CAT. III Reg. EU 2016/425

STANDARD	UNI EN ISO 11612:2015 A1-B1-C1-E1-F1	ISO 11611:2015 CLASS 1 - A1 - A2	UNI EN 1149-5:2018	ESSIRE? LASS1 LASS1 LEC 61482-2 2018 APC 1	UNI EN 2009		Ex
	STANDARD 11612 FIRE / HEAT WASH NO. CERTIFIED	STANDARD 11611 Welding N ° Welder Certified	STANDARD 1149 ANTISTATIC NO WASH CERTIFIED	STANDARD 61482 ARCO ELECTRIC CERTIFICATE WASH N °	STANDAF Chen Certificat	IICAL	ATEX
WASHING CYCLE	30 30		30 (Potentially infinite because permanent)	30	30 Iron at 200° C AFTER EACH WASH TREATMENT CAN BE RESTORED DURING WASHING		30

5030 M-PRO TROUSERS

The trouser is made up with two parts in front and two parts in the back, elastic waist on the back side, on the wasit band there are 5 belt loops, 2 side pockets french style with flaps fixed with veloro closure, 1 back pocket with flap fixed with veloro closure, 1 ruler pocket covered with falp fixed with veloro closure on the right side, patch pocket with flap fixed with velcro on the left side, all the pockets sack lining are made with self main fabric Composition: 98% cotton 2% antistatic (carbon), weight 280 g/m²

Sizes: S-M-L-XL-XXL-3XL

Colour: 040 navy blue

Full box: 10 pcs.



PIUS

- ATEX

C€₀₆₂₄

Reg. EU 2016/425

5

LINI EN ISO

11612:2015 A1-B1-C1-E1-F1

STANDARD 11612 FIRE / HEAT WASH NO CERTIFIED

30

..**T**.

ISO 11611:2015 CLASS 1 - A1 - A2

STANDARD 11611 WELDING N ° WELDER CERTIFIED

30

4

UNI EN 1149-5:2018

STANDARD 1149 ANTISTATIC NO WAS CERTIFIED

CAT. III

STANDARD

WASHING

- PENTAVALENT

MULTI POCKETS





C	€ ₀₆₂₄
CAT.	III
Reg.	EU 2016/425

	STANDARD	UNI EN ISO 11612:2015 A1-B1-C1-E1-F1	ISO 11611:2015 CLASS 1 - A1 - A2	UNI EN 1149-5:2018	ECBNEZ? CLAST CLAST	UNI EN 2009 T		<mark>∕£x</mark>	
		STANDARD 11612 FIRE / HEAT WASH NO. CERTIFIED	STANDARD 11611 Welding N ° Welder Certified	STANDARD 1149 ANTISTATIC NO WASH CERTIFIED	STANDARD 61482 ARCO ELECTRIC CERTIFICATE WASH N °	STANDAF Chen Certificat	/ICAL	ATEX	
	WASHING CYCLE	30 30		30 (Potentially infinite because permanent)	30	30 Iron at 200° C AFTER EACH WASH TREATMENT CAN BE RESTORED DURING WASHING		30	

5070 M-PRO COVERAL

The coverall is made up with two front parts, 1 back part of the body, legs made up with two parts, patch with pictograms in the right sleeve, the collar like shirt, front metal zipper closing covered to the body, legs made up with two parts, patch with pictogrants in the right sleeve, the collar like shirt, front metal zipper closing covered to the body and to the outside with two flaps, outer flaps fixed with metal snap buttons, 1 chest pocket with flap fixed with velor closure, 2 waist pockets with flap fixed with velor closure, 2 waist pockets with flap fixed with velor fastening x 2, sleeves with round arm hole, cuff with elastic, back elastic on waist, cuff with elastic, 1 ruler pocket covered with falp fixed with velor closure on the right side.

Composition: 98% cotton, 2% antistatic (carbon), weight 280 g/m² **Sizes:** S-M-L-XL-XXL-3XL

Colour: 040 navy blue







C € 0624

STANDARD







PLUS

- ATEX





4 8 U STANDARD UNI EN 1149-5:2018 UNI EN ISO UNI EN IS 20471:201 14116:201 INDEX 1 STANDARD 14116 FIRE WASHES FROM CERTIFICATE STANDARD 1149 ANTISTATIC NO WASH CERTIFIED STANDARD 204/1 HI-VIS CERTIFICATI WASHING NUMBER ATEX

5010 VEST M-PRO

Vest made in one piece sewn onto the shoulders, fully edged with the same basic fabric, 7 mm hem, sewn-on appliqué bands on the bust, pictogram patch on the left chest, this garment is metal-free. Composition: 99% polyester 1% antistatic (carbon), weight 120 g/m² Sizes: L (M/L) - XXL (XL/XXL) Colour: 012 yellow fluo Full box: 25 pcs.



5075 SHIRT M-PRO PROBAN

The shirt is composed of two front quarters and a back part, back joke applied with double fabric, rear small fabric loop shirt collar with double fabric, 2 pockets on the chest covered with flaps stopped by an automatic metal button, round sleeves arm hole, cuffs closed with metal snap fasteners composed of double fabric, covered crepe, bottom of the shirt with side vents, CON bottom of the shirt with side vents. Pictogram shield on the right arm. There are no visible metal parts on the outside that can touch the body of the wearer inside. **Composition:** 79% cotton 20% polyester 1% antistatic (carbon), weight 180 g/m

Sizes: S-M-L-XL-XXL-3XL Colour: 040 navy blue

Full box: 10 pcs.





Reg. EU 2016/425



5090 PARKA M-PRO

DUSU PARKAA IM-PRO Two-tones parka made up of 6 parts in front and 2 rear parts, lower body and sleeves in contrast color, the front has two pockets with internal concealed sack on the chest covered with flaps stopped by velcro, and 2 patch pockets at the waist closed by flaps stopped by velcro, patch with pictograms in the right sleeve, 2 reflective bands surround the waist and each sleeve, 2 reflective bands connect the front and back torso bands passing through the shoulders, all bands are sewn with double stitched thread, fully lined and concealed hooded collar lined with 3 index fabric, removable hood, inside the garment is completely lined with index 3 fabric, thermal lining in fireproof material, waist adjustment with drawstring, front quarters provided with two inside patch pockets and closed by tear tape, central closure with zip covered by triple anti-wind flap of which the external one stoped with velcro, the inside in the bottom paw tits are provided with inside to prevent the parter from durting weth us calibrative the write and with 2 or hown the write are provided with inside to prevent the parka from getting wet by capillarity the wrist ends with a 2 cm hem, the wrists are provided with inside elasticated windproof cuffs.

Composition: outer fabric 98% polyester coated with polyurethan 2% antistatic (carbon), weight 260 g/m², lining 100% cotton, weight 160 g/m² Sizes: S-M-L-XL-XXL-3XL

Colour: 048 yellow fluo/navy blue inserts Full box: 5 pcs.









04681 ISOTHERMIC Jacket

EN 342:2017 - EN ISO 13688:2013 Certified EN 342:2004 for low temperatures (combined with trousers 04636). Suited for work in cold-storage rooms. Very high collar with adjustable fastening, soft fleece lining. Breast and sleeve pockets and two side pockets with flaps and buttons. Knitted stretch cuff. Zip fastener with double slide, covered by a flap fastened with Velcro. Reflector strips on the chest and at the bottoms of the trousers for better visibility in steam or fog. Elasticised waistband.

Composition:

Outer: polyamide, padding: double layer of thinsulate 100G separated by a layer of polyester. Elastic waistband. lining: 100% polyester Sizes: S-M-L-XL-XXL

Colour: 040 blue

Single packed in a poly bag - Full box: 5 pcs.

EN 342:2017 ICler 0,404 (C) 2(AP) X(WP)

04636 ISOTHERMIC Trousers

EN 342:2017 - EN ISO 13688:2013

Certified EN 342:2004 for low temperatures (combined with jacket 04681). Suited for work in cold-storage rooms. Very high waisted, with adjustable elastic on the shoulders. Long zip fasteners covered with a flap at the sides of the trousers, so that the suit can be put on without taking off shoes. Handy pockets at the knee, which act as reinforcement and can also hold separately supplied padding. Reflector strip at the bottom.

Composition: Outer: polyamide, padding: double layer of thinsulate 100G separated by a layer of polyester, lining: 100% polyester

Sizes: S-M-L-XL-XXL Colour: 040 blue

Single packed in a poly bag - **Full box:** 5 pcs.



04675 COLD-WEATHER COVERALLS

CE CAT. I - EN ISO 13688:2013 Heavy padded coveralls. Detachable padded hood, knitted collar, three zipped pockets, sleeve bottom inner cuffs, elastic waistband, side long zipper opening, leg bottom elastic to fasten it to shoes. **Composition:** nylon with polyester filling and stitched nylon lining. **Sizes:** S-M-L-XL-XXL-3XL

Colour: 040 blue Single packed in a poly bag Full box: 5 pcs.



04680 Cold-Weather Jacket

CE CAT. I - EN ISO 13688:2013 Heavy padded jacket. Collar lined with artificial fur, three outer pockets, front zipper closure covered by flap with velcro. Composition: nylon with polyester

filling and stitched nylon lining. Sizes: S-M-L-XL-XXL Colour: 040 blue

Single packed in a poly bag Full box: 5 pcs.



04635 COLD-WEATHER TROUSERS CE CAT. I - EN ISO

13688:2013 Heavy padded trousers, with adjustable elastic shoulder braces, two zippered pockets, front zipper closure, side long zipper opening, leg bottom elastic to fasten it to shoes. Composition: nylon with polyester filling and stitched nylon lining. Sizes: S-M-L-XL-XXL Colour: 040 blue

Single packed in a poly bag Full box: 5 pcs.



Isotermici - Refrigue®



FORESTRY OTHING

A workwear line certified EN 381 designed for workers exposed to the risk of cuts from portable chain saws.

The presence of a fiber with high tenacity in the padding of the protected parts ensures that the chain saw instantly blocks.

Cut and packaging are designed to give maximum comfort and convenience to the wearer.

The range is completed with specific footwear and gloves. It can be customized with serigraphy or iron on labels.



(== Class 1:20 m/s +/- 0,2 m/s

EN ISO 11393

08950N CHAINSAW JACKET CAT. III

EN ISO 11393-6 (Class 1 : 20 m/s +/- 0,2 m/s) the chest, shoulders and arm protection. Bellows and ventilation on the back, zip closure.

Composition: 68% polyester, 32% cotton Sizes: M-L-XL-XXL-3XL Colour: green / orange.

Single packed in a poly bag Full box: 1 pc.

08935N BIB PANTS CAT. III

EN ISO 11393-2 (Class 1 : 20 m/s +/- 0,2 m/s) Protection on the front of the leg at 180° + 5 cm. Elastic waist belt, adjustable elastic braces with plastic buckle. Pocket on the harness with zip closure, two pockets on the trousers and a back pocket.

Composition: 68% polyester, 32% cotton Sizes: M-I-XI-XXI Colour: green / orange

Single packed in a poly bag Full box: 1 pc.



EN ISO 11393 -

08940N CHAINSAW COVER PANTS CAT. III

EN ISO 11393-2 (Class 1 : 20 m/s +/- 0,2 m/s)

Protection on the front of the leg at 180° + 5 cm. Total lateral openings on the legs by zips and a center zip that allows you to separate them. Belt loops. **Composition:** 68% polyester, 32% cotton **Sizes:** L (M/L) - XXL (XL/XXL)

Colour: green / orange.

Single packed in a poly bag Full box: 1 pc.



07590 **CHAINSAW CUT-RESISTANT GLOVES** EN 420-2003 + A1:2009 CAT.: III EN 388:2016 3122XX EN 281-7:1999 CLASSE 2 : 24 m/s

N.B. PROTECTION E CERTIFICATE ONLY ON BACK OF LEFT GLOVE. This product has been manufactured in accordance with the require

ments of the EU Regulation 2016/425, for basic use, according to: EN 420:2003+A1:2009, general requirements, EN 388:2016, against mechanical risks and EN 381-7:1999 against risks due to chain saw cutting, applicable to it in accordance with certificate No. 18/0895/00/0161 de AITEX, Plaza Emilia Sala No. 1, Aloy, Spain, notified body 0161. Sizes: 9-10-11

Full box: 5 pa





COMPLETE SUIT EN397 - EN1731

Centurion helmet Concept in ABS orange, ultralight with Terylene harness and highly breathable Hydroflock sponge. Electrically resistant according to EN 50365. Ear defenders with noise reduction of 25 dB, and a metal forestry visor EN 1731 (model S59) covered in Nylon. Colour: 030 orange.

Kit in hox Full box: 1 pc.



KIT AKROBAT page 130

PIP VEST HEATING Revolutionary Heating Technology



300-HV100 Heating Waistcoat

Including battery and remote control. With adjustable Velcro fastener.

Three adjustable heating levels with remote control. Activation time 90-120 seconds. Warm-up time 4 hours (see specifications). Works with Mini Power Bank 5Volt/2A rechargeable battery with USB cable (included).

Composition: nylon Sizes: adjustable one size Colour: black

In box: 1 pc. **Full box:** 12 pcs

Protect yourself from the cold by moving freely

LONG LIFE HEAT - ULTRA LIGHT FIT

- Designed to heat and maintain internal body temperature, breathable softshell material provides pleasant warmth, comfort and versatility.
- Flexible heating panels integrated in chest and back, guarantee a long-lasting and reliable heat with the simple pressure of a button.
- Active fit in one size, which includes velcro straps with closure two-way, easy to adjust for a safe and comfortable fit for any type of build.
- With three heat settings available at the touch of a button.



The durable 5V/2A rechargeable battery enables you to work with fast and effective heat to warm your chest and back in seconds. To be worn over a shirt.

• Effective heat for up to 4 hours on a single charge, at the lowest setting with appropriate outer clothing.





399-HVRE (replacement) Remote control for thermal gilet. In box: 1 pc. **Full box:** 50 pcs.



399-HVBAT (replacement) Battery for thermal gilet, mini Power bank 5Volt/2A rechargable with USB cable. In box: 1 pc. **Full box:** 60 pcs.

Refreshing relief in warmer temperatures

396-EZ900 EZ-COOL[®] MAX EVAPORATIVE COOLING WIPE Only on request

Before being wearing, it must be immersed in water and activated by shaking it in the air. After worn it quickly provides a cooling effect by lowering the temperature. It offers UV protection and is odourresistant. Reusable and machine washable.

Applications: Ideal for use in hot environments to protect against the stress of high temperatures. Maintenance: Machine wash gently with mild soap.

Composition: 55% Nylon, 45% Polyester

Sizes: unnique size 54cm x 48cm x 36cm

Colour: navy blue

In a ready-made box, which can be clipped onto the belt or uniform: 1 pc. **Full box:** 48 pcs.





08270N ISSALINE BASIC CE CAT. I - EN ISO 13688:2013

Semi-durable in SSP polypropylene With hood, back pocket, elastic in: hood, wrists, waist, ankles. Composition: SPP polypropylene g/m²: 32 Sizes: M-L-XL-XXL Colour: 050 white.

Single packed in a poly bag Full box: 25 pcs.



In a hangable envelope

NEW LIGHT

MICRO-POROUS FILM EN ISO 13688:2013



<u>4</u> 6

08289 ISSALINE CHEM LIGHT CAT. III Type 5,6 - Reg. EU2016/425

One use in third category with zipper covered by flap; to protect the hinge from toxic dust ingress there is a double-sided adhesive along the entire flap. Elasticated cuffs, ankles and along the hood for better insulation, the hood is divided into three parts for a better grip. Composition: microporous polypropylene and polyethylene film **g/m²:** 47

Sizes: S-M-L-XL-XXL-3XL Colour: 050 white.

Single packed in a poly bag Full box: 50 pcs.

In a hangable envelope





SMS



5 **08288 ISSALINE CHEM AIR** CAT. III Type 5,6 - Reg. EU2016/425


Disposable overall in third category with zipper covered by a flap; in order to protect the zipper from the entry of toxic dust there is a doublesided adhesive along the entire flap. Elasticated wrists, ankles and along the cap. Sms fabric privileges breathability over microporous film.

Composition: multilayer SMS g/m²:45 Sizes: S-M-L-XL-XXL-3XL Colour: 050 white.

Single packed in a poly bag Full box: 25 pcs.



In a hangable envelope





Ð

Ň 6

TIPO 6 EN





In a hangable envelope



MICRO-POROUS FILM EN ISO 13688:2013

TAPED



08292 ISSALINE CHEM PLUS

CAT. III Type 5,6 - Reg. EU2016/425 Disposable overall in third category with zipper covered by a flap; in order to protect the zipper from the entry of toxic dust there is a doublesided adhesive along the entire flap. Elasticated wrists, ankles and along the cap for better insulation, the cap is divided into three parts for better adherence. Taped zip-pers to protect against tiny toxic dust (e.g. asbestos) and sprayed chemicals. Composition: Microporous film Polypropylene and polyethylene

g/m²: 65 Sizes: S-M-L-XL-XXL-3XL Colour: 050 white.

EN 1413

Single packed in a poly bag Full box: 25 pcs.



In a hangable envelope





PRODUCT'S PROTECTION Internal production.

L = light1313 polyester polyamide, PVC coated on both sides

Composition:

Features: made of 2 tear-resistant fabrics, with laces and collar of the same fabric.





Imported product

Features: in two tear-resistant fabrics, packed with ties and collar. Composition: PVC/Poly/PVC

P = heavy polyester polyamide, heavy PVC coated on both sides								
ltems	Fabric	Fabric cm.		Packing	Items			

Items	Fabric	cm.	Colour	Packing
00801	Light	75 x 100	(020) Green - (050) White	20 pcs.
00801P	Heavy	75 x 100	(020) Green - (050) White	10 pcs.
00810	Light	75 x 120	(020) Green - (050) White	20 pcs.
00810P	Heavy	75 x 120	(020) Green - (050) White	10 pcs.
00815	Light	100 x 115	(020) Green - (050) White	10 pcs.
00815P	Heavy	100 x 115	(020) Green - (050) White	10 pcs.

MADE IN ITALY

ltems	Fabric	cm.	Colour	Packing		
00805	0,45	75 x 110	(020) Green - (050) White	20 pcs.		
00820	0,45	90 x 120	(020) Green - (050) White	20 pcs.		





00129 LLUVIA PU RAINCOAT Foldaway hood, back and armpit ventilation, plastic zipper closure with flap and buttons, windproof cuffs, two pockets with rainproof flap, buttons cuff. Composition: PU/PVC/polyester Sizes: M-L-XL-XXL Colour: 020 green

Full box: 10 pcs.



00239 **LLUVIA PU TROUSERS** Elastic waistband with drawstring, leg bottom bellows with zipper. Composition: PU/PVC/polyester Sizes: M-L-XL-XXL Colour: 020 green Full box: 10 pcs.



00209 LLUVIA PU RAINSUIT (JACKET TROUSERS) Jacket: foldaway hood, back and armpit ventilation, plastic zipper closure with flap and buttons, windproof cuffs, two pockets with rainproof flap, buttons cuff. Drawstring waist. Trousers: elastic waistband with drawstring, leg bottom bellows with zipper. Composition: PU/PVC/polyester Sizes: M-L-XL-XXL-3XL

Colour: 010 yellow, 020 green, 040 blue Full box: 10 sets



01700 **RAINSUIT (JACKET TROUSERS)**

Jacket: fixed concealed hood, back and armpit ventilation, fastener with plastic zipper, windproof cuffs, two pockets with rainproof flap. Taped seams.

Trousers: elastic waistband, two muff pockets, leg bottom snap button. Taped seams. Folded up in practical pouch with zipper. Composition: PVC coated polyester Sizes: S-M-L-XL-XXL-3XL

Colour: 010 yellow, 020 green, 040 blue

Full box: 10 set.



01702 RAINCOAT

Fixed concealed hood, back and armpit ventilation, fastener with double buttons system, windproof cuffs, two pockets with rainproof flap. Taped seams. Folded up in practical pouch with zipper. **Composition:** PVC coated polyester Sizes: S-M-L-XL-XXL **Colour:** 010 yellow, 020 green, 040 blue Folded in a handy zippered pouch. Full box: 10 pcs.

01510 **PONCHO**

Foldable inside belt-bag, elastic strap with quick fastening buckles, snap buttons on side. Fixed hood with coulisse. Taped seams. **Composition:** PVC coated polyester Sizes: one size Colour: 020 green Full box: 25 pcs.

SSALINE

Hand protection

Hand protection is essential to ensure safety in the workplace. The human hand is composed of bones, muscles, and joints and performs various work activities, from the heaviest to the most delicate. Approximately one third of workplace injuries involve the hands, so it is necessary to use appropriate protective devices.

ecifically

s for

gloves for welde

r cold protective glo pepending on the d

Hand injuries can include cuts, burns, and chemical injuries. Each accident can have health consequences and result in high costs. Using the right gloves can offer effective protection. Depending on the work activities carried out, there are different types of injuries that can be sustained: cuts, abrasions, burns, or blisters; burns or chemical irritations; thermal burns caused by heat; cold-related damage such as frostbite or frostnip.

It is important to understand the risks present and wear designed to protect against different injuries. There are of work gloves to protect hands from various hazards: le cotton and knit gloves, synthetic materials such as poly Depending on the specific application, there are gloves or oily/wet-dry areas, cut-resistant gloves, heat or cold gloves for electricians, and for chemical agents. Depend of use, there are disposable or multi-purpose gloves.

When selecting protective gloves, considing will be used, whether dry or wet and oily. precision for specific tasks or be suitable the potential risks the gloves must protect gloves are made from different materials, allergic individuals.

The PPE Directive defines three categories of hand protection: Category I for minimal risks such as household gloves, Category II for medium-level risks such as cut wounds (must have the CE mark), and Category III that provides protection against mortal risks or irreversible injuries (must undergo certification).

rotect against. To rials, including la

There are specific standards that regulate hand protection, including various resistance tests, manufacturer labeling, and information provided by the supplier. Additionally, there are specific product standards such as EN 388 for mechanical protection, EN 407 for heat, EN 511 for cold, EN 374 for chemicals and microorganisms, and EN 12477 for welding.

For more information, refer to the specific regulations in the last pages of this catalog.

Note: The certification values shown in this catalogue may vary due to the continuous updating process; for exact data, please ask for updated technical data sheet.

 $\overline{\mathcal{Y}}$

Logistics

•

•

.

.

CODE 07104

07112

07117

07121

07121K

07122 07127

07129 07131

07134 07138

07139

07140

07155

07165

07208 07215

07252N

07253

07255 07256

07260 07260T

07265

07270

07270T 07275

07278

07279

07280

վի

All for one, one for all? Better to use the right glove.

m

Construction

Iconography of use

Mechanical maintenance

.

•

•

Maintenance

Carpentry

Heavy industry

•

This table gives general recommendations to facilitate the choice of gloves according to the work activity. However, it is only a general recommendation not to be taken literally and, especially in medium to high risk situations, require more in-depth analysis or advice of competent personnel.

Handling of small parts

Electronics

Glassworks

Hydraulics

•

•

.

C

.

LOOK AT G-TEK[®] GLOVES

•

Gardening



	tools		tion			
cold)	Working with cutting tools mechanical carpentry	rts	Cleaning and disinfection	sat		Automotive industry
Outdoor work (cold)	with cı cal car	Wet or oiled parts	and di	Welding and heat	~	ive ind
tdoor	orking echani	et or oi	eaning	elding	Assembly	tomoti
no	3 E	Ň	C	Ň	As	Au
				•		•
				•		•
				•		•
•	S					
•		•				•
	GL					•
	S ■ ■	•	•			
	G-T	•	•			
	AT	•	•			
	0K	•				
•	LOOK AT G-TEK [®] GLOVES	•				
•		•	•			•
•		•				
•		•				
		•				•

•

			LI I	and the	J.A.	Stores and		Har All	<u>P</u>	E.		484 737	F		F			
CODE	Logistics	Construction	Carpentry	Maintenance	Mechanical maintenance	Heavy industry	Gardening	Hydraulics	Glassworks	Handling of small parts	Electronics	Outdoor work (cold)	Working with cutting tools mechanical carpentry	Wet or oiled parts	Cleaning and disinfection	Welding and heat	Assembly	Automotive industry
07280T		•	•		•	•												
07282	•			•	•			•										
07283	•				•	•		•										
07284	•	•	•		•		•	•		•				•				
07284DP	•	•	•		•		•	•		•				•				
07285	•	•	•		•		•	•		•				•				
07286	•	•	•	•	•		•	•		•	•							
07286DP	•	•	•	•	•		•	•		•	•							
07287	•	•	•	•	•		•	•		•	•							
07288	•				•	•		•		•				•				•
07289	•	•		•	•		•			•				•				•
07290										•				•				•
07291										•				•				•
07300		•			•				6				(0)					•
07305		•			•				E				É A					•
07315		•			•				l Q									•
07360	•				•	•		•					EK [®] GLOVES					
07362	•				•	•		•										
07590							•		L-C									
17010	•	•	•		•		•	•	L L									
17131	•	•	•	•	•		•	•										
17131T									LOOK AT G-T				LOOK AT G-T					
17140	•	•	•	•	•		•	•										
17140T	•	•	•	•	•		•	•										
17212							•			•	•						•	•
17276	•	•	•	•			•	•		•	•						•	
17281	•						•			•				•				•
17284	•	•	•		•		•	•		•				•				•
17286	•	•	•	•	•		•	•		•				•				•
17287	•	•	•	•	•		•	•										
17289	•	•		•	•		•							•				
17320							•					•						
17364	•	•	•		•		•	•						•				
17365	•	•			•		•	•										
17366	•	•	•		•		•	•										

For B2B orders: www.industrialstarter.com / 95

llh, ISSALINE **NITRILE GLOVES**

SSALINE

NEW saving package







<u>1</u> 07286 010

NITRILE EN 388 3121X

The glove has excellent sensitivity and excellent resistance mechanically resistant to abrasion and tearing. Yarn: polyester gauges: 13 Yarn colour: yellow Coating: Nitrile Coating colour: grey

envelope without graphics Sizes: 8-9-10 Full box: 240 pa



EN 388:2016 07286 080 NITRILE

EN 388 3121X The glove has excellent sensitivity and excellent resistance mechanically resistant to abrasion and tearing. Yarn: polvester gauges: 13 Yarn colour: white Coating: Nitrile Coating colour: grey

envelope without graphics

Sizes: 8-9-10

Full box: 240 pa.

17286 080 NITRILE blister

WP blister Sizes: 8-9-10 Full box: 60 pa.

TOP QUALITY <u>1</u>

07287 080 **STRONG CATCH** EN 388 4121A

The glove has excellent sensitivity and excellent resistance mechanically resistant to abrasion and tearing.

Yarn: poly / nylon gauges: 13 Yarn colour: white Coating: Nitrile Coating colour: grey

poly bag

Sizes: 7-8-9-10 Full box: 120 pa



07286 060 NITRILE EN 388 3121X

EN 388:2016

NEW

The glove has excellent sensitivity and excellent resistance mechanically resistant to abrasion and tearing. Yarn: polyester gauges: 13 Yarn colour: black Coating: Nitrile Coating colour: black

envelope without graphics Sizes: 8-9-10 Full box: 240 pa



<u>d</u>=)

blister

EN 388 3121X

17287 030

to abrasion and tearing.

Yarn colour: orange

Coating: Nitrile Coating colour: blue

Yarn: poly / nylon

gauges: 13

blister

Sizes: 7-8-9-10 Full box: 60 pa.

STRONG CATCH

The glove has excellent sensitivity and

excellent resistance mechanically resistant

07287 030 only on request **STRONG CATCH**

EN 388 3121X The glove has excellent sensitivity and excellent resistance mechanically resistant to abrasion

and tearing. Yarn: poly / nylon

gauges: 13 Yarn colour: orange Coating: Nitrile Coating colour: blue

poly bag Sizes: 7-8-9-10 Full box: 120 pa.

ISSALINE NITRILE GLOVES

լՈկ







pag. 122

07288 060 **OIL CATCH** EN 388 2121A

(**1**=)

Gloves made with spunbonded nylon thread, with nitrile coating, backs fully coated with nitrile. The gloves have excellent sensitivity and excellent mechanical resistance to abrasion and tear. The nitrile coating on the backs makes the gloves particularly suitable for all kinds of work in dirty and greasy environments, e.g. handling in the presence of oil.

Yarn: poly / nylon gauges: 13 Yarn colour: black Coating: Nitrile Coating colour: black

poly bag Sizes: 7-8-9-10-11 Full box: 120 pa.



17276 010 **GRITTY CATCH** EN 388 4131X

<u>d</u>=

15 gauges continuous thread glove, palm coated in NITRIL with "sandblasted" effect for excellent grip even in the presence of slippery liquids such as various nils. Excellent abrasion resistance.

Yarn: poly / nylon gauges: 15 Yarn colour: yellow fluo Coating: Nitrile "sand" effect Coating colour: blue royal

blister Sizes: 7-8-9-10 Full box: 60 pa





EN 388 4121X

Gloves made of spunbonded nylon thread, with palms coated with nitrile foam. Excellent sensitivity and good mechanical strength. The foam treatment ensures micro porosity to the nitrile combining breathability and water resistance (including oils). Yarn: poly / nylon

gauges: 13 Yarn colour: white

Coating: Nitrile foam Coating colour: grey

poly bag Sizes: 6-7-8-9-10 Full box: 120 pa.



₽ 07360 **DOTS CATCH** EN 388 3121B

Technical gloves made with 15 gauges spunbonded nylon/spandex fabric, coated with nitrile foam up to % of the backs; the "Slip dots" on the palms ensure high gripping even when handling greasy items. The end result is sensitive, oilresistant, breathable gloves with a very good grip. Yarn: nylon / spandex

gauges: 15 Yarn colour: grey Coating: Nitrile foam Coating colour: black

Sizes: 7-8-9-10-11 Full box: 120 pa.



₫=) 07283 040 **SANDY CATCH** EN 388 4121X

Gloves made of spunbonded nylon thread, with palms coated with nitrile foam. The "sand" effect gives the gloves a secure grip when handling oily parts. The gloves have excellent sensitivity and good resistance to abrasion. The foam treatment ensures micro porosity to the nitrile combining breathability and water resistance (including oils).

Yarn: poly / nylon gauges: 13 Yarn colour: blue Coating: Nitrile "sand" effect Coating colour: blue





07362 **ORANGE DOTS CATCH** EN 388 4121X

Technical glove in polyester /spandex 13-gauge continuos thread with nitrile foam coating, nitrile foam coating with pvc dots gaurantee a secure grip even when handling oily objects. The final result is a sensitive, oil-proof, breathabilityglove with an excellent grasp Yarn: polyestere / spandex

gauges: 13 Yarn colour: orange Coating: Nitrile

Coating colour: black with orange dots



<u>1</u>

issaline NITRILE GLOVES



18





SSALINE

NEW saving package



<u>d</u>=

07284DP 060 **PU GLOVE** EN 388 3121X

The glove has excellent sensitivity and excellent resistance mechanically resistant to abrasion and tearing. Yarn: polyester gauges: 13 Yarn colour: black Coating: polyurethane Coating colour: black Sizes: 8-9-10-11 Package: 12 pa. (not individually wrapped) Full box: 240 pa.

050: white 080 grey: only on request

060: black

07284 060 / 050

Yarn: polyester gauges: 13 Yarn colour 060: black

Colore spalmatura 060: black

Colore spalmatura 050: white

envelope without graphics

Sizes: 8-9-10-11 + 7 solo per colore black

Yarn colour 050: white

Coating: polyurethane

Full box: 240 pa.

The glove has excellent sensitivity and excellent

resistance mechanically resistant to abrasion

PU GLOVE

EN 388 3121X

and tearing.



NEW 17284 060 / 050 PU GLOVE blister

> **WP** blister Sizes: 8-9-10 Colour: 050 white, 060 black Full box: 60 pa.

> > TOP

OUALITY



<u>d</u> 07285 050 / 060 SOFT CATCH EN 388 3141X

Continuous thread glove. Excellent abrasion resistance, good sensitivity. The glove is also breathable on the palm. Yarn: poly / nylon gauges: 13 Yarn colour 060: black Yarn colour 050: white

Coating: polyurethane Coating colour 060: black Coating colour 050: white

poly bag Sizes: 6-7-8-9-10-11 Full box: 120 pa.

<u>a</u> 07285 080 **SOFT CATCH** EN 388 3141X

Continuous thread glove. Excellent abrasion resistance, good sensitivity. The glove is also breathable on the palm. Yarn: poly / nylon gauges: 13

Yarn colour: grey Coating: polyurethane Coating colour: light grey







07284 070 **PU GLOVE** EN 388 3121X The glove has excellent sensitivity and excellent resistance mechanically resistant to abrasion and tearing. Yarn: polyester gauges: 13 Yarn colour: red Coating: polyurethane Coating colour: grey

envelope without graphics Sizes: 8-9-10-11 Full box: 240 pa.

<u>ı</u>



Coating: polyurethane Coating colour: black



issaline LATEX GLOVES

Ally

ISSALINE



07244 POLY COTTON EN 388 1143X

Full box: 120 pa

EN 388:2

Knitted glove, latex-impregnated palm. Excellent grip, ideal for construction and related work. Breathable back. Yarn: polyester / cotton Yarn colour: beige Coating colour: orange Coating colour: orange Sizes: 8-9-10 Package: 12 pa.





2000

EN 3882016 2131A 17364 HUNTER CATCH EN 3882131A

Glove with continuous thread camouflage knit, coated with knurled latex for excellent grip. Yarn: polyester gauges: 13 Yarn colour: camouflage Coating: knurled latex Coating colour: black

blister

Sizes: 7-8-9-10-11 Full box: 60 pa.



17289

W blister

Sizes: 7-9-10

Full box: 60 pa

GRIP HV CATCH blister

2242X 07256 FROG CATCH

EN 388 2242X A technical glove in continuous thread with a first coating up to the cuff in latex

that guarantees waterproofness and robustness and a second coating in 'sanded' latex that further amplifies the grip typical of latex. The end result is a sensitive, waterproof glove with an unrivalled non-slip grip. Yarn: polyester

07245

pag. 114

gauges: 15

Full box: 120 pa.

Yarn colour: yellow First coating: smooth latex Second coating: Latex sand effect Coating colour: yellow lime / blue

blister Sizes: 8-9-10-11



EN 3882000 3132X 17366 RED SKIN CATCH EN 388 3132X Knurled latex coated glove that provides excellent grip. Yarn: polyester gauges: 13 Yarn colour: red Coating: knurled latex Coating: knurled latex Coating colour: black blister Sizes: 8-9-10-11 Full box: 60 pa.

Other winter latex gloves



excellent grip. Thanks to the nylon backing, the glove has excellent sensitivity, in highvisibility yellow. Yarn: poly / nylon gauges: 13 Yarn colour: yellow fluo

GRIP HV CATCH EN 388 2132B

Continuous thread glove with a latex foam

coated palm that provides the glove with

Coating: Latex foam Coating colour: black

poly bag Sizes: 7-8-9-10 Full box: 120 pa.

<u>1</u>

07289

SSALINE

GLOVES FOR GARDENING

CHILD'S GLOVES

17320 BABY CATCH Latex-coated knitted glove for excellent grip.

Yarn colour: green gauges: 13 Coating: latex Coating colour: grey

W blister Sizes: S (6/7 years) – L (8/10 years) Full box: 60 pa.





07256

FROG

CATCH

Pag. 100



Other gardening gloves



07362 ORANGE DOTS CATCH Pag. 97



07284 PU GLOVE Black



17364

HUNTER

CATCH

Pag. 100

07140 LEATHER GLOVE Pag. 109





07202 MICROFIBER AND KNIT GLOVE Pag. 113

իլլի







07300 Black Defender Cat. III

Gloves made with rubber/neoprene with light cotton "flock" lining. Textured palm and fingers for a better grip, excellent mechanical resistance and protection against chemicals if used in the presence of slightly aggressive chemical products. Certified for food handling. Sanitized" treatment. Outer composition: rubber/neoprene

Inside: light fleece Colour: black

poly bag Length: 320 mm (size XL) Sizes: S-M-L-XL Full box: 144 pa.



07305 GREEN DEFENDER CAT. III

Nitrile gloves with light, cotton "flock" lining and textured palm and fingers for a better grip. The glove offers excellent resistance to abrasion and its use is enhanced in the presence of hydrocarbons and chemical products thanks to the nitrile characteristics (pay attention to extreme situations). Certified for food handling. Sanitized* treatment.

Outer composition: nitrile Inside: light fleece



Full box: 144 pa.



07315 2 COLOR DEFENDER CAT. III

Neoprene and latex rubber gloves with cotton flock lining and tectured palm and fingers for a better grip. Gloves with low mechanical resistance but with good chemical protection against a large number of caustic substances. Certified for food handling. Sanitized* treatment.

Outer composition: neoprene and latex Inside: light fleece

Colour: blue / yellow





ISSALINE

իլլի

TOP QUALITY

ISSALINE's TOP QUALITY range of impregnated nitrile gloves has been developed with a high degree of attention to product quality. Our aim is to offer an excellent and satisfactory solution to the most demanding users, who are not afraid to compare with any of the high-end alternatives on the market.

We have also paid close attention to the shape and design of our gloves to ensure maximum comfort during prolonged use. Our gloves are designed to fit your hands perfectly and offer excellent tactile sensitivity without compromising durability or protection.

The ISSALINE range of nitrile impregnated gloves is a superior product, carefully designed to meet the needs of the most demanding users without fearing comparison with other alternatives on the market.
We are confident that our gloves offer optimal durability, protection, and comfort at a competitive price.



TOP QUALITY EN 388:2016



07260T NITRILE TOP EN 388 4221X

TOP quality NITRILE gloves with canvas/ cotton shell, safety cuff and ventilated back. Sanitized* treatment. Support: canvas / cotton Support colour: white Coating: Nitrile Coating colour: blue Sizes: 9-10 Package: 12 pa. Full box: 120 pa.



TOP QUALITY EN 388:2016



07270T NITRILE TOP EN 388 4221X

TOP quality NITRILE gloves with canvas/ cotton shell and knitted cuff. Ventilated back. Support colour: white Coating colour: blue Sizes: 9:10 Package: 12 pa. Full box: 120 pa.



TOP QUALITY EN 388:2016 Saulaget

4221X 07280T NITRILE TOP EN 388 4221X

TOP quality NITRILE gloves with canvas/cotton shell and safety cuff. Completely covered back. Sanitized" treatment. Support: canvas / cotton Support colour: white Coating: Nitrile Coating colour: blue Sizes: 8-10 Package: 12 pa. Full box: 120 pa.





07265 KNIT GLOVES EN 388 2111A

NITRILE knitted glove with knitted cuff. Ventilated back. Support: cotton Support colour: white Coating: Nitrile Coating colour: yellow Sizes: 7-8-9-10 Package: 12 pa. Full box: 120 pa.





EN 388:2016

CANVAS GLOVES EN 388 3111B TOP quality NITRILE gloves with canvas/ cotton shell and safety cuff. Completely

covered back. Support: canvas / cotton Support colour: white Coating: Nitrile Coating colour: blue Sizes: 9-10 Package: 12 pa. Full box: 120 pa.





07260 CANVAS GLOVES EN 388 4111B

TOP quality NITRILE gloves with canvas/cotton shell and safety cuff. Ventilated back. Support: canvas / cotton Support colour: white Coating: Nitrile Coating colour: blue Sizes: 9-10 Package: 12 pa. Full box: 120 pa.



4111B 07270 KNIT FABRIC GLOVES EN 388 4111B

NITRILE knitted glove with knitted cuff. Ventilated back. Support: cotton Support colour: white Coating: Nitrile Coating colour: blue Sizes: 9-10 Package: 12 pa. Full box: 120 pa.





07275 KNIT FABRIC GLOVES EN 388 4211B

Knitted gloves with cuffs FULLY COATED WITH NITRILE.

Support: cotton Support colour: white Coating: Nitrile Coating colour: blue Sizes: 8-9-10-11 Package: 12 pa. Full box: 120 pa. nh,





EN 388:2016

O7225 GLOVE COATED WITH PVC 27 cm EN 388 4121X Glove with PVC impregnated cotton jersey support. Support colour; white Coating: PVC Coating colour: red Total length cm: 27 Sizes: 10 Full box: 60 pa.



07230 GLOVE COATED WITH PVC 35 cm

EN 388 4121X Glove with PVC impregnated cotton jersey support. Support: maglia di cotton Support colour: white Coating: PVC Coating colour: red Total length cm: 35 Sizes: 10 Full box: 60 pa.



07227 GLOVE COATED WITH PVC 42 cm

EN 388 4121X Glove with PVC impregnated cotton jersey support. Support colour: white Coating: PVC Coating colour: red Total length cm: 45 Sizes: 10 Full box: 60 pa.



07208 POLYESTER GLOVES WITH PVC DOTTING EN 388 4121X

Glove made with spunbonded 100% polyester yarn. Yarn: polyester Yarn colour: white Dotted: PVC PVC dotted palm colour: blue Sizes: 6-7-8-9-10 Package: 12 pa. Full box: 240 pa.



07215 LIGHTWEIGHT COTTON GLOVES CE CAT. I - EN 420:2003+A1:2009

Knitted gloves in lightweight interlock cotton, fineness 18. Yarn: light cotton interlock gauges: 18 Yarn colour: white natural Sizes: small 6-7^{1/2} - large 8-9^{1/2} Package: 10 pa. Full box: 500 pa.



07218 GKNITTED COTTON GLOVES CE CAT. 1 - EN 420:2003+A1:2009

Gloves made with spunbonded cotton thread, without seams, guantlet cuffs, fineness 10. Yarn: cotton gauges: 10 Yarn colour: white natural Sizes: small 6-7^{1/2} - large 8-9^{1/2} Package: 10 pa. Full box: 500 pa.

NEW







07253 DISPOSABLE NITRILE GLOVES POWDER-FREE CE CAT. III EN ISO 21420:2020 EN ISO 374-1:2016+A1:2018/TYPE B EN ISO 374-5:2016 EN ISO 374-4:2019

AQL 1,5 Disnosable

Disposable ambidextrous nitrile gloves without powder. Excellent resistance to oil and petrol. The best alternative for users allergic to latex proteins. 100 pcs. Hanging dispensers. **Applications:** logistics, chemistry, mechanical maintenance, assembly, hospital cleaning, food industry. **Composition:** nitrile

 Finger thickness: 0.10 +/- 0.03 mm

 Colour: blue

 Sizes: S/7 - M/8 - L/9 - XL/10

 Hanging dispenser box: 100 pz.

 Full box: 10 box.



07252N DISPOSABLE NITRILE GLOVES POWDER-FREE CE CAT. III EN ISO 21420:2020

EN ISO 374-1:2016+A1:2018/TYPE B EN ISO 374-5:2016 EN ISO 374-4:2019 AQL 1,5

Ambidextrous powder-free nitrile disposable glove. Excellent resistance in the presence of oils and petrol. Best alternative for users allergic to latex proteins.

Applications: logistics, chemistry, mechanical maintenance, assembly, hospital cleaning, food industry.

Composition: nitrile

Thickness: 0,11 mm (4,5 mil)

Colour: black **Sizes:** S/7 - M/8 - L/9 - XL/10


Hanging dispenser box: 100 pz. Full box: 10 box.





Grippaz* is a range of semi-disposable gloves that has revolutionised the use of gloves in industry and automotive. Made from a special formula of NBR (Nitrile Rubber), it provides an excellent protective barrier against many chemicals, oils, grease, blood pathogens and viruses.

The patented herringbone grip has been independently tested and approved by the renowned British laboratory SATRA, certifying superior grip compared to other disposable gloves of the same thickness.











EN 3862016 M2016 3133X EI 407.0200 3133X 412XXX

07131 COWHIDE LEATHER GLOVES

EN 388 3133X - EN 407 412XXX Gloves with full grain leather palms, split leather back, hemmed at the bottom with elastic back. Composition: full grain leather palms, split leather back Colour: 050 white Sizes: 8-9-10-11

Sizes: 8-9-10-11 **Full box:** 120 pa.

17131 COWHIDE LEATHER GLOVES EN 388 3133X - EN 407 412XXX

Gloves with full grain leather palms, split leather back, hemmed at the bottom with elastic back. **Composition:** full grain leather palms, split leather back

Colour: 050 white

blister 1 pa. Sizes: 8-9-10-11 Full box: 60 pa.



TOP QUALITY



17131T TOP LEATHER GLOVE EN 388 4134X

Grain leather gloves with Top crust back. Reinforced thumb and Issa bordering. The glove is made with selected high quality leathers. **Composition:** high quality leathers. **Colour:** white, yellow reinforcement



Sizes: 9-10 Package: 12 pa. Full box: 60 pa.

NB: given the particular quality of the leather, these gloves are not always available.

PRICE



07129 COWHIDE LEATHER GLOVES

EN 388 2121X - EN 407 412XXX Glove with palm in cowhide grain leather and split leather back. Elastic back. Composition: full grain leather palms, split leather back Colour: 050 white Sizes: 8-9-10-11 Full box: 120 pa.



TOP QUALITY 17131T 17140T

The TOP QUALITY line distinguishes itself through the use of premium leathers that are not commonly found in work gloves.

gloves. These products were developed to cater to the demands of customers seeking high-end items comparable to 'national gloves'. As the leather used has gained popularity, it may not always be readily available.

We recommend verifying its availability at our warehouse before finalizing any orders for your customers. Additionally, the gloves are packaged in smaller quantities than usual to avoid excessive compression during shipping and maintain their initial softness.





EN 3682076 AC2009 3133X EN 4072020 3133X 413XXX 07140

COWHIDE GRAIN LEATHER GLOVES EN 388 3133X - EN 407 413XXX

Glove with palm and back made of cowhide grain leather, hemmed. Elastic back. **Composition:** full grain leather **Colour:** 050 white **Sizes:** 8-9-10-11 **Full box:** 120 pa.

17140 COWHIDE GRAIN LEATHER GLOVES EN 388 3133X - EN 407 413XXX

Glove with palm and back made of cowhide grain leather, hemmed. Elastic back. Composition: full grain leather Colour: 050 white

blister 1 pa. Sizes: 8-9-10-11 Full box: 60 pa.



TOP QUALITY



17140T TOP LEATHER GLOVE EN 388 4134X

glove with thumb reinforcement and Issa border. The glove uses only selected and high quality leathers. **Composition**: high quality leathers.

Colour: white, yellow reinforcement

blister 1 pa. Sizes: 8-9-10-11

Package: 12 pa. Full box: 60 pa.

NB: given the particular quality of the leather, these gloves are not always available

PRICE



07139 COWHIDE GRAIN LEATHER GLOVES EN 388 2121X - EN 407 412XXX

Glove with palm and back made of cowhide grain leather, hemmed. Elastic back. Composition: full grain leather Colour: 050 white Sizes: 8-9-10-11 Full box: 120 pa.

ISSALINE

nh,

GLOVES ELECTRO-INSULATING EN 60903:2003 + AC2:2005 PPE Category III





DIELETRIC GLOVES TYRON E N 60903:2003 + AC2:2005 - DPI III Category

Gloves against electrical risks from 2.500 to 40.000 volts. For the specificity of use in high-risk situations, the gloves are subject to periodic checking and cannot be used when more than 6 months have elapsed since the end of the last analysis and in case of new ones, not yet used when the date of the latest analysis is no more than 12 months.

ART.	CLASS	VOLTS TEST	VOLTS USE	SIZE
07603N	00	2.500 Volts	500 Volts	8-9-10-11-12
07607N	0	5.000 Volts	1.000 Volts	8-9-10-11-12
07612N	1	10.000 Volts	7.500 Volts	8-9-10-11-12
07621N	2	20.000 Volts	17.000 Volts	8-9-10-11-12
07631N	3	30.000 Volts	26.500 Volts	9-10-11-12
07641N	4	40.000 Volts	36.000 Volts	9-10-11-12







07290 GLOVES MADE WITH ARAMID FABRICO EN 388 4544XX - EN407 43324X RESISTANT TO HIGH TEMPERATURES PPE CATEGORY III

They resist contact heat for 15 seconds at a temperature of 350° C.. Composition: aramid fabric Colour: light yellow

Total length cm: 28 Size: 10

Package: 5 pa. Full box: 60 pa.





07291 GLOVES MADE WITH ARAMID FABRIC EN 388 4544XX - EN407 43324X

RESISTANT TO HIGH TEMPERATURES PPE CATEGORY III They resist contact heat for 15 seconds at a

temperature of 350° C.. Composition: aramid fabric Colour: light yellow

Total length cm: 38

Size: 10 Package: 5 pa. Full box: 60 pa.



CHAINEX

250000xR0302 CHAINEX GLOVES EN 1082-1

Single glove, reversible right left. Stainless steel mesh, 5 fingers, fitted with plastic strap (replaceable), or adjustable fabric and buckle with press stud. Length from 20.8 to 25 cm. fabric strap. Sizes: x = 0.12-3.4-5 (6-7-8-9-10-11) Full box: 1 pz.





07590 FORESTRY GLOVES CHAINSAW CUT-RESISTANT EN 420-2003 + A1:2009 CAT.: III EN 388:2016 3122XX EN 281-7:1999 CLASSE 2 : 24 m/s N.B. PROTECTION AND CERTIFICATION LEFT GLOVE BACK ONLY.

Cut-resistant forestry gloves for chainsaws. N.B.: Protection and certification left glove back only. This product has been manufactured in accordance with the requirements of the EU Regulation 2016/425, for basic use, according to EN 420:2003+A1:2009, general requirements, EN 388:2016, against mechanical risks and EN 381-7:1999 against risks due to chain saw cutting, applicable to it in accordance with certificate No. 18/0895/00/0161 de AITEX, Plaza Emilia Sala No. 1, Aloy, Spain, notified body 0161.

Minimum saleable: 1 pa. Sizes: 9-10-11 Full box: 5 pa. SSALINE

ally.



4124X 07138 **COWHIDE GRAIN LEATHER GLOVES** EN 388 4124X

Glove with palm and back made of full grain cowhide leather and crust leathercuff. Composition: full-grain leather palm and back, split leather sleeve. Colour: 050 white

Sizes: 9-10 Package: 10 pa. Full box: 120 pa.



07121K **COWHIDE SPLIT LEATHER GLOVES** seams Kevlar[®]

EN 388 4133X - EN12477 tipo A EN407 413X4X

Glove made with superior cowhide crust leather with heat-resistant treatment (THT). It withstands contact heat at a temperature of 100° C for 15 seconds. Split leather Kevlar seam protector, palm and cuff back lining. Composition: cowhide split leather

Colour: red

Total length cm: 38 Size: 10

Package: 6 pa. Full box: 60 pa.



07134 **COWHIDE LEATHER GLOVES WITH SPLIT LEATHER GLOVES** EN 388 4124X

4124X

Palm made of split leather, back and cuff made of split leather. Composition: full-grain leather palm, split leather back and sleeve Colour: 050 white Sizes: 9-10 Package: 10 pa. Full box: 120 pa.



07121 **COWHIDE SPLIT LEATHER GLOVES** EN 388 4133X - EN12477 tipo A EN407 413X4X

Glove made with superior cowhide split leather with heat-resistant treatment (THT). It withstands contact heat at a temperature of 100° C for 15 seconds. Seam protector, palm and cuff back lining. Composition: cowhide split leather Colour: red

Total length cm: 38 **Size:** 10 Package: 6 pa Full box: 60 pa.



EN 388:2016 07112 **COWHIDE SPLIT LEATHER GLOVES** EN 388 3123X

ISSALINE

aniz |e10

Glove completely made with split leather. Composition: split leather Colour: 050 white natural Cuff cm: 7 **Sizes:** 10 Full box: 60 pa.



07117 **GLOVE REINFORCED WITH COWHIDE SPLIT LEATHER**

EN 388 2124X	
Glove completely made with split leather.	
Composition: split leather	
Colour: 050 white natural	
Cuff cm: 7	
Sizes: 10	
Full box: 60 pa.	

մի

SSALINE



VIJAX VIJAXX O7127 COWHIDE SPLIT LEATHER GLOVES EN 388 3134X - EN12477 tipo A EN407 413X4X Glove completely made with split leather. Composition: split leather Colour: 050 white natural Cuff cm: 15 Sizes: 10 Full box: 60 pa.



3144X 414X4X 07122 GLOVE REINFORCED WITH COWHIDE SPLIT LEATHER EN 388 3134X - EN12477 tipo A EN407 414X4X

Glove completely made with split leather. Composition: split leather Colour: 050 white natural Cuff cm: 15 Sizes: 10 Full box: 60 pa.





07104 COWHIDEREINFORCED CANVAS GLOVES EN 388 4144X

Glove with split leather palm, canvas back and cuff. Reinforced palm, thumb and forefinger.
Composition: split leather / canvas
Colour: White natural leather, green (reinforcement), white canvas
Cuff cm: 7,5
Sizes: 10
Package: 12 pa.
Full box: 60 pa.



17010 PIG LEATHER AND CANVAS GLOVES CE CAT. I - EN 420:2003+A1:2009

Glove with pig crust leather palm, canvas back and cuff and elastic back.
Composition: leather and canvas
Colour: yellow leather, blue canvas with black and red stripes







07202 MICROFIBRE AND KNITTED FABRIC GLOVES EN 388 2231K

Gloves with microfibre palms and ventilated back in stretch cotton jersey. Cuff with Velcro closure strap. Composition: microfibre (50 % PU, 50 % nylon) / knitted 100% stretch cotton. Materiale manichetta: elastan Size colour: 7 green, 8 yellow, 9 blue, 10 red Sizes: 7 green, 8 yellow, 9 blue, 10 red Package: 12 pa. Full box: 120 pa.





₫=) ₹Ę X23 17365 WARM CATCH EN 388 3131C - EN511 X2X Gloves for low temperatures with shell made of "Terry cloth" spunbonded thread with latex foam coating that provides excellent grip. Yarn: "Terry cloth" gauges: 13 Yarn colour: orange Coating: Latex foam Coating colour: black blister Sizes: 8-9-10 Full box: 60 pa.



07245 **BISON CATCH** EN 388 2132X - EN511 041

Winter glove with double latex coating and bonded anticold liner (inner "terry cloth" / outer polyester). Inner coating protects and makes the glove waterproof up to the wrist, while the outer "sandy" latex finishing increases even more the latex

typical grip. Yarn: "Terry cloth" / polyester Yarn colour: blue Coating: Smooth latex + sanded latex Coating colour: blue / black





07203W LONG COMFORT WINTER CE CAT. I - EN 420:2003+A1:2009

High Tech glove with soft Clarino synthetic leather palm. Nylon Spandex back, flexible neoprene panel for protecting the knuckles. Washable at 30° C. With THINSULATE® lining against cold. Use: DIY, gardening, mechanics and for cold weather sports. Fields of application: DIY, gardening, mechanics and low temperature sports. Yarn: nylon spandex

Yarn colour: yellow Palm: Clarino synthetic leather Colour: yellow / black





07255 **POLY/COTTON PLUSH GLOVES COATED** WITH LATEX CE CAT. I - EN 420:2003+A1:2009

Gloves made with knitted polyester/cotton fabric, palms coated with latex, ventilated

Dack, witter plusif lifting
Yarn: polyester cotton
Yarn colour: blue
Coating: Latex foam
Coating colour: black
Sizes: 8-9-10
Package: 12 pa.
Full box: 120 pa.



07165 **PADDED COWHIDE LEATHER GLOVES** CE CAT. I - EN 420:2003+A1:2009

Glove with full grain leather palm, hemmed at the bottom with elastic back, padded with synthetic fur.

Composition: cow grain leather / padded synthetic fur **Colour:** 050 white

Sizes: 10

Package: 5 pa. Full box: 60 pa.



07155 **LINED COWHIDE LEATHER GLOVES** CE CAT. I - EN 420:2003+A1:2009

Glove with full grain leather palm and back, hemmed at the bottom, flannel lining and alactic ha

Composition: full-grain cowhide leather / flannel-lined	1
Colour: 050 white	
Sizes: 10	
Packane: 10 na	

Full box: 60 pa.

SSALINE

WORK & SPORT

ISSALINE's Work&Sport glove family is a game-changer in the industry, bringing together cutting-edge materials and ergonomic designs typically reserved for sports gear.

These gloves are crafted to deliver top-notch performance whether you're at work or at play, offering a versatile and effective solution.

Carefully chosen materials ensure durability and strength without sacrificing comfort, thanks to high-tech synthetic fibres that provide breathability and thermal insulation for various environmental conditions.

The ergonomic design of the Work&Sport gloves guarantees a snug fit and enhanced hand sensitivity, making them perfect for workers who require precision in their tasks, like craftsmen or professionals, as well as athletes seeking a protective and comfortable accessory for outdoor activities.



07203W Long Comfort Winter CE CAT. I - EN 420:2003+A1:2009

High Tech glove with soft Clarino synthetic leather palm. Nylon Spandex back, flexible neoprene panel for protecting the knuckles. Washable at 30° C. With THINSULATE* lining against cold. Use: DIY, gardening, mechanics and for cold weather snorts.

Fields of application: DIY, gardening, mechanics and low temperature sports.

Yarn: nylon spandex Yarn colour: yellow Palm: Clarino synthetic leather

Colour: yellow / black

wh blister

Sizes: M-L-XL Minimum order: 5 pa. Full box: 10 pa.





07203 LONG COMFORT EN 388 2231X

High Tech glove with soft Clarino synthetic leather palm. Spandex nylon backhand, flexible neoprene panel to protect knuckles. Adjustable Velcro fastener. Washable at 30° C. Fields of application: DIY, gardening, mechanics and low temperature sports. Yarn: nylon spandex Yarn colour: red Palm: Clarino synthetic leather

Colour: red / black blister Sizes: M-L-XL-XXL Minimum order: 5 pa. Full box: 10 pa.



U7206 ISSA SHOCK EN 388 2231X

Glove with synthetic leather palm. Anti-slip sport grip on palm, shock-absorbent and anti-vibration gel padding on palm. Adjustable Velcro fastener.

Fields of application: electro-tool use with vibration, need for dry grip, mountain

biking and other sports. Yarn colour: black Palm: synthetic leather

Colour: black

blister Sizes: S-M-L-XL-XXL Minimum order: 5 pa. Full box: 10 pa.



EN 338:2016 2231X 07204

07204 SOFT GRIP EN 388 2231X

High Tech glove with Clarino synthetic leather palm. Silicone-bound palm for excellent grip, shock-absorbing neoprene padding to protect knuckles. Adjustable Velcro fastener. Fields of application: construction, plumbing, sport and leisure.

Yarn: nylon spandex Yarn colour: orange Palm: Clarino synthetic leather Colour: red / black

blister Sizes: M-L-XL-XXL Minimum order: 5 pa. Full box: 10 pa.



ISSALINE WORK & SPORT GLOVES

վի





07323 RACE CE CAT. I - EN 420:2003+A1:2009

High Tech glove of sporting derivation, made of Clarino synthetic leather but enriched with rubber reinforcements, absorbent gel inserts, anti-slip silicone applications. Gussets are applied to the fingers to facilitate phalanx articulation. Only by wearing it can you understand the complexity and technology of this glove. Adjustable Velcro fastener. **Fields of application:** DIY and leisure.

Yarn colour: red

Palm: Clarino synthetic leather Colour: palm brown, back red

blister Sizes: M-L-XL-XXL Minimum order: 5 pa. Full box: 10 pa.

07325 ARMY CE CAT. I - EN 420:2003+A1:2009

High Tech glove with palm in soft Clarino synthetic leather. Camouflage back with knuckle protector insert. Practical Velcro fastener. Silicone anti-slip reinforcements on fingers (except index finger). **Fields of application:** despite having a military look, it is versatile and can be used in any DIY, gardening and of course hunting/fishing work. Adjustable Velcro fastener. **Yarn colour:** camouflage

Palm: Clarino synthetic leather Colour: camouflage

blister Sizes: M-L-XL-XXL Minimum order: 5 pa. Full box: 10 pa.

07326 STREET GLOVE CE CAT. I - EN 420:2003+A1:2009

High Tech glove with palm made of soft Clarino synthetic leather. Highvisibility stretch nylon back. Reflective band. Convenient Velcro closure. **Fields of application:** automobiles, scooters and in general wherever a large sensitivity is required and it is appreciated that the glove is easily visible both at night and during the day. Please note: the glove does not have enough surface area to be certified according to current regulations in terms of high visibility.

Yarn colour: orange e yellow lime fluo Palm: Clarino synthetic leather Colour: orange and yellow lime fluo

blister Sizes: M-L-XL-XXL Minimum order: 5 pa. Full box: 10 pa.

(I)

0

VI@J

1

SUSTAINABILITY AT PIP

SUSTAINABILITY IS NOT A TREND FOR US, BUT A PROCESS

As a company with global economic relations, we are committed to complying with applicable law, observing social and ecological standards and acting sustainably along our global value chain.

Responsibility for people and the environment is systematically implemented, continuously improved and is deeply anchored in our core processes and main products.







GREEN HEART[®]

GREEN HEART FOR A BETTER WORLD

In the products sector, we fulfil our responsibility and meet the demand of partners, end customers and retailers for environmentally friendly articles by developing sustainable products under the "Green Heart" label

HIGH STANDARDS

FOR A FAIR & SUSTAINABLE WORLD

We are achieving our mutual goal of a fair and sustainable world with the continuous improvement of our supply chain. We only work with partners who fulfil the environmental, chemical, health and safety related, and the social requirements. These requirements apply even if they are stricter than or contradict local standards.



PolyKor[®] HIGH-TECHNOLOGY CUT RESISTANT FIBERS & YARNS









PROTECTION. PERFORMANCE. VALUE.

PolyKor[®] engineered yarns optimize performance, function and protection using proprietary blends of select fibers to exceed industry standards.

The ultimate objective is an affordable array of cut resistant gloves for practically every application.




X7™ TECHNOLOGY

HIGH DEXTERITY. MAXIMUM CUT RESISTANCE.

X7[™] technology is the latest in engineered yarn development. This super lightweight reinforced yarn provides very high cut resistance and

provides very high cut resistance and durability by way of proprietary fibers.



Poly**Kor*** xrystal*

STRONGEST. TOUGHEST. HARDEST.

Xrystal[™] technology represents the latest in PolyKor[®] engineered yarns that are combined with naturally hardened crystallized minerals.

The result is a super tough, durable, cut resistant fiber that is at the peak of performance.

A complete line of coatings

A COMPLETE LINE OF COATINGS UNMATCHED IN SELECTION AND PERFORMANCE

NEOFOAM®

SECURE HANDLING OF LIGHT TO HEAVY PARTS OR ITEMS Proprietary coating only available on G-Tek® brand gloves. NeoFoam® is a highly flexible coating that provides wearers with a high degree of grip, hand dexterity and comfort. It is versatile, hardworking, resistant to light oils and touchscreen compatible with most devices. The optimal choice for numerous handling applications. ► FOAM

► MICROSURFACE

NITRILE

TOUGH COATING FOR HEAVY-DUTY JOBS

Nitrile is a synthetic rubber compound that offers excellent puncture, tear and abrasion resistance. Nitrile is also known for its resistance to hydrocarbon-based oils or solvents. Nitrile coated gloves are the first choice for industrial jobs which require handling of oily parts. Nitrile is durable and helps to maximize protection

► MICROSURFACE ► FOAM ► FLAT / SMOOTH



► MICROSURFACE Coating surface infused with thousands of tiny suction cup pockets.

When pressed into contact with a wet or oily surface, they create a vacuum effect that disperses fluids away

- significantly improving grip. > good grip in dry, wet or oily conditions


► FOAM

Foam coating cell structure is designed to channel fluids away from the surface of the object helping improve grip in oily conditions. Oily grip effectiveness varies with density of cells. > secure grip in dry conditions

> fair grip in slightly oil or wet conditions



► FLAT / SMOOTH Flat/Smooth coatings provide the wearer with a secure dry grip. Liquids will not absorb into the coating. keeping hands dry and clean. > secure, tacky grip for dry surfaces



► MICROFOAM MICROFOAM (micro-foam) is a special formulation that allows gloves to be

covered with a thin layer of nitrile for better improved grip, dexterity , comfort and breathability. > Controlled grip on dry dry and slightly oily surfaces > premium comfort and flexibility quality



► CRINKLE

Crinkle coatings have creases or wrinkles on the surface of the coating that are designed to channel fluids away and allow better contact on dry or wet surfaces. > secure grip in dry or wet conditions



► FLAT/TEXTURED Flat/Textured PU takes on the surface properties of the glove liner which results in the thin, conformable deposit of coating material. The flat, textured nature of this coating is unique to Polyurethane (PU) coated gloves > tactile grip in dry and in slightly oily conditions



LATEX

TOUGH JOBS - DRY OR OILY-WET

Latex is a natural rubber that is flexible, tough and durable, delivering a high degree of resistance to snagging, puncture and abrasion. Latex is waterresistant as well as resistant to protein-based oils. Latex is not recommended for jobs that involve contact with hydrocarbon-based oils or solvents.

► CRINKLE

MICROSURFACE

POLYURETHANE

IDEAL FOR PRECISION HANDLING AND LIGHT TO MEDIUM DUTY JOBS Polyurethane (PU) is a tough, proven material that offers good tactile sensitivity by way of its thin material deposit. It conforms intimately over multiple glove liners to provide flexibility, dexterity and tactile sensitivity. PU coated gloves are amongst the most commonly used because they are versatile and provide excellent value. Newer, water-based PU coatings offer improved flexibility and less environmental lifecycle impact.

► FLAT/TEXTURED

NEW

Serie X-Treme™

R-ESPIR COATING TECHNOLOGY™

COMFORTABLE & BREATHABLE


Our gloves are designed to be comfortable and breathable. This increased breathability combined with the Sanitized® hygienic function, prolongs freshness and protection and comfort, even when used intensively and repeatedly. It has been designed and developed to improve comfort by by eliminating the build-up of heat inside the glove, guaranteeing 360° breathability for the hand.

► FOAM

		-	2	Fair	Good	Secure	Fair	Good	Secure	Fair	Good	Secure	None	Limitata	Good	None	Fair	Good	Low	Medium	High	None	Minimal	High
COATING	GRIP	LAY	'ERS		DRY GRIP		SLIGI	ITLY WET	GRIP	OILY S	URFACE	S GRIP	TO	UCHSCRE	EN*	BR	EATHABII	LITY	٥	URABILI	TY	LIQU	ID RESIST	ANCE
NeoFoam [®]	Foam	•				•	•			•					•		•			•			•	
	Microsurface	•				•		•			•				•	•					•			•
Nitrile	Microsurface		•		•		•				•			•		•					•			•
	Microsurface	•			•		•				•			•		•				•				•
	Foam	•			•					•				•			•				•		•	
	Flat/Smooth	•				•								•		•				•				•
X-Treme	Nitrile Foam	•			•			•			•				•			•			•		•	
LATEX	Microsurface		•			•		•			•		•			•					•			•
	Microsurface	•				•		•			•		•			•					•			•
	Crinkle	•				•		•		•			•			•					•			•
Polyurethane	Flat / Textured	•			•			•			•				•	•			•					•

Understanding EN performance markings

PIP GLOVES ARE TESTED TO ANSI AND EN STANDARDS



EN 407:2022

Protection Against Thermal Hazards





A general standard designed to be used for any glove which is to be designed and sold as providing protection against thermal hazards. The standard includes six thermal tests: burning behaviour, contact heat, convective heat, radiant heat, small and large splashes of molten metal plus reference to EN 388:2016 and EN 420:2003 for mechanical and general performance requirements.

Gloves testet for fire



	Performance Levels		1	2	3	4
٨		After flare time	<= 20 s	<= 10 s	<= 3 s	<=1s
A	Burning behaviour	After glow time	Not reqd.	<= 120 s	<= 25 s	<= 5 s
В	Contact heat	Contact temperature	100 °C	250 °C	350 °C	500 °C
	Contact heat	Threshold time	>= 15 s	>= 15 s	>= 15 s	>= 15 s
С	Convection heat	Heat transfer delay	>= 4 s	>=7 s	>= 10 s	>= 18 s
D	Radiant heat	Heat transfer delay	>= 7 s	>= 20 s	>= 50 s	>= 95 s
Е	Small drops of melted	Heat transfer delay	>= 10	>= 15	>= 25	>= 35
F	Large quantity of molten metal	Heat transfer delay	30 g	60 g	120 g	200 g
X in t	his test denotes NOT TESTED					

EN 511:2006

Protective Gloves AgainsEt CNo5ld

A - Resistance to convective cold = based on the glove's insulating properties, this measures the transfer of cold through

convection (perfomance levels 0 to 4, with 4 being the highest).

B - **Resistance to contact cold** = based on the glove's thermal capacity when in contact with a cold object (performance levels 0 to 4, with 4 being the highest).

C - Permeability to water = Glove's capacity to resist water penetration (0 = Fail; 1 = Pass).

0 = Water penetration after 5 minutes (replaces the previous standard of 30 min).

1 = No water penetration after 5 minutes (replaces the previous standard of 30min).

X = Not Tested



Explanation on levels of performance

(Table relevant in ambient air temperature at a wind speed below 0,5 m/s.)

The pictogram (to the left) will be accompanied by a 3-character code:

Performance Level	Minimum Using Conditions (°C) Low Acivity	Minimum Using Conditions (°C) Medium Acivity	Minimum Using Conditions (°C) High Acivity
1	-	10	-15
2	-	0	-30
3	8	-15	-
4	-10	-30	-



HAND PROTECTION PRECISION WORK CUTTING RESISTANCE

"INNOVATION AT THE SERVICE OF THE ENVIRONMENT"



STYLE	GAUGE	EN388	COATING	COATING COVERAGE	LINER	GREEN HEART	SIZE	PACKAGING
31-131R-EN	13	3131X	PU	Palm & Fingers	Recycled plastic	GRS	6 - 12	bundle 12 / 120
31-330R-ET	13	4121X	Nitrile Foam	Palm & Fingers	Recycled plastic	GRS	7 - 11	blister 12 / 120
31-632R-EN	13	2131X	LATEX microsurface	Palm & Fingers	Recycled plastic	GRS	6 - 12	bundle 12 / 120

с-тек SAFETY GLOVES

 \checkmark

_ III

<u>G-Tek</u>









41-8150R-EN

Excellent thermal insulation, superior grip and high comfort, rapidly evaporates moisture from the skin, each pair is made from P.E.T. plastic bottles and reduces 80,83g of CO₂ emissions per pair. **Sizes:** 6-7-8-9-10-11 (12 on request)







31-5130R-ET ESD. Nitrile Foam coating offers a high abrasion resistance, each pair is made from P.E.T. plastic bottles and reduces 36,75g of CO₂ emissions per pair. **Sizes:** 6-7-8-9-10-11 (12 ON REQUEST)







31-5131R-ET Nitrile Foam coating with dots offers a high abrasion resistance, each pair is made from PE.T. plastic buttles and reduces 36,75g of CO2 emissions per pair.o. **Sizes:** 6-7-8-9-10-11-12







31-3150ER-EN

Excellent abrasion resistance that extends the life of the glove; each pair is made from PET plastic bottles and reduces CO₂ emissions by 26.25 g per pair. **Sizes:** 6-7-8-9-10-11 (12 on request)





16-1835R-EN

Excellent abrasion resistance and grip on dry or oily surfaces, high tactile sensitivity and dexterity, each pair is made from PET plastic bottles and reduces 29,16 g of CO₂ emissions per pair. **Sizes:** 6-7-8-9-10-11-12

STYLE	GAUGE	EN388	EN407	EN511	COATING	COATING COVERAGE	LINER	GREEN HEART	SIZE	PACKAGING
41-8150R-EN	10	2X42B		X2X	LATEX microsurface	Palm & Fingers	Recycled plastic	GRS	6 - 11	bundle 6 / 72
31-5130R-ET	15	4121A	X1XXXX		Nitrile Foam	Palm & Fingers	Recycled plastic	GRS	6 - 11	blister 12 / 120
31-5131R-ET	15	4121A	X1XXXX		Nitrile Foam with dots	Palm & Fingers	Recycled plastic	GRS	6 - 12	bundle 12 / 120
31-3150ER-EN	13	3131X			PU	Palm & Fingers	Recycled plastic	GRS	6 - 11	bundle 12 / 120
16-1835R-EN	18	4X42C	X1XXXX		Nitrile Foam	Palm & Fingers	Recycled plastic	Yes	6 - 12	bundle 6 / 72

CUT-RESISTANT



DRY ENVIRONMENT





16-319-EN 18 gauge liner offers excellent dexterity, good tactile sensitivity, comfort and breathability. **Sizes:** 7-8-9-10-11 (6-12 on request)







16-323-EN Nitrile Foam coating offers a good resistance to light oils and abrasion, high dexterity and tactility, excellent durability. contact heat resistant up to 100°C. Sizes: 7-8-9-10-11 (6-12 on request)





OILY & DRY ENVIRONMENT



EN388:2016	EN16-350	\sim		
	2	()	ОЕКО	
9	(\mathcal{I})		TEX®	Ж
4X31C	•	-		

16-368-EN 18 gauge liner ESD. Without DMF. High tactile sensitivity and dexterity, NeoFoam[®] coating offering good breathability for increased comfort. **Sizes:** 7-8-9-10-11







16-533-EN Excellent abrasion resistance extending glove life, cut resistance C. Deko-Tex-standard approved. **Sizes:** 7-8-9-10-11 (6-12 on request)





16-535-EN Excellent abrasion resistance extending glove life, reinforced, thumb crotch, cut resistance C. Sizes: 7-8-9-10-11 (6-12 on request)





16-1835R-EN Excellent abrasion resistance and grip on dry or oily surfaces, high tactile sensitivity and dexterity, each pair is made from PET plastic bottles and reduces 29,16 g of CO₂ emissions per pair. **Sizes:** 6-7-8-9-10-11-12

STYLE	GAUGE	EN388	EN407	COATING	COATING COVERAGE	LINER	GREEN HEART	SIZE	PACKAGING
16-319-EN	18	3X41B		PU	Palm & Fingers	PolyKor™ X7™		7 - 11	poly bag 12 / 72
16-323-EN	15	4X31B	XIXXXX	Nitrile Foam	Palm & Fingers	PolyKor™		7 - 11	poly bag 12 / 72
16-368-EN	18	4X31C		NeoFoam*	Palm & Fingers	PolyKor™ X7™		7 - 11	poly bag 12 / 72
16-533-EN	13	4X41C		PU	Palm & Fingers	PolyKor™		7 - 11	poly bag 12 / 72
16-535-EN	13	4X43C		PU	Palm & Fingers	PolyKor™		7 - 11	poly bag 12 / 72
16-1835R-EN	18	4X42C	X1XXXX	Nitrile Foam	Palm & Fingers	Recycled plastic	Yes	6 - 12	bundle 6 / 72

G-ТЕК CUT-RESISTANT GLOVES

OILY

ENVIRONMENT

NEW

2 Mh







16-541-EN 21 gauge liner offers the better dexterity and tactile sensitivity in the market, reinforced thumb crotch, Oeko-Tex, touchscreen compatible, cut resistance D. Sizes: 6-7-8-9-10-11 (12 on request)



DRY ENVIRONMENT



OILY

ENVIRONMENT

D

NEW

D



16-345OR-EN (alternative to **07259**) Raised micro dots on double-dipped nitrile micro-surface coating helps extend glove life, reinforced thumb crotch, cut resistance D, orange Hi-Vis for better visibility. **Sizes:** 6-7-8-9-10-11 (12 on request)





16-350-EN (alternative to **07299N**) Double-dipped nitrile micro-surface coating provides an excellent abrasion resistance, excellent grip on dry surfaces and oil resistance. **Sizes:** 7-8-9-10-11 (6-12 on request)







16-560-EN Excellent abrasion resistance extending glove life, cut resistance D. **Sizes:** 7-8-9-10-11 (6-12 on request)





16-560E (alternative to **07254**) Excellent abrasion resistance extending glove life, cut resistance D. **Sizes:** 7-8-9-10-11 (6-12 on request)






16-854-EN

Gauge 18. PolyKor^w support is lightweight and provides excellent dexterity, tactile sensitivity, resistance to abrasion, as well as superior grip on wet, dry and slightly oily surfaces. Sizes: 7-8-9-10-11 (6-12 on request)

STYLE	GAUGE	EN388	COATING	COATING COVERAGE	LINER	GREEN HEART	SIZE	PACKAGING
16-541-EN	21	3X31D	PU	Palm & Fingers	PolyKor™		6 - 11	poly bag 12 /72
16-3450R-EN	13	4X44D	Nitrile Microsurface with dots	Palm & Fingers	PolyKor™		6 - 11	poly bag 12 / 72
16-350-EN	13	4X43D	Nitrile Microsurface	Palm & Fingers	PolyKor™		7 - 11	poly bag 12 / 72
16-560-EN	13	4X42D	PU	Palm & Fingers	PolyKor™		7 - 11	poly bag 12 / 72
16-560E	13	4X42D	PU	Palm & Fingers	PolyKor™		7 - 11	poly bag 12 / 72
16-854-EN	18	4X42D	Nitrile Foam	Palm & Fingers	PolyKor™		7 - 11	poly bag 12 / 72



CUT-RESISTANT



OILY **ENVIRONMENT**

NEW





16-CUT229MS Double-dipped nitrile micro-surface coating helps extend glove life, fully coated for liquid-proof properties. Sizes: 8-9-10-11



NEW DRY OR OILY **ENVIRONMENT**



DRY, OILY OR WET



F

16-645LG-EN Excellent abrasion resistance extending the glove life, offers increased comfort and breathability. Sizes: 7-8-9-10-11







16-586-EN

High performance work glove designed for maximum protection and durability. Steel reinforcement for overall strength and durability. Sizes: 7-8-9-10-11





16-856-EN High performance work glove designed for maximum protection and durability. Steel reinforcement for overall strength and durability. Sizes: 7-8-9-10-11



NEW

DRY, OILY OR WET ENVIRONMENT





F

16-313-EN PolyKor* blended shell with $X\!7^{\rm m}$ technology offers high cut resistance and durability with ultra-thin liners provides superior grip in wet/dry conditions. Sizes: 7-8-9-10-11









16-366-EN only on request

Seamless construction offers increased comfort and breathability. PolyKor[™] shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance. Sizes: 6-7-8-9-10-11

STYLE	GAUGE	EN388	EN407	COATING	COATING COVERAGE	LINER	GREEN HEART	SIZE	PACKAGING
16-CUT229MS	13	4X43D		Nitrile Microsurface	Full hand	PolyKor™		8 - 11	poly bag 12 / 72
16-645LG-EN	13	4X42E		PU	Palm & Fingers	PolyKor™		7 - 11	poly bag 12 / 72
16-313-EN	18	3X42E		LATEX Crinkle	Palm & Fingers	PolyKor™ X7™		7 - 11	poly bag 12 / 72
16-586-EN	18	4X42 F		PU	Palm & Fingers	HPPE/Steel/Poli/Spandex		7 - 11	bundle 12 / 72
16-856-EN	18	4X42 F		Nitrile Foam	Palm & Fingers	HPPE/Steel/Poli/Spandex		7 - 11	bundle 12 / 72
16-366-EN	13	4X42 F	X1XXXX	Nitrile Foam	Palm & Fingers	PolyKor™		6 - 11	poly bag 12 / 72

G-ТЕК G-ТЕК





PRECISION



OILY OR WET

ENVIRONMENT

NEW



BY

33-E118 Excellent abrasion resistance extending glove life, 18 gauge liner offers high dexterity and tactile sensivity. Sizes: 6-7-8-9-10-11

¢



Nitrile Foam coating offers a high abrasion resistance for precision

handling, foam nitrile coatings are breathable and durable.

EN388:2016 EN407

34-315-EN

Sizes: 6-7-8-9-10-11

HAND PROTECTION GENERAL PURPOSE

WAY KALL

For B2B orders: www.industrialstarter.com



GENERAL PURPOSE

EN		ILY NMENT		WET RONMENT	WET ENVIRONMENT	ENVIR	NEW OR WET ONMENT OTECTION	
		G-Tek R					E-Jek Celler	
EN388:2016 3121X			EX388.2016				/ -)+	
34-M1001/FC-ET blister Full nitrile coating offers great abrasion resistance and outstanding wet/dry grip, comfort, finger dexterity, water proof properties. Sizes: 8-9-10-11 (6-7-12 on request)			55-AG317-EN Latex Micro-Surface coating pr dry conditions, high comfort, c Sizes: 7-8-9-10-11 (6-12 on req	ovides a superior grip in wet and lexterity, and breathability.	55-1600-EN only on request Full hand Latex Micro-Surface double coating provides a superior grip in wet and dry conditions, keep your hands dry in wet conditions. Sizes: 7-8-9-10-11 (6-12 on request)	34-425NEO-EN Solar protection (UPF 50+), maximum wearer comfort and sensitivity, high abrasion and tear resistance level while providing an un-restricted second skin fit and feel. Sizes: 6-7-8-9-10-11 (6-12 on request)		
STYLE	GAUGE	EN388	COATING	COATING COVERAGE	LINER	SIZE	PACKAGING	
34-M1001/FC -ET	13	3121X	Nitrile	Full hand	Nylon	8 - 11	blister 12 / 120	
55-AG317-EN	13	2121X	LATEX microsurface	Palm & Fingers	Polyester	7 - 11	poly bag 12 / 120	
55-1600-EN	15	2131X	LATEX microsurface	Full hand	Polyester	7 - 11	poly bag 12 / 72	

COLD / CUT

4121X

Nitrile Foam

15

34-425NEO-EN





41-1415-EN Excellent thermal insulation, superior grip, and high abrasion resistance, fully coated flat nitrile helps keep hands dry in wet applications. **Sizes:** 8-9-10-11



Polyester/Spandex

Palm & Fingers



Excellent thermal insulation, superior grip and high comfort, rapidly evaporates moisture from the skin, each pair is made from P.E.T. plastic bottles and reduces 80,83g of CO₂ emissions per pair. **Sizes:** 6-7-8-9-10-11 (12 on request)



6 - 11

poly bag 12 / 120

900629 G-TEK GLOVE DISPLAY STAND Supplied without items

STYLE	GAUGE	EN388	EN407	EN511	COATING	COATING COVERAGE	LINER	GREEN HEART	SIZE	PACKAGING
41-1415-EN	15	4X32C	X2XXXX	X2X	Nitrile Foam	Palm, fingers & Knuckles	Acrylic PolyKor™		8 - 11	poly bag 12 / 72
41-8150R-EN	10	2X42B		X2X	LATEX microsurface	Palm & Fingers	Recycled plastic	GRS	6 - 11	bundle 6 / 72



HAND PROTECTION



UNBEATABLE GRIP THANKS TO PATENTED FISH SCALE PATTERN



	EN374-1	EN374-5	MATERIAL	COLOR	THICKNESS	LENGTH	GRIP PATTERN	POWDER	SIZE	PACKAGING
2460R	TIPO B JKTP	VIRUS	Nitrile	Orange	0.1524 mm	24 cm	Fish Scale	Free	7 - 11	50 pcs. / 500 pcs.
246BK	TIPO B JKTP	VIRUS	Nitrile	Black	0.1524 mm	24 cm	Fish Scale	Free	7 - 11	50 pcs. / 500 pcs.
306DB	TIPO B JKTP	VIRUS	Nitrile	Blue	0.1524 mm	30 cm	Fish Scale	Free	8 - 11	50 pcs. / 500 pcs.

SSALINE

Protection of breathing, eyes, head.

Welcome to our catalog dedicated to Personal Protective Equipment (PPE), your one-stop shop for industry dealers and specialists. Ensuring safety in the workplace is crucial, and PPE is essential for creating a safe working environment for both you and your customers.

OUR COMMITMENT TO SAFETY

We are dedicated to offering top-quality PPE that meets your customers' safety requirements. Every item in our inventory is meticulously chosen to guarantee reliability and long-lasting performance. We are here to address inquiries, offer technical guidance, and assist your business in any way possible. Ensuring your safety and that of your customers is our utmost priority.

Note: The certification values shown in this catalogue may vary due to the continuous updating process; for exact data, please ask for updated technical data sheet.

SSALINE

C

FILTERING FACEPIECES BREATHE SAFE

We begin with our range of filtering facepieces, designed to offer maximum respiratory protection.

Each product has been carefully selected to ensure maximum efficiency in filtering particles and harmful agents. Our filtering facepieces are ole choice for workplace.

ensuring respiratory safety in y



EN149:2001+A1:2009

Facepiece filter for very toxic dust (Eg. Asbestos, cement, quartz) and water based mist and fumes. The level of protection is equal to 50 times the TLV (Danger threshold limit value). The mask is equipped with one exhalation valves consequently breathing is made easier. Sizes: one size

Minimum order: 1 box of 5 pcs. Full box: 12 box of 5 pcs.

DS7322N FFP2 - NR

EN149:2001+A1:2009

Facepiece filter for toxic dust and water-based mist and fumes. The level of protection is equal to 12 times the TVL (Danger threshold limit value). The mask is equipped with an exhalation valve and an intermediate layer of activated carbon. Recommended for light welding fumes and in the presence of unpleasant odors. Sizes: one size

Minimum order: 1 box of 12 pcs. Full box: 12 box of 10 pcs.

DS7822N

FFP2 - NR EN149:2001+A1:2009

Facepiece filter for toxic dust and water-based mist and fumes. The level of protec- $\dot{\rm tion}$ is equal to 12 times TVL (Danger threshold limit value). The mask is equipped with an exhalation valve.

Sizes: one size Minimum order: 1 box of 10 pcs.

Full box: 12 box of 10 pcs.

DS7820N FFP2 - NR

EN149:2001+A1:2009

Facepiece filter for toxic dust and water-based mist and fumes. The level of protection is equal to 12 times the TVL (Danger threshold limit value). Sizes: one size

Minimum order: 1 box of 20 pcs. Full box: 12 box of 20 pcs.





















DS7532N FFP3 - NR

EN149:2001+A1:2009

Foldable facepiece filter for very toxic dust and water-based mist and fumes. The level of protection is equal to 50 times the TLV (Danger threshold). The mask is equipped with one exhalation valve and is sealed individually for greater hygiene. **Sizes:** one size

Minimum order: 1 box DISPESER of 10 pcs. Full box: 12 box DISPENSER of 10 pcs.







DS7522N

FFP2 - NR EN149:2001+A1:2009

Foldable facepiece filter for toxic dust and water-based mist and fumes. The level of protection is equal to 12 times the TLV (Danger threshold). The mask is equipped with an exhalation valve, individually sealed for greater hygiene.

Sizes: one size Minimum order: 1 box DISPESER of 10 pcs. Full box: 12 box DISPENSER of 10 pcs.

DS9200 Facepiece no ppe

Disposable and hygienic mask to protect the product. He has no level of protection. Sizes: one size Minimum order: 1 box of 50 pcs. Full box: 20 box of 50 pcs.





APPROVED Dolomite Powder

1DS8732D FFP3 - NR D EN149:2001+A1:2009

Facepiece filter for very toxic dust and water- based mist and fumes. The level of protection is equal to 50 times the TLV (Danger threshold). The mask is equipped two exhalation valves. Sizes: one size Blister: contains 2 pcs. Minimum order: 5 blister. Full box: 10 blister.





1DS7322N FFP2 - NR D

EN149:2001+A1:2009 Facepiece filter for toxic dust and water-based mist and fumes. The level of protection is equal to 12 times the TLV (Danger threshold). The mask is equipped an exhalation valve and an intermediate layer of activated carbon (For welding odors and fumes). Sizes: one size

Blister: contains 2 pcs. Minimum order: 5 blister. Full box: 20 blister.

1DS9200

MASCHERINA NO DPI Facepiece filter for toxic dust and water-based mist and fumes. The level of protection is equal to 12 times the TLV (Danger threshold). The mask is equipped with an exhalation valve. Sizes: one size Blister: contains 10 pcs. Minimum order: 1 blister. Full box: 20 blister.





1D\$7822N FFP2 - NR D EN149:2001+A1:2009

Facepiece filter for toxic dust and water-based mist and fumes. The level of protection is equal to 12 times the TLV (Danger threshold). The mask is equipped with an exhalation valve. Sizes: one size Blister: contains 2 pcs. Minimum order: 5 blister. Full box: 20 blister.



HARD HATS - PROTECT YOUR HEAD, SAVE YOUR LIFE

Our work helmets are constructed with the utmost attention to detail to provide optimal protection. Whether you are in construction, manufacturing or any other hazardous environment, our hard hats are your shield to protect your head from hazards.



For safety helmets Sizes: one size adjustable Colour: random. Minimum order: 10 pcs. Full box: 50 pcs.



to be applied only on the Berico 09025 helmet. Colour: transparent. Minimum order: 12 pcs. Full box: 24 pcs.



AUTOMATICALLY ADJUSTABLE

09028A VENTED SAFETY HELMET

EN397 Certified helmet, automatic adjustment of the harness with patented syste. Sizes: one size Colour: 010 yellow, 050 white,

other colours available on request. **Full box:** 28 pcs. (assembled)



09128 MIAMI EN155 1F

Goggles with wrap-around polycarbonate lenses for excellent adherence to the face; the glasses have a double treatment anti-scratch and anti-fog. Frame and lens colors: blue frame / clear lenses and blue frame / smoked lenses. Colore lente: 000 colorless, 080 fumé.

Minimum order: 10 pcs. individually wrapped. Full box: 50 pcs.











AK9057 TEXEL HELMET EN 397:2012

Mountain style safety helmet with high impact absorption in addition to the requirements of EN397 the safety helmet it is also certified for lateral deformation, electrical insulation and low temperatures. It has a slot for fixing a head touch. The helmet has Euro universal connections (eg. S42V or S41C Centurion) for ear defenders and face visors (see sidebar). Reflective stickers supplied separately. **Composition:** ABS outer shell and expanded polystyrene (EPS) inner shell. **Sizes:** One size adjustable through a micrometric rack. **Colour:** 010 yellow, 030 orange.

Only on request 040 blu, 050 white, 060 black, 070 red.

box

Full box: 6 pcs.





AK9030 Visor sold separately

ACCESSORIES KIT FOR AK9057 AND AK9060



AK9030 long visor

16 cm, UV filter, for helmets AK9057 and AK9060.

EN 166:2001 1B



AK9020 Short visor EN 166:2001 1B UV filter, for helmets AK9057 and AK9060. AK9021 Short visor with rim EN 166:2001 1B Edged, UV filter, for helmets AK9057 and AK9060.

Brush cutter kit =

060 (or AK9057) + Ak9035+AK903



AK9035 Metal visor 18 cm, for hard hats AK9057, AK9060 to be combined with headphones AK9040 or, for use without headphones, with adapter AK9037.



AK9040 Headphones Black color (060) SNR 28 to be used alone or with AK9035 metal visor. Colour: 060 black



Forestry Kit = AK9060 (or AK9057) + AK9035 + AK9040



VENTILATED

AK9060 VENTILATED TEXEL PLUS EN 397:2012

Mountain-derived helmet with high impact absorption. In addition to the requirements of EN397, the helmet is certified for low temperatures (-40 °). One size adjustable by means of a micrometric rack. Equipped with loops to fix a possible tamp holder buckle. Helmet equipped with high visibility inserts. **Composition:** ABS outer shell and expanded polystyrene (EPS) inner shell. **Sizes:** One size adjustable through a micrometric rack. **Colour:** OII yellow fluo, O31 orange fluo, O50 White.

box Full box: 6 pcs.



SUPPLIED WITH STICKERS RETROREFLECTIVE ALREADY APPLIED

Akrobat



 \mathbb{Z}

WELDING PROTECTION

Welding is an art that requires specialized equipment, and protection is critical. Discover our line of products for protection during welding, including blackout masks and heat-resistant gloves designed to ensure maximum safety during your welding activities.



100002 FLAT SCREEN FOR WELDING EN175 Flat screen in the cellulose fiber material for better quality and durability, visor size 75x98 mm. Full box: 20 pcs. N.B: SUPPLIED WITHOUT GLASS




10407 TILTED SCREEN FOR WELDING EN175 Tilted screen in the cellulose fiber material for better quality and durability, visor size 75x98 m. Full box: 20 pcs. N.B: SUPPLIED WITHOUT GLASS



SBOODF TILTING SCREEN HELMET FOR WELDERING EN175 Special tilting screen helmet in thermoplasticvisor size 75x98 mm Full box: 20 pcs. NB: SUPPLIED WITHOUT GLASS



09062 ADIACTINIC GLASS FOR THE SCREEN EN169 Protane adiactinic glass DINII size 75x98 mm Full box: 5 conf. (of 100 pcs.)



O9060N COLOURLESS GLASS FOR THE SCREEN ENIG6 Colourless glass size 75x98 mm adiactinic glass protection (Art. 09062) Full box: 1 pack of 100 pcs.





DS7322N FFP2 - NR - EN149:2001+A1:2009 Facepiece filter for toxic dust and water-based mist and fumes. The level of protection is equal to 12 times the TVL (Danger threshold limit value). The mask is equipped with an exhalation valve and an intermediate layer of activated carbon. Recommended for light welding fumes and in the presence of unpleasant odors.

Sizes: one size Minimum order: 1 box of 12 pcs. Full box: 12 box of 10 pcs.



OOO187 GLASSES 317N-C EN 166 Glasses with ear piece side shields, and clear blast safety polycarbonate lenses Full box: 20 pcs.



000170 GLASSES SIZNLT

GLASSES 317N-T EN 166 Glasses with ear piece side shields, transparent tempered lens. Full box: 20 pcs.

OOOO14 only on request LENSES 317N EN166 Anti blast, and colourless polycarbonate shaped lenses Minimum order: 1 pack of 25 pairs **000018** only on request **LENSES 317N EN166** Anti blast, and colourless temped glass shaped lenses **Minimum order:** 1 pack of 25 pairs



OOO175 GLASSES 317N-VT EN175 Glasses with ear piece side shields, and green DIN 5 lenses Full box: 20 pcs.

000063 only on request LENSES 317N EN166 EN169 Anti blast and green shaped lenses, temped DIN 5 Minimum order: 1 pack of 25 pairs



HT041 EN ISO 11612:2008, A, B1, C1 EN ISO 11611:2007 Class 1 A1 EN1149-3:2004 EN1149-5:2008 Rame retardant balaclava for welders. The extended length provides extra protection for the neck, upper chest and back. Colour: black Sizes: one size. Full box: 1 pcs.



VITCIV CE Cat. 1 100% cotton fireproof Saharan head cover 300 g/m² Full box: 1 pcs.



VITCIVS CE Cat. 1 100% cotton fireproof Saharan head covero 300 g/m² Full box: 1 pcs.



ST2049 SLEEVES EN 11611 Certified sleeves for welding in brown crust with buttons at the cuffs. back attachment with elastic strings for easy movement. Length 65 cm. One size. Full box: 1 pc. ST2011 JACKET EN 11611 Certified welding jacket, in top of the range brown crust leather, with uniform thickness. Kevlar seams, protected studs, with a cotton neck line. Sizes: L-XL-XL Full box: 1 pcs.



ST2022 GAITERS EN 11611 Apron certificate for welders, top of the range brown crust leather, with uniform thickness, and extra strong around the waist 57x30cm. Size 90x60cm Full box: 1 pcs.



ST2039 GAITERS EN 11611 Certified welding gaiters, in brown crust and gray over the shoe. Shin guard and the instep, covering and perfectly protects the safety shoes. Adjustable velcro closure. Height 40 cm One size. Full box: 1 pcs.



O7180 LEATHER APRON Completely crusted approx. 60x90cm. Full box: 5 packs (of 10 pcs.)



O7190 LEATHER GAITERS Completely in crust, with velcro side closure and adjustable strap under the sole. Full box: 5 conf. (of 10 pairs)



O7121K COWHIDE SPLIT LEATHER GLOVES seams Kevlar[®] EN 388 4133X - EN12477 tipo A EN407 413X4X

Glove made with superior cowhide crust leather with heat-resistant treatment (THT). It withstands contact heat at a temperature of 100° C for 15 seconds. Split leather Kevlar seam protector, palm and cuff back lining. **Composition:** cowhide split leather **Colour:** red

 Total length cm: 38

 Size: 10
 Package: 6 pa.

 Full box: 60 pa.





Full box: 60 pa.

O7122 GLOVE REINFORCED WITH COWHIDE SPLIT LEATHER Glove completely made with split leather, 15 cm cuff. Reinforced palm. Sizes: 10 EN 388 3233 EN 388 EN 407 EN 407 A13X4X

O7127 COWHIDE SPLIT LEATHER GLOVES Glove completely made with split leather, 15 cm cuff. Sizes: 10 Full box: 60 pa.



Stitching in ARAMIDIC fibre - abrasion-resistant - sparks resistant



36140 EBRO EN ISO 20345 S3 SRC

Chaussure haute pour soudeur avec tige en cuir aspect grainé, large rabat par-dessus la languette (élastique sans lacets), fermeture avec boucle métallique pour un déchaussement rapide. Coutures en fibre aramide qui garantissent une meilleure résistance, mais aussi une protection contre les étincelles de soudage. Semelle en PU double densité.









85854 Lanskit 1460 MOUNTABLE SCREEN complete with LANSARC OR fencing full from 0.4mm, lightweight, easy to assemble and move. Size Screen: L1460 x H.1950mm. UNI EN 1598

17116P (replaces 17118P) eight 1.8 only on request Striped fencing LANSARC OR. STRIPED FENCE Thickness 0.4mm Width 2 meters, height 1.8 meters, transparent and protective to UV, IR and Blue Light rays, easy to assemble, and allows walkways. Recommended for: large fixed locations with the need of walkways. UNI EN 1598

18116P (replaces 18118P) only on request Striped fencing LANSARC DR. STRIPED FENCE Thickness Imm Width 2 meters, height 1.8 meters, transparent and protective to UV, IR and Blue Light rays, easy to assemble, and allows walkways. Recommended for: large fixed locations with the need of walkways. UNI EN 1598



8501 Metal ring striped fencing - 1 pcs.

BOX FISSI TRANS-ARC:

Simple, economical and easy to assemble solutions for the construction of stan- dard fixed welding boxes. With a single code it is possible to purchase a corner, two or four-sided perimeter protection with predefined dimensions. The kit is complete and ready for assembly, has a standard height of 2 meters and includes uprights, wall fastenings, rails, hooks and Lansarc OR striped curtains, height 1600 x 0.4 mm. Customized solution also for different sizes.

- **36070*** Three-sided welding box 3x4x3mt
- 36090* Three-sided welding box 3x5x3mt 35030* Corner welding box 4x2mt
- 35070* Corner welding box 3x3mt
- 35090* Corner welding box 5x3mt
- 37060* Island welding box 3x4x3x4mt
- 37080* Island welding box 3x5x3x5mt

*only on request







09210 **CREPUSCULAR BLINKER** Blinker with pole attachment, with fluorescent colour base and crepuscular switch (automatically activates the flashing light when it becomes dark). 2 batteries of 6 volts not included. Colour: Yellow (010) with intermittent light Red (070) with fixed light Full box: 10 pcs.



Pole-mounted spotlight, with base, in fluorescent color and flashing switch (activates automatically in darkness), LED light, needs only 1 6-volt battery. Not included. Colour: yellow. **Full box:** and minimum order quantity: 10 pieces per box.



09212 BATTERY FOR BLINKER For the blinker 09210, 6 volt output voltage. **Full box:** 24 pcs. Minimum order: 1 pcs.



09300 WARNING TAPE ONE ROLL PER BOX Made of plastic, coloured in alternate red/white bands. Length 200 meters. h 70 mm. **Full box:** 30 pcs. per box. (in individual boxes of a roll), minimum 30 pcs.



09305 WARNING TAPE IN GROUPS OF 5 PCS. Made of plastic, coloured in alternate red/white bands. Length 200 meters. h70mm. Full box: 6 pieces (in groups of 5 rolls)



SR2005 JOINT FOR 7.5 mm In plastic material, Full box: 1 pack. from

S20040 CHAIN Made of plastic. Length 25 mt. 5,5 mm thick Full box: 8 pcs.

S20050 CHAIN Made of plastic



Length 25 mt. 7.5 mm thick Full box: 4 pcs.



S2002PE SIGNALING CONE Polyethylene with 1 pain-ted strip. Dimension: 34 cm. Full box: 20 pcs.

S2003PE SIGNALING CONE Polyethylene with 2 painted strip. Dimension: 54 cm. Full box: 10 pcs.

S2002PVC SIGNALING CONE In PVC, it has 1 reflective strips Dimension: 34 cm. Full box: 20 pcs.

S2003PVC SIGNALING CONE In PVC, it has 2 reflective strips. Dimension: 54 cm. Full box: 10 pcs.



1108 only on request SIGNALING CONE Made of polyethylene with 1 reflecti-ve band. 30 cm size. Full box: 10 pcs. 1109 only on request SIGNALING CONE Made of polyethylene with 1 reflective band 20 cm. 45 cm size. **Full box:** 10 pcs.

1118 only on request 5-meter polyethylene chain + two 5.5-mm po-lyethylene chain link links 5-meter polyethylene chain in a bag, plus two link links. Full box: 30 pcs.



1119 only on request 20-mm mushroom-shaped formwork

protection. Minimum order quantity: 400 pcs.



1120 only on request 35 mm mushroom-shaped formwork protection. Minimum order quantity: 300 pcs.





S2000P scoop signs Plastic, double-sided reflective green color, red. Diameter 30 cm. Full box: 60 pcs.



MULTIPURPOSE TARPAULIN only on request Lightweight, waterproof, polyethylene, durable and with eyelets. Colour: blue. UV. treatment. Art. Dimensions m. Packaging:

00923 00934 00946	2x3 3x4 4x6	30 pcs. 20 pcs. 8 pcs.
00958	5x8	6 pcs.
00961	6x10	5 pcs.



OIII13 only on request REFLECTIVE BAND. Sewable band with height 5 cm. in a roll of 200 mt. Full box: i rolls **3M Scotchlite**

S2070

STANDS FOR SIGNS Plastic, double-sided plus opens and closes. Sign «Caution wet floor» included. Signs are interchangeable in the format 20x20 cm or 20x30 cm. Full box: 6 pcs.



EYE PROTECTION



Eye protection





PROTECT AGAINST Harmful blue light

Overexposure to blue light, including smart phones, tablets and computer screens, have been known to cause eyestrain, fatigue and possibly contribute to long term macular degeneration. I/O Blue lenses are uniquely coated to help filter out harsh blue light and improve worker comfort and visual acuity. Lenses are treated with a contrast booster to enhance color contrast.





TAKE ANTI-REFLECTIVE PLUS™ TECHNOLOGY OUTDOORS WITH MIRROR PLUS LENSES

A mirror coating on the face of the lens will deflect sunlight from the wearer's eyes, delivering noticeably less glare and reflection than standard gray lenses. Anti- Reflective Plus[™] coating on the back of the lens significantly reduces light reflecting back into the eye for enhanced comfort and performance.






THE CLOSEST THING TO NOT WEARING GLASSES

Bouton[®] Anti-Reflective Plus[™] lenses allow an astounding 96% Visible Light Transmission (VLT) compared to the 88-90% VLT provided by standard clear lenses. Durable Anti-Reflective Plus[™] coating significantly reduces the amount of light that reflects back into the wearer's eyes providing ultimate visual acuity. Inspect, sort and see with more clarity – and less eye fatigue.

EYE PROTECTION


TECHNOLOGIES DE VERRES





FILTER REFLECTED SUNLIGHT For a clear view

Reflected sunlight from smooth surfaces, such as water, pavement and snow can dangerously hinder vision and cause significant eyestrain. Polarized XL5[™] lenses filter the scattered light by controlling the angle at which it enters the lens. The result is clearer vision of the surrounding area and greatly reducing eye glare.





REDUCE GLARE FROM OVERHEAD LIGHT

High-powered overhead lights, such as fluorescent and mercury lighting, can cause glare that increases eye strain. Gradient lenses feature a slight mirror coating on the top portion of the lens, reducing glare, while the remainder of the lens remains clear. As a result, workers are still able to see clearly when looking straight ahead or down at their work.





PROVIDING WORKERS CLEAR VISION IN EXTREME CONDITIONS

Lenses fog for many reasons, all of which are related to ambient temperature and moisture in the air. When a rapid temperature change occurs, micro-water droplets in the air will collect on untreated lenses, causing the lenses to fog and impede vision.



EYE PROTECTION SPORT

146 / For B2B orders: www.industrialstarter.com

bautan 🕶

SPORT



SQUADRON

Dark Gray/Light Gray

Navy Blue/Light Gray

Anti-Scratch K, Fogless 3Sixty N

Anti-Scratch K, Anti-Fog N

Gray

1/0 UV400

250-95-0521-EN

250-95-0022-EN

Flexible nose bridge for higher comfort, co-injected flexible temples for a better fit.

Soft adjustable anti-slip

Soft adjustable anti-slip

9,5

9,5

25 g

25 g

5-2.5 P 1 FT KN CE

5-1.7 P 1 FT CE

Lens Material: polycarbonate Temples Material: co-injected polycarbonate + TPE

P EN166 FT CE

P EN166 FT CE

EN 166 / EN 170 / EN 172

EN 166 / EN 170 / EN 172

12 / 144

12/144



STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING
250-87-0520-EN	Clear	Red/Black	Anti-Scratch K, Fogless 3Sixty	Rubber	9	28 g	2C-1.2 P 1 FT KN CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-87-0020-EN	Clear	Orange/Black	Anti-Scratch, Anti-Fog	Rubber	9	28 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-87-0521-EN	Gray	Red/Black	Anti-Scratch K, Fogless 3Sixty	Rubber	9	28 g	5-3.1 P 1 FT KN CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-87-0021-EN	Gray	Orange/Black	Anti-Scratch, Anti-Fog	Rubber	9	28 g	5-3.1 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144

SPORT



Flexible nose bridge for higher comfort, co-injected flexible temples for a better fit.

Lens Material: polycarbonate + TPR Temples Material: PC/TPE



250-94-0020-EN

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING
250-94-0120-EN	Clear	Orange HV/Black	Anti-Scratch, Anti-Fog	Co-injected	9	29,38 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-94-0021-EN	Gray	Orange HV/Black	Anti-Scratch, Anti-Fog	Co-injected	9	29,38 g	5-3.1 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-94-0020-EN	Clear UV400	Black/Red	Anti-Scratch, Anti-Fog	Co-injected	9	29,38 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144



Lightweight, semi-rimless design offers extensive eye coverage and all day comfort, bayonet style temples with non-slip rubber pads provide a secure fit. Lens Material: polycarbonate Temples Material: polycarbonate



STYLE LENS COLOR FRAME/TEMPLE COLOR LENS COATING NOSE BRIDGE **BASE CURVE** WEIGHT LENS MARKING FRAME MARKING EN NORM PACKAGING 250-33-1020-EN Anti-Scratch, Anti-Fog P EN166 FT CE Clear Bronze PVC 9,5 24,5 g 2C-1.2 P 1 FT CE EN 166 / EN 170 / EN 172 12/144 250-33-1021-EN 5-3.1 P 1 FT CE P EN166 FT CE EN 166 / EN 170 / EN 172 Gray Anti-Scratch, Anti-Fog PVC 9,5 24,5 g 12/144 Bronze

148 / For B2B orders: www.industrialstarter.com







VICO

Reduce CO₂ emissions by average 66%, lightweight (22 g) wrap around style The VICO offers a modern, sporty, lightweight stylish curve design. The single wrap around lens provides a wide field of vision. Metal free design. Dynamic and flexible design offers comfortable and secure fit. Unique pliable soft temple tips prove cushion effect for additional comfort. Lens Material: bio-based polycarbonate Temples Material: bio-based polycarbonate



STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING
250-16-0020-EN	Clear	Green/Gray	Anti-Scratch, Anti-Fog	Molded	22 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-16-0021-EN	Gray	Green/Gray	Anti-Scratch, Anti-Fog	Molded	22 g	5-2.5 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144

ZENON ULTRA LYTE™

A new area of lightweight safety eyewear. The Ultra-Lyte is the lightest eye protection on the market and was designed to conform to the face to reduce gaps for a comfortable fit. Reduce CO₂ emissions by average 66%. Lens Material: bio-based polycarbonate Temples Material: bio-based polycarbonate



250-14-0020-EN



250-14-0021-EN

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING
250-14-0020-EN	Clear	Transparent Grey	Anti-Scratch, Anti-Fog	Molded	9,5	15,7 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-14-0021-EN	Gray	Transparent Grey	Anti-Scratch, Anti-Fog	Molded	9,5	15,7 g	5-3.1 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144

bouton BOUTON EYE PROTECTION

INDUSTRIAL

PLUTOR[™]

Eco material spectacle, reduce CO₂ emissions by average 66%. Lightweight design. Special temple design with holes provides pliability for extra comfort, contour to different head shapes. Metal free.

Lens Material: bio-based polycarbonate Temples Material: bio-based polycarbonate



GREEN HEART

Z-LYTE

Modern wraparound lens style will look great on a variety of users, thin temple provides a secure fit without uncomfortable pressure points.

Lens Material: polycarbonate Temples Material: polycarbonate

250-13-0000-EN

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING
250-15-0020-EN	Clear	Black	Anti-Scratch, Anti-Fog	regolabile	8	21,5 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12/144
250-13-0000-EN	Clear	Clear	Anti-Scratch	Molded	10	18 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144



bautan 🕶

INDUSTRIALE



STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING
250-02-0020-EN	Clear	Navy Blue	Anti-Scratch, Anti-Fog	Molded	9,75	23 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-02-0021-EN	Gray	Navy Blue	Anti-Scratch, Anti-Fog	Molded	9,75	23 g	5-3.1 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-02-5529-EN	Yellow	Navy Blue	Anti-Scratch, Anti-Fog	Molded	9,75	23 g	2-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144

ZENON F

Removable gasket, flexible temples to provide a secure fit.



Lens Material: polycarbonate Temples Material: polycarbonate

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING
250-01-F020-EN	Clear	Black	Anti-Scratch, Anti-Fog	Molded	9,5	33 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144

PULSE

Lightweight, rimless design provides all day user comfort, universal fit nose bridge, with soft nose pads for superior comfort.

Lens Material: polycarbonate Temples Material: polycarbonate



INDUSTRIAL

BOUTON EYE PROTECTION

ATLAS

bouton

Polycarbonate lens with built-in sideshields maximize peripheral protection, ratchet temples with adjustable length to provide a secure, comfortable fit.

Lens Material: polycarbonate Temples Material: polyamide



STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING
250-56-0020-EN	Clear	Blue	Anti-Scratch, Anti-Fog	Rubber	9,75	29,3 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-56-0015-EN	IR Filter 5.0	Blue	Anti-Scratch, Anti-Fog	Rubber	9,75	29,3 g	4-5 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144

Q-VISION

Flexible nose bridge for a comfortable fit, co-injected rubber temple ends provide excellent grip.

Lens Material: polycarbonate Temples Material: polycarbonate/TPR

NEW

EN 166 / EN 170 / EN 172

12 / 144



Black/Light green

Anti-Scratch, Anti-Fog

250-36

250-36-1021-EN

250-36-10	020-EN		- Contraction of the Contraction		250-36-10	021-EN				
STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING
250-36-1020-EN	Clear	Black/Light green	Anti-Scratch, Anti-Fog	Rubber	10	28 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144

10

28 g

5-3.1 P 1 FT CE

NEPTUNE

Gray

Nylon frame allows lens ventilation, pivoting and adjustable length temples with rubber tips provide a comfortable fit.

Rubber

Lens Material: polycarbonate Temples Material: Nylon


P EN166 FT CE



250-57-1021-EN

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING	
250-57-1021-EN	Gray	HV Yellow	Anti-Scratch, Anti-Fog	TPR	9	28 g	5-3.1 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144	

bouton 🕶



RECON

Lightweight, rimless design provides all day comfort, flexible bayonet temples contain rubber pads for a secure, non-slip fit.

Lens Material: polycarbonate Temples Material: polycarbonate/PVC



JIILL	LENG GOLUII	THAME/TEMT LE COLON	EENS GOATING	NOOL DIIIDUL	DAGEGOINTE	WLIUIII	LENG MAIMIN		LII JIANDAID	TAGINALINA
250-32-0226-EN	I/O Blue	Brown	Anti-Scratch, Anti-Fog	Rubber	9	21,8 g	5-1.7 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-32-0021-EN	Gray	Dark Gray	Anti-Scratch, Anti-Fog	Rubber	9	21,8 g	5-3.1 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-32-0020-EN	Clear	Clear	Anti-Scratch, Anti-Fog	Rubber	9	21,8 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-32-0010-EN	Clear	Clear	Anti-Scratch, Anti-Reflective	Rubber	9	21,8 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144

SEQUENCE

Lightweight, comfortable foam-sealed design keeps out dust & airborne particles, flexible co-injected temples provide a secure fit.

Lens Material: polycarbonate Temples Material: polycarbonate/TPR





250-88-0120-EN

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN STANDARD	PACKAGING
250-88-0120-EN	Clear	Black	Anti-Scratch, Anti-Fog	Molded	9	23 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144



EYE PROTECTION

CLASSIC

bouton 🕶



Lightweight, rimless design provides all day user comfort, thin, flexible temples provide a secure fit without uncomfortable pressure points.

Lens Material: polycarbonate Temples Material: polycarbonate



250-01-0900-EN



250-01-0001-EN

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN STANDARD	PACKAGING
250-01-0900-EN	Clear	Clear	Anti-Scratch	Molded	9,5	24,0 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144
250-01-0001-EN	Gray	Black	Anti-Scratch	Molded	9,5	24,0 g	5-3.1 P 1FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144



Flexible nose bridge for a comfortable fit, co-injected rubber temple ends provide excellent grip.



Lens Material: polycarbonate Temples Material: polycarbonate / hydrogenated thermoplastic rubber



250-06-0000-EN

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN STANDARD	PACKAGING
250-06-5501-EN	Gray	Dark Gray	Anti-Scratch	Molded	10	23,6 g	5-3.1 P 1FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 /144
250-06-0000-EN	Clear	Clear	Anti-Scratch	Molded	10	23,6 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 /144

SPARK

Polycarbonate lens with built-in sideshields maximize peripheral protection, adjustable length temples provide a secure, comfortable fit.

Lens Material: polycarbonate Temples Material: polyamide





STYLE LENS COLOR FRAME/TEMPLE COLOR LENS COATING NOSE BRIDGE LENS MARKING FRAME MARKING PACKAGING BASECURVE WEIGHT **FN STANDARD** 2C-1.2 P 1 FT CE P EN166 FT CE 12 / 144 250-24-0000-EN Anti-Scratch EN 166 / EN 170 / EN 172 Clear Black Molded 4 32,8 q 250-24-0080-EN Clear Black Uncoated Molded 4 32,8 g 2C-1.2 P 1 FT CE P EN166 FT CE EN 166 / EN 170 / EN 172 12 / 144

GOGGLES

VOLANS

Tough clear polycarbonate lens for high-impact protection, adjustable elastic strap provides a comfortable fit.



251-60-0020-EN

Lens Material: polycarbonate

251-60-000V-EN | TAURUS (visor VOLANS) Can be attached and removed from goggle in seconds

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN STANDARD	PACKAGING
251-60-0020-EN	Clear	Clear	Anti-Scratch, Anti-Fog	Rubber	5	11,3 g	2C-1.2 P 1 BT CE	P EN 166 3 BT CE	EN 166 / EN 170 / EN 172	5 / 60
251-60-000V-EN	Clear					62 g		P EN166 FT CE	EN 166 / EN 170 / EN 172	4/4

MISSION

Indirect vent for liquid splash protection, adjustable elastic strap provides a comfortable fit.

Lens Material: polycarbonate



FORTIS 2

Offers indirect ventilation for liquid splash protection, fits comfortably over most prescription glasses.

Lens Material: polycarbonate

FRAME MARKING

P EN166 3 4 BT CE

EN STANDARD

EN 166 / EN 170 / EN 172

PACKAGING

5/60



251-80-0020-EN

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN STANDARD	PACKAGING
251-80-0020-EN	Clear	Clear	Anti-Scratch, Anti-Fog	Rubber	5	83,4 g	2C-1.2 P 1 9 BT CE	P EN166 3 9 BT CE	EN 166 / EN 170 / EN 172	6 / 72

<u>bouton</u> 🕶

GOGGLES

TRITON

Wide facial flange for a secure seal, flexible, soft rubber/polyester body for optimal comfort and fit, fits comfortably over most prescription glasses.

Lens Material: polycarbonate

Lens Material: polycarbonate



251-54-0020-EN

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING
251-54-0020-EN	Clear	Clear	Clear	Anti-Scratch	Rubber	6	59 g	P EN 166 3 9 BT CE	EN166 / EN170 / EN172	10 / 120

BASIC


The economical solution to your safety goggle needs. Ideal for general manufacturing & anywhere eye protection is needed.



248-4400-300-EN

248-4400-300-EN	Clear	Clear	Rubber	12 g	P 1 B 9 CE	P EN 166 4 9 B CE	EN 166 / EN 170 / EN 172	12 / 144
STYLE	LENS COLOR	FRAME/TEMPLE COLOR	NOSE BRIDGE	WEIGHT	LENS MARKING	FRAME MARKING	EN NORM	PACKAGING





STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN STANDARD	PACKAGING
250-89-0004-EN	Red Mirror Plus Technology	Translucent Charcoal	Anti-Scratch, Anti-Reflective	Molded	8	30,65 g	5-3.1 P 1 F CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	6 / 72
250-89-0008-EN	Green Mirror Plus Technology	Translucent Charcoal	Anti-Scratch, Anti-Reflective	Molded	8	30,65 g	5-3.1 P 1 F CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	6 / 72
250-89-0021-EN	Gray	Translucent Charcoal	Anti-Scratch, Anti-Fog	Molded	8	30,65 g	5-3.1 P 1 F CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	6 / 72

SUNBURST

Lightweight, full frame design offers all day comfort, Bayonet temples are rubber co-molded for a secure fit.

Lens Material: polycarbonate Temples Material: polycarbonate / TPR



250-47-0021-EN

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN STANDARD	PACKAGING
250-47-0021-EN	Gray	Black	Anti-Scratch, Anti-Fog	Rubber	8	30 g	5-3.1 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	6 / 72

bautan 🕶



AEGEAN

Lightweight OTG safety glasses with soft nose pads and soft component padded adjustable ratchet temples.

Lens Material: polycarbonate Temples Material: polycarbonate, thermoplastic rubber



250-66-0020-EN

SCOUT

Over-the-glass design fits over all prescription eyewear, can also be worn by itself as a regular safety glass.



Lens Material: polycarbonate Temples Material: polycarbonate

250-99-	-0920-EN
---------	----------

STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	NOSE BRIDGE	BASE CURVE	WEIGHT	LENS MARKING	FRAME MARKING	EN STANDARD	PACKAGING
250-66-0020-EN	Clear	Black/Blue	Anti-Scratch, Anti-Fog	Rubber	3	39,8 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	10 / 120
250-99-0920-EN	Clear	Clear	Uncoated	Molded	4	38 g	2C-1.2 P 1 FT CE	P EN166 FT CE	EN 166 / EN 170 / EN 172	12 / 144

VISOR

HYDRA

Ratchet suspension provides effortless size adjustment, lightweight and durable blue polypropylene.



251-01-5400-EN N.B.: Stand only Pegasus visor not included

PEGASUS

Aspherical shape is tapered at the chin for improved head/neck range of motion, universal hole pattern will fit most headgear and hard hat adapters in the market. Lens Material: polycarbonate



STYLE	LENS COLOR	FRAME/TEMPLE COLOR	LENS COATING	WEIGHT	FRAME MARKING	EN STANDARD	PACKAGING
251-01-5400-EN		Blue		183 g	EN 166 BT CE	EN 166 / EN 170 / EN 172	1 / 10
251-01-7401-EN	Clear	Black/Gray	Uncoated	186 g	P 1 BT CE	EN 166 / EN 170 / EN 172	10 / 40



252-LCT100-EN LENS CLEANING TOWELETTES

Anti-fog, anti-static, anti-scratch formula, the dispenser can be easily placed on a wall.



252-C001-EN GLASSES CASE

This semi-rigid case with zip closure offers a highprotection to safety glasses when they are not worn.



252-L401-EN EYEWEAR CORD Keeps glasses close at hand for a safer workplace.



252-LCS08-EN LENS CLEANING STATION

Lint-free absorbent tissues are made from 100% recycled materials, station can also be easily placed on walls.



252-MFP01-EN LENS POUCH Protects the spectacles/goggles when not in use.



252-L407-EN ELASTIC EYEWEAR CORD Keeps glasses close at hand for a safer workplace.

COLOR	WEIGHT	PACKAGING	
1	1	1 / 10	
1	1	1/8	
Black	1	1 / 100	

STYLE	COLOR	WEIGHT	PACKAGING
252-MFP01-EN	Black	1	12 / 144
252-L401-EN	Black	2,90 g	12 / 420
252-L407-EN	Black	1	12 / 144

DISPLAY YOUR GLASSES Bouton®





PIE

EN MARKINGS

HEARING PROTECTION

UNDERSTANDING EN PERFORMANCE MARKINGS

SNR

The SNR is the "Simplified Noise Level Reduction" or "Single Number Rating" which is the simplest way of getting a general indication for the level of protection provided. It is generally used to compare different types of hearing protectors. In very simple terms the calculation would be:

Noise Level 100 dB

Hearing Protector SNR -30 dB

Noise Reaching Ear 70 dB

The noise reaching the wearer should not exceed 87 dB and preferably lie between 70 - 80 dB. This calculation does not take into account different frequencies so may not be the most suitable measurement.

dB (decibel)

dB (decibel) is used to measure the sound intensity. Because the human ear can register sounds across a huge range of intensities a linear scale is not suitable for measurement. The dB scale is therefore a log scale which in very simple terms means the sound intensity roughly doubles for every 3 dB increase. An increase of 20 dB would increase the sound intensity 100 times, (ie 60 dB is 100 times louder than 40 dB).

Protection should ideally limit exposure to between 70 - 80 dB at the ear and not exceed 87 dB. However it is also important not to over protect as the wearer may not be able to hear other sounds such as fire alarms or vehicles. The user may also feel isolated resulting in reluctance to wear the hearing protection when needed. It is, therefore, best not to implement a blanket wearing of hearing protection only specifying protection where it is actually required.


CHOOSING THE CORRECT PROTECTION

The key to achieving optimal protection is selecting the ear plug size, shape and style suitable for each worker.





FLARE[™] Wide base seals out dirt and debris.



T-FIT[™] Designed for easy handling, fit and long term wear.



Classic cylinder designis a proven favorite for many workers.

SoftStar™



EZ-Twist[™]

Combines comfort with convenience, hygiene and ease-of-use.




COMMON APPLICABLE STANDARDS

Standard	Detail
EN 352-1	For Ear Muffs
EN 352-2	For Ear Plugs
EN 352-3	For Helmet Mounted Ear Muffs

SELECTING APPROPRIATE PROTECTION

How To Decide On Protection Levels - A Simple Guide

The best way to decide on whether or not protection is needed is to arrange a specialist survey from an independent professional. If an employee needs to raise their voice to be heard a few feet away then the noise levels may be over 85 dB and immediate action should be taken.





POWEr**Soft** foam technology Getting a proper fit

Foams with small, dense cells may result in: > harder plugs with shorter rebound time > more pressure and discomfort in ear canal

Foams with large, airy cells may result in: > uneven roll-down and longer time to fit > Longer rebound time

PIP[®] EAR PLUGS WITH POWERSOFT™ FOAM TECHNOLOGY DELIVER: > OPTIMAL REBOUND > MAXIMUM ALL-DAY COMFORT & PERFECT FIT

SMALL **DENSE CELLS**

LARGE AIRY CELLS

SINGLE-USE POWERSOFT™ TECHNOLOGIE | TECHNOLOGY

Power**Soft**

FOAM TECHNOLOGY

Soft & comfortable conical shape earplugs. Easy to shape for quick & easy insertion.

- Regular size fits most ear canals

- Easy roll-down for quick and easy insertion

- PowerSoft™ Foam Technology features a proprietary polyurethane formulation

that delivers optimal recovery time, easy insertion and maximum all-day comfort

- Traceable metal detectable (Blue) style available for use in the food industry

- Shape conforms to most ear canals for maximum sound attenuation

Shape suitable for smaller ear canals. Easy to shape for quick and easy insertion.

Facilitated removal due to "T" shape. Easy to shape for quick & easy insertion.



NANO BULLET[™]

- Designed to accommodate smaller ear canals - Easy roll-down for quick and easy insertion - Non-irritating smooth outer surface - PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort



MEGA T-FIT[™]

NEW

- Wide base allows easier insertion and removal - Design resists backing out of ear - PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion & maximum all-day comfort - Shape conforms to most ear canals for maximum sound attenuation



267-HPD210/250-EN CAP DISPENSER



267-HPF210-1-EN **REFILL PACK**

STYLE	EN STANDARD	SNR	Н	М	L	DIAMETER	CORDING	METAL DETECTABLE	SHAPE	COLOR	QUANTITY / BOX (PAIRS)
267-HPF210-EN	EN 352-2	38	37	35	33	5 - 11 mm	Yes	No	Cylindrical	Orange	200 / 2000
267-HPF210C-EN	EN 352-2	38	37	35	33	5 - 11 mm	Yes	No	Cylindrical	Orange	100 / 1000
267-HPF210-1-EN	EN 352-2	38	37	35	33	5 - 11 mm	No	No	Cylindrical	Orange	250 / 5000
267-HPF310-EN	EN 352-2	37	37	34	31	5 - 9 mm	No	No	Cylindrical	Viola	200 / 2000
267-HPF510-EN	EN 352-2	37	37	34	32	5 - 10 mm	No	No	T	Orange	200 / 2000
267-HPD210/250*							No	No	1	Black	1/4

No need to model before wearing. Ideal for use with dirty hands or with gloves.



EZ-TWIST[™]

- No need to roll down before fitting, ideal for use with dirty hands

- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery

time, easy insertion & maximum all-day comfort

- Shape conforms to most ear canals for maximum sound attenuation - Traceable metal detectable (blue) style available for use in the food industry

Most comfortable & soft cylindrical earplugs. Easy to shape for quick & easy insertion.



267-HPF710-EN

SOFTSTAR[™]

- Unique beveled edge helps insertion - PVC*-free PowerSoft™ Foam polyurethane foam

- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort

- Shape conforms to most ear canals for maximum sound attenuation

* Most PVC formulations are listed as under Prop 65 as a controlled material

DETECTABLE EAR PLUGS



Soft & comfortable conical shape earplugs. Easy to shape for quick and easy insertion.

MEGA BULLET[™]

- Regular size fits most ear canals - Easy roll-down for quick and easy insertion - PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort - Shape conforms to most ear canals for maximum sound attenuation - For use in the food industry - Both ear plugs and cord are detectable.

REUSABLE

Self-sealing flanges give all day comfort. Can be reused several times, making them very cost efficient.





4-FLANGE REUSABLE

- Pre-formed plug shape with no rolling required makes insertion simple - Reusable several times, they can be cleaned with soap and water

- Self-sealing flanges give all day comfort

- Rigid stem makes insertion easy and reduces the risk of contamination
- Can be reused several times, making them very cost efficient

POLYPROPYLENE BANDED FOAM EAR PLUGS

Foam plug fits the shape of the ear canal opening snuggly, for stability, comfort and improved sound attenuation. Pair of replacement plugs included.

STYLE	EN STANDARD	SNR	Н	М	L	DIAMETER	CORDING	METAL DETECTABLE	HAPE	COLOR	QUANTITY / BOX (PAIRS)
267-HPF610-EN	EN 352-2	38	38	36	34	7 - 13 mm	No	No	Cylindrical with pin	Orange	200 / 2000
267-HPF710-EN	EN 352-2	36	37	33	29	5 - 11 mm	No	No	Cylindrical	Red	200 / 2000
267-HPF210D-EN	EN 352-2	38	37	35	33	5 - 11 mm	Yes	Yes	Cylindrical	Blue	100 / 1000
267-HPR400C-EN	EN 352-2	33	33	31	29	8 - 10 mm	Yes	No	4-flange conical	Orange	50 / 500
267-HPB410-EN	EN 352	32	33	29	28				conical	Red-Gray	10 / 100

SUSTAINABLE BIO-BASED TECHNOLOGY

Bio-Soli

PIP

BIOSOFIC IN THE WORLD'S FIRST SUSTAINABLE BIO-BASED EAR PLUGS



THE WORLD'S FIRST SUSTAINABLE BIO-BASED EAR PLUGS

PIP[®] understands the importance of reducing waste to lower costs and minimize environmental impact. Our new, sustainable Green Heart[®] BioSoft[™] ear plugs are the first to be made from bio-based technologies.


BioSoft SUSTAINABLE BIO-BASED TECHNOLOGY

The BioSoft[™] ear plug foam material provides the same fit and performance as conventional polyurethane or PVC materials, but with a lower carbon footprint.

This innovative technology not only reduces emissions during manufacturing, but it contains bio-based materials making BioSoft™ more environmentally friendly at end of use.


CARBON FOOTPRINT COMPARISON

Equivalent CO_2 Emissions per 10,000 pairs of foam disposable ear plugs.



MEGA **BULLET** BIOSOFT

NEW





METAL DETECTABLE





Tapered shape for easy installation


- Soft, smooth, low pressure for excellent comfort
- Bio-based materials made in North America
- Independently tested SNR 38
- Metal detectable (blue) recommended for use in the food industry.

ATTENUATION CHART (Tested according to EN352-2:2020)										
FREQUENCY (Hz)	125	250	500	1000	2000	3150	4000	6300	8000	
MEAN ATTENUATION (dB)	40.3	39.8	41.9	40.6	39.7	45.1	46.6	47.8	47.2	
STANDARD DEVIATION (dB)	5.5	5.4	5.8	3.8	2.6	4.1	3.7	3.5	4.5	

	BSF-1-EN	BSF-1B-EN	BSF-30-EN	BSF-D-EN
USE	Single	Single	Single	Single
LANYARD	Uncorded	Uncorded	Corded	Corded
MATERIAL	BioSoft™Foam	BioSoft™Foam	BioSoft™Foam	BioSoft™ Foam
SIZE	Standard	Standard	Standard	Standard
SHAPE	Bullet	Bullet	Bullet	Bullet
COLOR	Green/White	Green/White	Green/White	Blue
DETECTABLE	No	No	No	Yes
PAIRS PER BOX	200	500	100	100
PACKAGE	10 X 200	4 X 500	10 X 100	10 X 100

PINCH FIT BIOSOFT

NEW



Unique stem enables easy insertion

• Revolutionary design requires no rolling and provides an easier, more hygienic fit

- Bio-based materials made in North America
- All parts-the earplug, the cord (PF-30 only), the stem, even the bag are bio-based
- Soft, smooth, low pressure for excellent comfort
- Metal detectable (blue) recommended for use in the food industry.

ATTENUATION CHART (Tested according to EN352-2:2020)

FREQUENCY (Hz)	125	250	500	1000	2000	3150	4000	6300	8000
MEAN ATTENUATION (dB)	39.3	37.8	42.9	40.6	39.1	44.4	46	47.8	46.2
STANDARD DEVIATION (dB)	5.5	5.4	5.8	3.8	2.6	4.1	3.7	3.5	4.5

Γ	PF-1-EN	PF-30-EN	PF-D-EN
USE	Single	Single	Single
LANYARD	Uncorded	Corded	Corded
MATERIAL	BioSoft™Foam	BioSoft™Foam	BioSoft™Foam
SIZE	Standard	Standard	Standard
SHAPE	Push-In	Push-In	Push-In
COLOR	Yellow/Orange	Yellow/Orange	Blue
DETECTABLE	No	No	Yes
PAIRS PER BOX	100	100	100
PACKAGE	10 X 100	10 X 100	10 X 100



THE WORLD'S FIRST SUSTAINABLE BIO-BASED EAR PLUG












IN USE


> Without sacrificing performance or comfort.



BIO-BASED PACKAGING

END OF LIFE

> BioSoftTM ear plugs will decompose 76% in 180 days*. Traditional PU or PVC ear plugs will remain unchanged.



* When tested in accordance with EN 13432 - in an aerobic environment (air/oxygen present)

COMMITMENT TO SUSTAINABILITY As a global provider of PPE, PIP[®] is committed to continually identifying opportunities to minimize our environmental footprint to support a more sustainable

safer future. We are focused on leading the way, along with our industrial distributors, by offering products and solutions that minimize our impact while maximizing protection against occupational hazards.



PROTECTIVE INDUSTRIAL PRODUCTS www.pipeurope.com

HEARING PROTECTION EAR MUFFS

CLASSIC

0

EAR MUFFS



Very light and adjustable earmuffs . Dielectric / non-conductive design .

263-NP220

SNR: 29dB

ELEVATE I 263-NP221

Minimum pressure on the top of the head thanks to its adjustable headband. Foldable earmuffs for easy transport. SNR: 27dB



ELEVATE II 263-NP222

Sliding height adjustable headband for greater comfort . Soft and wide cushions fit comfortably around the ears. SNR: 28dB

					MATERIAL	PESO	COLOR	PACKAGING
263-NP220 EN 352-1	29	34	26	19	ARC: thermoplastique POM - CUPS: PP / PVC leather / PU foa	157g	Black/Silver	1/25
263-NP221 EN 352-1	27	29	25	17	HEADBAND: NEOPRENE / LEATHER PU - ARC: CARBON STEEL - CUPS: ABS_NYLON / PU FOAM	247g	Black/Silver	1/20
263-NP222 EN 352-1	28	32	26	17	HEADBAND: NEOPRENE / LEATHER PU - ARC: CARBON STEEL - CUPS: ABS NYLON / PU FOAM	215g	Black/Silver	1/20

ECO-FRIENDLY



The Elevate GH protective earmuffs offer an impressive combination of high levels of protection combined with a sustainable vision. More than 50% of the weight is maded up of recycled materials. Earmuffs with length adjustment, easily adjustable for a perfect fit. Extra soft memory foam to guarante a premium comfort for a long use time. Soft surfaces and padded headband for optimal comfort.



59% of the weight is maded up of recycled materials. SNR: 27dB



66% of the weight is maded up of recycled materials. SNR: 32dB

<section-header>

54% of the weight is maded up of recycled materials. SNR: 37dB

STYLE	EN STANDARD	SNR	Н	Μ	L	MATERIAL	WEIGHT	COLOR	PACKAGING
263-NP330-EN	EN 352-1	27	28	25	18	HEADBAND: PVC AND FABRIC	200,49 g	Black/Silver	1 / 20
263-NP331-EN	EN 352-1	32	36	30	23	ARC: CARBON STEEL	278,93 g	Black/Silver	1/20
263-NP332-EN	EN 352-1	37	39	35	27	CUPS, BUCKLES, RINGS: RECYCLED ABS, PVC & PE FOAM	338,93 g	Black/Silver	1/20

COLD & HEAT STRESS

BASE LAYER HEATED VEST

300-HV100

REVOLUTIONARY HEATING TECHNOLOGY.

Designed to warm and maintain body temperature in order to sustainably combat winter conditions. Breathable softshell material provides an ideal base layer for lightweight warmth, comfort and versatility. The lightweight, one-size-fits-all, dynamicfit jacket is equipped with durable, double-locking Velcro straps. Three heat settings available using the illuminated LED button on the jacket, or the convenient included remote control.

RECHARGEABLE BATTERY 5V/2A



Multi-level safety system provides protection against short circuits Replacement battery: 399-HVBAT

DYNAMIC ADJUSTMENT - Easy to adjust, double locking velcro ensures a secure and comfortable fit

RECHARGEABLE BATTERY 5V/2A



- Control 3 heat levels with the included wireless remote - Replacement remote: 399-HVRE Chaleur Effective heat for 4 hours on a single charge Easy to take care of, machine washable with 50+ wash cycles*



EVAPORATIVE COOLING TOWEL

396-EZ900

Provides UV protection and resists odors. Quickly reduces temperature when soaked in water and activated to provide cooling effect



STYLE	DESCRIPTION	BATTERY	FABRIC	SIZE	PACKAGING
300-HV100	Heated vest		Nylon	One size	1 / 12
399-HVBAT	Heated vest spare battery	5V/2A			1/60
399-HVRE	Heated vest remote controller				1/50
396-EZ900	Cooling towel		55% nylon / 45% polyester		1/48



Fall protection Featured Security

Welcome to the world of Akrobat , the line of fall protection products owned by Industrial Starter S.p.A. by PIP. In an industry where occupational safety is a priority, Akrobat stands as the reliable line for all industry professionals.

Akrobat's Mission: Safety First.

In an environment where every detail counts, our mission is to ensure maximum protection for those who work at height. Fall-related accidents pose a serious threat, but with Akrobat, you face your work with the confidence that you are properly equipped.

Our Range: The Security You Need

Explore our comprehensive catalog of products, each designed with the utmost care to ensure safety and comfort. From safety harnesses to positioning belts, karabiners to innovative retractable devices and EN795-B temporary lifelines, Akrobat offers complete solutions for every fall protection-related need.

Innovation and Certification: Our Promise of Quality

Akrobat is synonymous with innovation and reliability. Each product is the result of advanced technologies and state-of-the-art production methods, ensuring compliance with the strictest safety regulations. Compliance with EN standards, combined with certified quality, positions Akrobat as the benchmark brand for construction site safety.

Protecting Life, Every Day: The Heart of Akrobat

Every worker has the right to return home safely every day. Akrobat is committed to making this vision a reality. We invite industry professionals to embrace the culture of safety by adopting our products as indispensable allies in the fight against fall hazards.

Choose Akrobat: your trusted companion for security in every work setting. Protect life, protect the future.


Note: The certification values shown in this catalogue may vary due to the continuous updating process; for exact data, please ask for updated technical data sheet.




BEFORE USE.

Read the manual supplied with the harness carefully. Check the date of manufacture and that the sling does not has expired, by checking the inspection logbook that no more than one year has passed since the last inspection (or since the last time the date of commissioning). Check the wear condition.





Some examples of use





Harness STANDARD

Maintains all the essential technical features of its "big sister" product, AKROBAT PLUS, and meets all regulations; only a few accessories are removed. It would therefore be a mistake to consider it a budget product line; it should be understood as an "essential" range suitable for those who will use it infrequently, or who are happy to give up the extra level of comfort (but not safety) in return for a cost saving.



• All Akrobat harnesses are certified 100 kg. as the EN361 standard only provides for this type of verification but in truth they are all tested up to 136 kg.



AK002 HARNESS AKROBAT EN361 Anchorage point: back Full box: 20 pcs.



AK003 HARNESS AKROBAT EN361 Anchorage point: backand chest Full box: 20 pcs.



AK005 HARNESS AKROBAT EN361 - EN358 Anchorage point: back and chest + positioning belt Full box: 10 pcs.

FALL ARREST SLINGS

 All Akrobat harnesses are certified 100 kg. as the EN361 standard only provides for this type of verification but in truth they are all tested up to 136 kg.



Harness PLUS

Recommended for professionals who require a full range of accessories for increased comfort in addition to the essential safety features.

Larger positioning belt (if included) and mobile phone holder.

Carabiner for sternal attachment





FALL INDICATOR: indicates when the harness has "worked", absorbing such a force that the replacement of the harness is recommended (as it may have partly lost its efficiency).

NB: harnesses packaged individually in boxes or blister packs for in-store display purposes.

Double adjustable belt for a better fit.



tested 136 Kg



AK20 HARNESS AKROBAT PLUS EN361 Anchorage point: back

Accessories: double adjustment, mobile pocket, sit strap, back extension band. Packed in blister. Full box: 5 pcs.



AK50 HARNESS AKROBAT PLUS EN361 - EN358 Anchorage point: backand chest

Accessories: double adjustment, carabiner, mobile pocket, sit strap, large positioning belt, back extension band. Packed in box. Full box: 5 pcs.



AK60 AKROBAT PLUS HARNESS TOP VERSION EN361 - EN358 -EN313 Anchorage point: back, chest and at waist Accessories: double adjustment, carabiner, mobile pocket, sit strap, large positioning belt, back extension band. Packed in box. Accessories TOP version: padding on back, shoulders and sit strap. Full box: 5 pcs.





X

Harness STRETCH

Similar to the AKROBAT PLUS line, but with high tenacity stretch fabric straps. Another step forward in AKROBAT's technical evolution, in line with requests from our most demanding users, who keep up with the latest developments. The end result is to improve comfort without noticeably increasing the cost of the product. The harness' main features are indicated in the illustrated details.

tested 136 Kg

• All Akrobat harnesses are certified 100 kg. as the EN361 standard only provides for this type of verification but in truth they are all tested up to 136 kg.



Double adjustment:

To better fit the belt to the body



Akrobat STRETCH

re comfortable and ergonomic

 $\textbf{STRETCH}: stretch \ fabric \ makes \ the \ model \ even$

Buckle extension and dorsal brace for greater ease of use





STRETCH

HARNESS STRETCH Stretch harness for the best comfort. Anchorage point: back Accessories: double adjustment, mobile pocket, sit strap, back extension band. Fall



+Size XXL

AK35 **HARNESS STRETCH** EN361 - EN 358

Stretch harness for the best comfort. Anchorage point: back and chest Accessories: double adjustment, mobile pocket, sit strap, back extension band. Fall indicator. Sizes: L= regular or XXL= maxi Full box: 5 pcs.

+Size XXL



AK55 HARNESS STRETCH EN361 - EN358

Stretch harness for the best comfort. Supplied with positioning belt. Anchorage point: back and chest Accessories: double adjustment, carabiner, mobile pocket, sit strap, back extension band. Fall indicator Sizes: L= regular or XXL= maxi Full box: 5 pcs.

AKROBAT



Harness EXCLUSIVE STRETCH

Another step forward in AKROBAT's technical evolution, in line with requests from our most demanding users, who keep up with the latest developments. The harness' main strengths as well as its unparalleled comfort are indicated in the illustrated details.

tested 136 Kg • All Akrobat harnesses are certified 100 kg. as the EN361 standard only provides for this type of verification but in truth they are all tested up to 136 kg.



Automatic buckle: can be unfastened under load, extremely easy to use and adjust wit one hand but with dual controls. Produced with high quality steel which is corrosion-resistant, convenient and comfortable to wear.



FALL INDICATOR: indicates when the harness has "worked"; absorbing such a force that the replacement of the harness is recommended (as it may have partly lost its



Positioning belt: with padded mesh netting and a lateral, curved D-ring, for increased comfort while working. The belt is fitted with a larger handle on the back to attach extra carabiners or accessories.

STRETCH: stretch fabric makes the model even more comfortable and ergonomic.

STRETC

Akrobat



ID plate: the plate supports the straps' dorsal intersection, which means the D-ring always stays in place, even after a fall



Suspension straps: Article AKISO1, specially designed to reduce the harmful effects of being temporarily suspended after a fall. If necessary, take out the two straps, bind them together and rest your feet on the suspension cable while awaiting help (see on the next pages).



AK650 EXLUSIVE HARNESS EN361- EN358 - EN813

Anchorage point: full body harness with positioning belt with D-ring, back extension band and D-rings for chest anchorage. Central ring for rope access. Two D-rings at waist for positioning rope. Stretch upper part. Buckles with quick release. Accessories: padded back, positioning belt and leg straps, and more (see features above) Full box: 1 pcs. (backpack included)







 \mathbf{X}



tested 136 Kg

• All Akrobat harnesses are certified 100 kg. as the EN361 standard only provides for this type of verification but in truth they are all tested up to 136 kg.

SIZE ADJUSTABLE

AK8730 FULL BODY JACKET HARNESS AKROBAT PLUS EN361

Made up by harness AK30 and a comfortable multi pockets cotton vest. This PPE keeps all the features of harness AK30 (see page before) **Size:** adjustable. Thanks to a front zippers system, it is possible to fit up to 3 different size adjustments. **Full box:** 5 pcs.

AK136 WIDE OPINING CARABINER EN362 Aluminum hook. Opening: 60 mm Strength: 23 KN Full box: 10 pcs.



AK9427 CARABINER EN362

Stainless steel carabiner with screw locking system. Opening: 18 mm. Strength: 23 KN Full box: 20 pcs.



AK9421 LIGHT ALLOY CARABINER EN362

Aluminum alloy carabiner with self-locking system to be used for positioning only. Opening: 21.5 mm Strength: 23 KN Full box: 10 pcs.



AK9426 ALLUMINUM CARABINER TWIST LOCK EN362

Aluminum carabiner with selfclosing system with quarter turn nut. Opening: 21 mm. Strength: 23 KN **Full box:** 20 pcs.





AK103 AKROBAT PLUS POSITIONING BELT WITH CARABINER EN358

Adjustable work positioning lanyard with self-locking aluminum carabiner. Packaged in blister. Length: 2 mt Full box: 10 pcs. Note to be used only with positioning belt. (see note for art AKIO)



AK10 AKROBAT PLUS POSITIONING BELT WITH CARABINER EN358 Positioning belt with two lateral rings.







AK246PR Positioning Adjustable Lanyard with Carabiners En 358:1999

Positioning lanyard with stainless steel rope grab for easy length adjustment. Maximum length is 2 mt. Equipped with protecting covering sleeve and 2 carabiners. Full box: 20 pcs.

Note it has to be used only with positioning belt (see note below art AKIO)

RECOMMENDED FIRST LEVEL SCAFFOLDING



RESTRAINT ROPE LANYARD EN354

AK9423 1,0 mt - Ø 12 mm AK9424 1,5 mt - Ø 12 mm

Full box: 10 pcs.







AKBLOCK035 RETRACTABLE DEVICE EN360

Retractable fall arrestor with steel rope. Length 3,5 meters. Provided with swiveling carabiner with double safety control. Fall indicator. Shock resistant casing made in ABS. **Weight:** 2,2 kg



If the swiveling fall indicator becomes red, the device must be revised.



AKBLOCK05 RETRACTABLE DEVICE EN360

Retractable fall arrestor with steel rope. Length 5 meters. Provided with swiveling carabiner with double safety control. Fall indicator. Shock resistant casing made in ABS. **Weight:** 3,1 kg



If the swiveling fall indicator becomes red, the device must be revised.



AKBLOCK10 RETRACTABLE DEVICE EN360

Retractable fall arrestor with steel rope. Length 10 meters. Provided with swiveling carabiner with double safety control. Fall indicator. Shock resistant casing made in ABS. **Weight:** 4,1 kg



If the swiveling fall indicator becomes red, the device must be revised.



AKBLOCK15 RETRACTABLE DEVICE EN360

Retractable fall arrestor with steel rope. Length 15 meters. Provided with swiveling carabiner with double safety control. Fall indicator. Shock resistant casing made in ABS. **Weight:** 6,4 kg



If the swiveling fall indicator becomes red, the device must be revised.



certified for people up to **140 Kg**

7 IT

6

7

\$ PA

n

0

TT

20

11 0-

2 - *9 ×



AKBLOCK20 RETRACTABLE DEVICE EN360

Retractable fall arrestor with steel rope. Length 20 meters. Provided with swiveling carabiner with double safety control. Fall indicator. Shock resistant casing made

in ABS. Weight: 7,4 kg



If the swiveling fall indicator becomes red, the device must be revised.

AKBLOCK30 RETRACTABLE DEVICE EN360

Retractable fall arrestor with steel rope. Length 30 meters. Provided with swiveling carabiner with double safety control. Fall indicator. Shock resistant casing made in ABS. **Weight:** 12,9 kg



If the swiveling fall indicator becomes red, the device must be revised.



TT

6- 7

h')2 -

0-7 II

× 94

Weight: 12,50 kg **Weight:** 12,5 kg




If the swiveling fall indicator becomes red, the device must be revised.

CERTIFIED FOR HORIZONTAL USE.

AKORIZ10 AKORIZ10 RETRACTABLE BLOCK FOR HORIZONTAL USE EN 360 - VG11 RFU

11.060 Retractable device with 10 mt long galvanized steel wire rope. It is suggested for horizontal use and complies with the new rules satisfies the new legal requirements concerning the edge test, the length of the outside of reel case not over 60 cm and the prohibition of attaching any removable device to the terminal. **Weight:** 4,96 Kg **Full box:** 1 pcs.





AK111S Length 1.5 meters: allowed for harnesses with back extension.

AK112S length 2 meters.

Full box: 5 pcs.



ENERGY ADSORDING ROPE LAWYARD EN355 AKIIIP Length 15 meters: allowed for harness with back extension AKI12P Length 2 meters. Lanyard with energy dissipator, supplied with a 60 mm opening hook and a carabiner. Make sure there is at least 6 meters between the anchor point and the ground or fall hazard plane. Full box: 5 pcs.



Energy-dissipating laynard, equipped with a hook and a carabiner. Ensure that there is at least 6 meters between the anchor point and the ground or fall hazard plane.

AK398 ELASTICIZED ROPE EN355

Elasticized rope with energy dissipator, equipped with 60 mm opening hook and a carabiner. The advantage of this dissipator, compared with the others, is the smaller size of the textile rope when elastic "relaxed".

Length: with "relaxed" elastic 1.4 m, with "taut" elastic 2 m. Make sure there is at least 6 m between the anchor point and the ground or fall hazard plane. Full box: 5 pcs.



ENERGY ABSORBING FORKED ROPE LANYARD EN355

AK349 Length 1.5 meters: allowed for harness with extension back.

AK351 Length 2 meters.

Energy dissipator with two hooks and a carabiner. Ideal for moving while maintaining a fixed anchor point at all times. Eq. maintenance on a crane boom, climbing pylons, etc. Make sure there is at least 6 meters between the anchor point and the ground or fall hazard plane. **Full box:** 5 pcs.



AK371 ENERGY ABSORBING FORKED ROPE LANYARD EN355:2002

Energy dissipator with elasticized rope and two hooks and a carabiner. Ideal for moving around while maintaining a fixed anchor point at all times. E.g. maintenance on crane boom, climbing pylons, etc. Make sure there is at least 6 meters between the anchor point and the ground (or fall hazard plane).

Length: with "relaxed" elastic 1.4/1.6 meters; with "taut" elastic 2.0 meters. Full box: 10 pcs.



Full box: 5 pcs.



oom atate to a min type in ope in amerent alges.									
Ref.	measure	standard	packaging						
09510	10 m	EN1891	10 pcs						
09520	20 m	EN1891	10 pcs						
09530	30 m	EN1891	10 pcs						
09503	200 m	EN1891	1 pcs reel						
09505	100 m	EN1891	1 pcs coil						
09507	50 m	EN1891	1 pcs coil						



SAFETY ROPE EN353-2

AK9410 10 mt AK9420 20 mt

16 mm diameter rope of different lengths with wear test. For use with AK2000B. Recommended for securing ladders and inclined planes. **Packages:** AK9410: 10 pcs. AK9420: 10 pcs.

NB: the rope is certified only when used with AK2000B sliding device.



AK200420 **GUIDED TYPE FALL** ARRESTER EN 353-2 Fall arrester sliding device that can

not be opened. Supplied with two carabiners, energy absorber and 20 mt long rope. Recommended for stairs and inclined floors. Full box: 5 pcs.









AK802 DOOR / WINDOW ANCHOR POINT EN795:2012 TYPE B

Aluminum anchor which is very resistant and lightweight (only 4.80 kg). It can be easily installed just compressing it against door or window frame. It can be easily installed just compressing it against open door or window frame. Full box: 1 pcs.

D

D

111



AKSA09 ANCHORAGE POINT EN795 TYPE A Aluminium anchorage point to be fixed with plugs (not included). Full box: 5 pcs.



AKSA16 CONCRETE ANCHOR (REUSABLE) EN795:2012

This anchor point can be easily installed through a 110 mm deep hole. Once the anchor point is put inside the hole and twisted, the flanges come out and fix it to the wall. Resistant up to 12 KN. **Full box:** 50 pcs.



AKSA11 ANCHORAGE POINT FOR PARAPETS EN795 TYPE B Anchorage point for parapets made in galvanized steel (for protection against

corrosion). Weight: 8,60 kg.





AK80415 ANCHORAGE POINT EN795 TYPE B Anchorage point with metal D-rings at bo

Anchorage point with metal D-rings at both sides. Certificated with strength 15KN. Length: 1,5 mt **Full box:** 10 pcs.



AK80710 ANCHORAGE SLING EN795 TYPE B Anchorage sling. Certified with strength 10 KN, length 1 m Full box: 10 pcs.





AKTLO1 TOOLS LANYARD (colour 031 orange flup)

(colour 031 orange fluo) The lanyard is equipped with a light carabiner to be hanged to the belt. In contracted position, it is 85 cm long, in maximum extension it is 135 cm long. Packed in polybags of 2 pcs. Full box: 50 polybags Minimum quantity: 2 pcs. (1 polybag of 2 pcs.).

For B2B orders: www.industrialstarter.com / 189



Akrobat Ready-to-use kits. The practical solution for all needs:

AKKIT02 **POSITIONING KIT Composition:** - positioning belt AK10 - positioning lanyard AK103 with self-locking carabiner Features: the positioning system makes easier working in height. It is not a fall arrest system. In resealable polyethylene bag. Full box: 5 pcs.

NEW

AKKIT03 KIT SCAFFOLDING Composition: Anchorage harness back AKOO2 EN 361. Rope AK9423 EN 354.

2 carabiners AK9427 EN 362. Packaged in a bag. Features: this kit is ideal for occasional rope work. In resealable polyethylene bag Full box: 5 pcs.





AKKIT05 only on request **KIT SCAFFOLDING PLUS**

Harness with back anchorage AK20 PLUS EN 361. 2 carabiners AK9427 FN 362 Features: This kit is ideal for rope access work. In polyethylene bag resealable.



AKKITS1 only on request

Composition: Anchorage back harness AK20 PLUS EN 361. AK200420 EN 353 guiding device without opening. All in a bag large enough to hold a helmet (not included in the KIT). Features: The KIT constitutes an ideal fall arrest system for safety when ascending and descending stairs or at inclined planes. Full box: 5 pcs.





AKKIT07 KIT SCAFFOLDING Composition:

- Harness art AK003 with back and chest anchorage points - Lanyard art AK303 with energy absorber and 2 hooks. Features: this KIT is a fall arrest system for people working in height and who need the energy absorber in case of fall. It is recommended that there are at least 6 mt between the anchorage point and the ground or fall risk's surface. Full box: 5 pcs.





NEW

AKKIT08 LADDER AND ROOF KITS Composition:

Harness AK005 back and chest attachment, positioning belt. AKIO3 positioning lanyard with carabiner, positioning both AKIO3 positioning lanyard with carabiner. AK200420 sliding guided device, two carabiners, dissipator and 20 m of rope. AK902 large bag to also hold a helmet (not provided in KIT, AK905N or AK9055 recommended) Features: The KIT makes an ideal fall arrest system for work at height, watch out for the air pull. It is recommended to make sure that there is at least 6 meters between the anchor point and the rowned or splea of fell inicia.

ground or plane of fall risk **Full box:** 5 pcs.





AKKIT09 **FORCHED KIT**

Composition: • AK003 harness with dorsal and sternal attachment

- Forched AK3512 m, energy absorbing rope, 2 clamps and carabiner. • Bag AK903 can also contain a helmet (not supplied in the KIT, AK905N or AK9055 is recommended)

Features: The KIT make an ideal fall arrest system for work at height, Pay attention to pay attention to the air draft. It is recommended to make sure that there is at least 6 meters between the anchor point and the ground or fall hazard plane. Full box: 5 pcs.







AK903 **SMALL BAG** Dimensions in cm: 44 width 18 depth 23 height



AK9400 BACKPACK Dimensions in cm 30 width 14 depth 37,5 height





AK8100 only on request LONG COAT AKROBAT Colour: red Sizes: M-L-XL Full box: 20 pcs.

FALL ARREST DISPLAY Floor display, in painted metal. Modular. (Supplied without products) See specifications on page of exhibitors.



SSALINE

Safety footwear

ISSALINE safety footwear is specially designed to ensure the safety of feet while performing work activities. are made of sturdy materials that are resistant to various external agents such The nocks, splinters, chemicals and liquids, and can prevent injuries caused by g heavy or sharp objects. as falling heavy or sharp objects

Tailing heavy or sharp objects. Using safety footwear property can significantly reduce the number of workplace injuries. The feet are one of the most vulnerable parts of the human body, so protecting them is of paramount importance. ISSALINE's safety footwear has a durable protective sole, which provides a non-slip surface and reduces the risk of falls. In addition, these shoes have a steel or composite toe cap, which protects toes from impact and compression, and a puncture-resistant insole to prevent injury from penetrating objects such as nails or splinters.

splinters. In addition to physical protection, ISSALINE footwear provides comfort and support to workers. Their ability to conform to the shape of the foot and absorb shock reduces fatigue and the risk of muscle fatigue, improving productivity and quality of

Safe and comfortable footwear

ISSALINE safety shoes provide maximum protection and comfort for the wearer, as well as strength and durability. For this reason, making a safety shoe requires great care in the choice of materials and design of the various components.

rotect the toes fro rials su

s leather, fabric

d cushioning

impacts, t synthetic, The sole, o

single-density or requirements

Other important details to consider are the inner lining, which should be soft and breathable, and the closure, which can be with laces or Velcro, depending on the 's preference.

Finally, a key aspect to consider is the ergonomics of the shoe, which must fit perfectly to the shape of the foot and ensure maximum comfort during prolonged use. In conclusion, the safety of an accident prevention shoe comes from the care and quality of the materials used, as well as the correct design of the different components that make it up.



1 Tread

- 2 Shock absorber
- **3 Anti-puncture insole**
- 4 Toe cap
- **5** Anatomical insole
- 6 Upper
- 7 Non-allergenic lining

INDUSTRY INDUSTRIAL SAFETY FOOTWEAR WITH POLYURETHANE (PU) SOLE



INDUSTRY

A range of safety footwear designed for industry, featuring a dual-density polyurethane (PU) sole. This sole offers the worker an optimal level of comfort due to its flexibility and ensures greater safety by providing better thermal insulation and slip resistance. The main objective is to ensure a comfortable and safe working environment for personnel



S3

35120 TIRSO **EN ISO 20345 SIP SRC**

Upper: low, perforated suede leather Toe: steel Anti-perforation foil: steel Sole: non-slip dual density PU Plus: padded collar for better comfort, front part without seams to reduce the risk of damages and ensure an higher resistance. Sizes: from 36 to 48





S1P

36140 EBRO

EN ISO 20345 S3 SRC Upper: high, water repellent specific for welders, printed full arain leather.

Toe: steel Anti-perforation foil: steel

Sole: non-slip dual density PU Plus: bellows cover (elastic and not laces) to protect from sparks, closure with quick release buckle. Aramid fiber seams, they assure a great resistance from welding sparks and abrasion. Sizes: from 36 to 48



36180 ODER only on request EN ISO 20345 S3 SRC CI Padded winter boot Upper: water repellent in printed grain leather Toe: steel

Anti-perforation foil: steel Sole: non-slip dual density PU Plus: padded collar for better comfort, front part without seams to reduce the risk of breaking and ensure better strength. Padded with synthetic fur. it is certified anti-cold Sizes: from 36 to 48

S * E STEEL STEEL 36 - 48

36175 BARROW only on request EN ISO 20345 S3 SRC CI

Padded winter boot Upper: water repellent in printed grain leather Toe: steel Anti-perforation foil: steel Sole: non-slip dual density PU Plus: padded collar for better comfort, front part without seams to reduce the risk of breaking and ensure better strength. Padded with synthetic fur, it is certified anti-cold Sizes: from 36 to 48

33 ÷ STEEL STEEL 36 - 48 5





INDUSTRIAL SAFETY FOOTWEAR WITH POLYURETHANE (PU) SOLE



35100 JUCAR

EN ISO 20345 SIP SRC Upper: low, printed full grain leather

Toe: steel Anti-perforation foil: steel Sole: non-slip dual density PU Plus: padded collar for better comfort, front part without seams to reduce the risk of damages and ensure a higher resistance. Sizes: from 36 to 48



STEEL 36 - 48 Upper: high, printed grain leather Toe: steel Anti-perforation foil: steel Sole: non-slip dual density PU Plus: padded collar for better comfort, front part without seams to reduce the risk of damages and ensure a higher resistance. Sizes: from 36 to 48



EN ISO 20345 SIP SRC

35110 TURIA



S1P



S1P

S3

36100 LAMBRO S3 EN ISO 20345 S3 SRC Upper: low, water repellent in printed grain leather Toe: steel Anti-perforation foil: steel Sole: non-slip dual density PU **Plus:** padded collar for better comfort, front part without seams to reduce the risk of damages and ensure an higher resistance. Sizes: from 36 to 48





Upper: high, water repellent in printed grain leather

36110 BRENTA

Toe: steel

EN ISO 20345 S3 SRC

Anti-perforation foil: steel





INDUSTRIAL SAFETY FOOTWEAR WITH POLYURETHANE (PU) SOLE



42195R NEW MARATHON EN ISO 20345 S1P SRC

Upper: low, in suede and abrasion resistant, breathable mesh fabric. Toe: steel Anti-perforation foil: steel Sole: non-slip dual density PU Plus: padded collar for better comfort and breathable upper thanks to the mesh fabric. Sizes: from 36 to 48





06893R SPARTA

EN ISO 20345 S1P SRC Upper: low, in suede and abrasion resistant, breathable mesh fabric. Toe: steel Anti-perforation foil: steel Sole: non-slip dual density PU Plus: padded collar for better comfort and breathable upper thanks to the mesh fabric. Metal lace hooks. Sizes: from 36 to 48





06897R ATENE EN ISO 20345 S1P SRC

Upper: high, in suede and abrasion resistant and breathable mesh fabric. Toe: steel Anti-perforation foil: steel Sole: non-slip dual density PU Plus: padded collar for better comfort and breathable upper thanks to the mesh fabric. Metal lace hooks. Sizes: from 36 to 48





INDUSTRY PLUS INDUSTRIAL SAFETY FOOTWEAR WITH POLYURETHANE (PU) SOLE



INDUSTRY PLUS

Given the high reliability of the Industry double density sole, we created an ISSA range which, starting from the same tread, it develops lightness also thanks to the use of fiber glass toe cap a Other characteristics of the range being Metal Free (co soles. All this with a surprising prices, giveing to with the best price/quality ratio.

INE Industry Plus her" uppers and seeks flexibility and textile anti-perforation insole. e are exceptions) and have col

the range of ISSALINE footw LINE Inc

S1P

S3

35060N PADDLE EN ISO 20345 SIP SRC METAL FREE

36200N TACKLE

Upper: low, in suede leather with breathable contrasting very strong fabric inserts. Toe: fiberglass

Anti-perforation foil: textile Sole: non-slip dual density PU Plus: metal free, flexibility, lightness and comfort allow a use both indoors and on uneven surfaces (dirt roads, construction sites, etc.).

Sizes: from 36 to 48 Colour: beige/inserts black, yellow



35055N STATION EN ISO 20345 S1P SRC METAL FREE Upper: low, in suede leather with breathable contrasting very strong fabric inserts. Toe: fiberglass Anti-perforation foil: textile Sole: non-slip dual density PU

Plus: metal free, flexibility, lightness and comfort allow a use both indoors and on uneven surfaces (dirt roads, construction sites, etc.). Sizes: from 36 to 48 Colour: blue/inserts grey, orange



S1P

S3

36210N CORNER

EN ISO 20345 S3 SRC METAL FREE Upper: high, water repellent in action nubuck leather with contrasting very strong fabric insert. Toe: fiberglass

Anti-perforation foil: textile Sole: non-slip dual density PU

Plus: metal free, flexibility, lightness and comfort allow to use it indoors and especially outdoors on uneven surfaces (dirt roads, construction sites, etc.).

Sizes: from 36 to 48





EN ISO 20345 S3 SRC METAL FREE

Upper: low, water repellent in action nubuck leather with contrasting



INDUSTRY PLUS INDUSTRIAL SAFETY FOOTWEAR WITH POLYURETHANE (PU) SOLE



S1P

35078 EKAR EN ISO 20345 SIP SRC METAL FREE Upper: Action Leather con inserts Mesh Toe: fiberglass Anti-perforation foil: textile Sole: non-slip dual density PU Plus: metal free, flexibility, lightness and comfort allow a use both indoors and on uneven surfaces (dirt roads, construction sites, etc.).

Sizes: from 36 to 48 Colour: blue/inserts verdi, black









work.



68200MR FALCON only on request

EN ISO 20345 S3 SRC Upper: alta idrorepellente in pieno fiore nabuk

Toe: fiberglass

Anti-perforation foil: textile

Sole: non-slip dual density PU $\ensuremath{\textbf{Plus:}}$ with membrane. Front part without seams to reduce the risk of breaking and ensure greater strength. Excellent grip on the ground. Particularly recommended for outdoor work. Sizes: from 36 to 47

NATER TEXTILE



S3



68360 RHINO only on request

EN ISO 20345 S1P SRC METAL FREE Upper: low, in suede leather with ventilation holes. Toe: fiberglass Anti-perforation foil: textile

36112 PIAVE only on request

Sole: non-slip dual density PU

Plus: metal free, flexibility, lightness and comfort allow a use both indoors and on uneven surfaces (dirt roads, construction sites, etc.). Sizes: from 36 to 48

S1P





EN ISO 20345 S3 SRC METAL FREE	S3
Upper: low, water repellent in printed grain leather.	
Toe: fiberglass	
Anti-perforation foil: textile	
Sole: non-slip dual density PU	
Plus: metal free, maximum lightness, padded collar for better comfort, seamless front to	
reduce the risk of breaking and guarantee greater strength.	
Sizes: from 36 to 48	
(3) S S S S S S S S S S S S S S S S S S S	
ULTRA ULTRA TEXTILE COMPOSITE METAL 530 36-48 5 Light flex Free	
	and the second se
	Carlos I
ALL PROPERTY AND A DECIMAL AND	

nti-perforation foil: textile ple: non-slip dual density PU us: metal free, maximum lightness, padded collar for better comfort, seamless front to duce the risk of breakage e guarantee greater strength. zes: from 36 to 48	De: fiberglass	
30 ULTRA VICTOR	nti-perforation foil: textile	
 33 ULTRA ULTRA EXAMPLE COMPOSITE COMPOSITE COMPOSITE STORE STORE		
33 ULTRA ULTRA TEXTILE COMPOSITE METAL 540 36-48 5		t, seamless front to
ULTRA ULTRA TEXTILE COMPOSITE METAL 540 36-48 5	izes: from 36 to 48	
		48 5

36300 RACY only on request EN ISO 20345 S3 SRC METAL FREE **S**3 Upper: low, water repellent in special seamless fabric high resistance to abrasion. Waterproof membrane. Toe: fiberglass Anti-perforation foil: textile Sole: non-slip dual density PU Plus: metal free. Waterproof. Very resistant with a front protection. Sizes: from 36 to 48 Colour: grey/inserts grey, black





INDUSTRY PLUS


ISSALINE




1

Upper: Low, in suede. Toe: composite. Anti-perforation foil: kevlar. Sole: EVA + non-slip rubber. Plus: Metal free, breathable fabric lining. Great resistance. Sizes: from 36 to 48. Colour: black with red inserts.











35040 VOGA only on request

EN ISO 20345 SIP SRC METAL FREE Upper: Low in leather. Toe: composite. Anti-perforation foil: textile. Sole: non-slip dual density PU. Plus: Its flexibility, lightness and comfort allow it to be used both on regular surfaces (indoors) than irregular (external). Sizes: from 36 to 48.











ISSALINE

EXTREME

ISSALINE has created a new concept of work footwear, taking inspiration from the clothing of the EXTREME line. A line of safety shoes has been developed that is detaches itself from traditional models, using materials from sports footwear sector.

The dual density polyurethane sole and the adoption of the system SHK (shaft) ensure a high level of comfort on any type of terrain.

44220 EXTREME

EN ISO 20345 SIP SRC ESD METAL FREE

Upper: midy, breathable textile with abrasion resistant overcoat. Toe: fiberglass. Anti-perforation foil: textile. Sole: non-slip dual density PU. Insole: textile comfort foam system Plus: collar and stretch tongue that guarantee greater comfort and SHK SYSTEM shank in stabilizing nylon/pu. Sizes: 36-48

Colour: blue with black and lime green inserts



44400 EXTREME STRETCH SLIP ON EN ISO 20345 SIP SRC METAL FREE

Upper: midy textile traspirante con spunterbo antiabrasione. Toe: fiberglass. Anti-perforation foil: textile. Sole: non-slip dual density PU. Insole: textile comfort foam system Plus: collar and stretch tongue that guarantee greater comfort and SHK SYSTEM shank in stabilizing nylon / pu. Sizes: 36-48





46205 EXTREME STRETCH SLIP ON EN ISO 20345 S3 SRC ESD METAL FREE

Upper: low, in water-resistant and breathable mesh with anti-abrasion overcap. Toe: fiberglass. Anti-perforation foil: textile Sole: non-slip dual density PU. Insole: textile comfort foam system SHK SYSTEM: stabilizing nylon / pu shank Sizes: 36-48 Colour: grey / black with blue inserts $\overrightarrow{TEKTILE}$ REF RELASS \overrightarrow{METAL} $\overrightarrow{S30}$ $\overrightarrow{36-48}$ $\overrightarrow{5}$ $\overrightarrow{S30}$ $\overrightarrow{36-48}$ $\overrightarrow{5}$



46200 EXTREME STRETCH SLIP ON EN ISO 20345 S3 SRC ESD METAL FREE

Upper: low, in water-resistant and breathable mesh with anti-abrasion overcap. Toe: fiberglass. Anti-perforation foil: textile Sole: non-slip dual density PU. Insole: textile comfort foam system SHK SYSTEM: stabilizing nylon / pu shank Sizes: 36-48 Colour: grey / black with orange inserts



46305 EXTREME STRETCH EN ISO 20345 S3 SRC ESD METAL FREE Upper: high, in water-resistant and breathable mesh with anti-abrasion overcap. Toe: fiberglass. Anti-perforation foil: textile Sole: non-slip dual density PU. Insole: textile comfort foam system SHK SYSTEM: stabilizing nylon / pu shank Sizes: 36-48



46300 EXTREME

EN ISO 20345 S3 SRC ESD METAL FREE Upper: high, in water-resistant and breathable mesh with anti-abrasion overcap. Toe: fiberglass. Anti-perforation foil: textile Sole: non-slip dual density PU. Insole: textile comfort foam system SHK SYSTEM: stabilizing nylon / pu shank Sizes: 36-48 Colour: grey / black with orange inserts



SSALINE

PROFESSIONAL & SPORT

Some products are part of this range, designed for those people who do not need a shoe with safety cup, foil or for those people how are looking for a product with a excellent value for money for leisure time.

06788 CIAMPAC 20347 OB E SRC

Upper: action leather with inserts like in cordura fabric. Toe: no Anti-perforation foil: no Sole: SRC non slip EVA rubber Plus: materials and look allow use also for leisure time. Sizes: from 38 to 47 Colour: grey/inserts orange



06786 AIRY

NO SAFETY Upper: action leather with inserts like in cordura fabric. Toe: no Anti-perforation foil: no Midsole: EVA to ensure comfort and weight cushioning Sole: thermoplatic rubber tread (TPR) Plus: excellent slip resistance. Recommended use for leisure time Sizes: from 38 to 47 Colour: blue/inserts green, black





06782 VENS No safety

Upper: water resistant softshell fabric with membrane Toe: no Anti-perforation foil: no Sole: EVA and non-slip rubber Plus: very light. Sole with excellent grip. Materials and look allow use also for leisure time. Sizes: from 38 to 47 Colour: blue/inserts orange



06783 PLOSE

NO SAFETY Upper: water resistant softshell fabric with membrane Toe: no Anti-perforation foil: no Sole: EVA and non-slip rubber Plus: very light. Sole with excellent grip. Materials and look allow use also for leisure time. Sizes: from 38 to 47

Colour: blue/inserts orange





19.6

SSALINE

WHITE

ISSALINE work footwear is the ideal choice for people that work in the food of hospitality Industries.

Made from high-quality materials, the PU Polyurethane soles provide excellent slip resistance, ensuring safety and stability during use.

Uppers are available in either microfiber or leather, both of which are highly durable and easy to clean.

These features make our work footwear perfect for use in food and hospitality companies, where hygiene is paramount and workplace safety is a priority.

41630G SNOW EN ISO 20345 S2 SRC Upper: low, microfiber suitable for food production use. Toe: fiberglass Anti-perforation foil: no Sole: non-slip PU Plus: metal free, particularly light and flexible Sizes: from 35 to 47



37865 TAJO only on request

EN ISO 20345 S2 SRC Upper: low, microfiber suitable for food production use. Toe: steel Anti-perforation foil: no Sole: non-slip PU Sizes: from 36 to 46



06750





06755 SABOT MAN Upper: perforated leather and padded on the edges. Sole: non-slip PU Plus: soft pig insole Sizes: from 40 to 46



POLYMER RUBBER OR EVA CLOGS FOR HOTEL HOSPITAL ENVIRONMENTS

ISSALINE

Polymer rubber or EVA clogs are certified for a wide range of work uses, recommended in areas such as hospitals, doctors' offices, physical therapists, cleaning companies and health clubs, as well as in the hotel industry and other similar facilities.

Their non-slip SRC sole provides good grip on a variety of surfaces, preventing accidental falls and improving workplace safety.

They are hygienic and can be easily sterilized or cleaned after use. In addition, with their ergonomic design and adjustable flip-up foot strap for foot safety, they offer high comfort even during long working hours. In summary, our range of clogs offers a complete and efficient solution for professional needs.

06770 SABOT SAFE EN ISO 20345:2011 SB A E SRC ESD

Produced in Italy

Upper: in natural thermoplastic polymer rubber, latex free. Upper with closed top to prevent infiltration of organic and harmful substances. Sterilizable: in autoclave (up to 134 ° C for 70 minutes)

Toe: in 200J steel

Anti-perforation foil: no

Sole: polymer rubber (SRC anti-slip)

Plus: side windows for foot ventilation and washing. Energy absorption in the heel area, anatomic footbed, safety flip-up strap with patented attachment, ESD.

Use: Recommended for hospitals, doctors' offices, industries, hotel industry, healt clubs, etc. Sizes: from 35 to 47

Colours: 050 white, 060 black

On request: blue royal.

Microchip installation on request.





06765 SABOT LIGHT IN EVA EN ISO 20347:2012 OB A E SRC

Produced in Italy

Upper: in very light cross-linked eva (only 200 grams per pair). Upper with closed top for prevent infiltration of organic and harmful substances

Washable: up to 60° C. Toe: no

Anti-perforation foil: no

Sole: eva (SRC anti-slip)

Plus: side holes for foot ventilation. Energy absorption in the heel area, anatomic footbed, safety flip-up strap. Antistatic plug for the discharge of electrostatic charges, antibacterial insole. **Use:** Recommended for hospitals, medical offices, physical therapists, cleaning companies, health clubs, hotels, etc.

Sizes: from 35 to 46

Colours: 050 white, 040 blue navy







06760N SABOT ANTISTATIQUE EN ISO 20347:2012 OB A E SRC ESD Produced in Italy

Upper: in natural thermoplastic polymer rubber, latex free. Upper with closed top for prevent infiltration of organic and harmful substances and potentiate them harmful. Sterilizable: in autoclave (up to 134 ° C for 70 minutes)

Toe: no

Anti-perforation foil: no

Sole: polymer rubber (SRC anti-slip)

Plus: side windows for foot ventilation and washing. Energy absorption in the heel area, anatomic footbed, safety flip-up strap with patented attachment, ESD. Sizes: from 35 to 47 Colours: 020 green, 050 white, 040 blue On request: black, yellow, blue navy, red, fuxia, orange and purple.

Microchip installation on request.



COLOR AVAILABLE

ON REQUEST



ISSALINE

ISSALINE work boots are reliable and safe

guaranteed from EN ISO 20347 and EN ISO 20345 certification. Available with or without a steel toe cap or foil, to suit different needs of construction sites, food and leisure industries.

The tank sole of these boots ensures exceptional friction on the floor or ground, allowing stable walking even on slippery surfaces. In addition, their practicality also extends to easy donning and to quick removal.

ISSALINE uses **REACH COMPLIANCE*** certified materials to ensure compliance with European standards against the use of long-term harmful substances, sustainable products that protect both you and the surrounding ecosystem.



***REACH certification**

EACH (Registration, Evaluation, Authorization and Restriction of Chemicals) Compliance certification refers to compliance of a chemical substance or chemical product with European Union regulations relating to registration, evaluation and authorization of chemicals. The REACH regulation was introduced to ensure the protection of human health and the environment through the safe management of chemicals. REACH Compliance certification certifies that the substance or product meets the requirements of the REACH regulation and has been properly registered with the European Chemicals Agency (ECHA).

06315R ISSAGUM NITRILE RUBBER WORK BOOT (NITRILE PVC) EN ISO 20347:2012 SRA

Toe: no Anti-perforation foil: no

Sole: tank

Plus: MPX (malleolus protection), compound containing nitrile for a better flexibility and durability of the boot; ergonomic shape for better comfort and heel insert to facilitate undressing.

Sizes: from 36 to 48

Colour: 050 white/grey, 090 brown/black



06425R ISSAFORT NITRILE RUBBER SAFETY BOOT (NITRILE PVC) EN ISO 20345:2011 S5 SRA

Toe: yes Anti-perforation foil: yes

Sole: tank

Plus: MPX (malleolus protection), compound containing nitrile for a better flexibility and durability of the boot; ergonomic shape for better comfort and heel insert to facilitate undressing. Sizes: from 36 to 48

Colour: 010 yellow/black, 020 green/black, 040 blue/red.



06426R ISSAFORT NITRILE RUBBER SAFETY BOOT (NITRILE PVC) EN ISO 20345:2011 S4 SRA

Toe: yes Anti-perforation foil: no

Sole: tank

Plus: MPX (malleolus protection), compound containing nitrile for a better flexibility and durability of the boot; ergonomic shape for better comfort and heel insert to facilitate undressing.

Sizes: from 36 to 48 Colour: 050 white/grey.





06351R FULL THING BOOT PVC application on the boot 06425R

certified EN ISO 20345: 2011 S5 SRA Colour: 020 green/black.

O6361R DIVING BOOT On the boot 06425R certified EN ISO 20345: 2011 S5 SRA one was applied PVC diving suit. Colour: 020 green/black.







06430 **PU ISSA POL S5 METAL FREE BOOT** EN ISO 20345:2011 S5 SRC CI Toe: composi

Anti-perforation foil: Kevlar.

Sole: reinforced, with good stability and grip on all surfaces. Includes a riser that makes it easier removing the boots. Abrasion resistant sole.

Plus:

- 100% metal-free, which reduces weight and improves thermal insulation.
 Made with the best BASF polyurethane.

 SRC sole with great grip even on wet surfaces to ensure greater safety and stability.
 They do not break or crack at low temperatures (certified for thermal insulation at -30° C), nor with extreme changes in temperature.

- Resistant to oils, greases and a variety of chemicals.
- Antibacterial internal lining.
- Antistatic.
- The insole is removable, washable, orthopedic and antibacterial.
- TPU inserts in the sole for better anti-slip and greater durability.
- The insertion of TPU improves the performance of the sole by 10%.
- Absorbs energy in the heel.

- Very light.

Sizes: da 36 a 48.

Colour: 027 green/black.



ISSALINE



Toe: composite Anti-perforation foil: Kevlar.

Sole: reinforced, with good stability and grip on all surfaces. Includes a riser that makes it easier removing the boots. Abrasion resistant sole.

Plus:

- 100% metal-free, which reduces weight and improves thermal insulation. Made with the best BASF polyurethane.

- SRC sole with great grip even on wet surfaces to ensure greater safety and stability.
 They do not break or crack at low temperatures (certified for thermal insulation at -30° C), nor with extreme changes in temperature.
- Resistant to oils, greases and a variety of chemicals.
- Antibacterial internal lining.
- Antistatic.
- The insole is removable, washable, orthopedic and antibacterial.
 TPU inserts in the sole for better anti-slip and greater durability.
- The insertion of TPU improves the performance of the sole by 10%.
- Absorbs energy in the heel.

- Very light.

Sizes: da 36 a 48. Colour: 050 white







PVC BOOTS.





In order to ensure continuity in the foot protection project, ISSALINE has partnered with SALUBER, an Italian company specializing in the production of technical insoles made of genuine leather. This partnership has led to the creation of a range specially designed for safety footwear. The choice of genuine leather as the main material is based on its exceptional ability to keep the foot cool during summer and warm during winter.

walking in comfort



LEATHER





LEATHER+ FOOTBED



WINTER + FOOTBED



438 DAILY

Insole in natural leather antistatic for safety footwear. The leather promotes perspiration and prevents bad smells. Sizes: 36-47 Full box: 5 pa.



401 COMFORT

Insole - anatomic antistatic footbed self-conforming in natural leather with active carbon membrane for safety footwear

Anatomic footbed in genuine leather, hygienic and insulating, with activated carbon membrane. Highly self-conforming, integrated shock absorber on the heel. Sizes: 36-47 Full box: 5 pa.

Comfort SAFETY

463 THERMO

Insole - anatomic antistatic footbed self-conforming in pure virgin wool for safety footwear Anatomic footbed covered in pure virgin wool, hygienic and insulating. Made with membarana in felt that ensures excellent thermal insulation. The metatarsal area is designed to give flexibility with controlled torsion. Sintegrated shock absorber on the heel. Sizes: 36-47 Full box: 5 pa.



Make unique your point of sale:

- ISSALINE WALL
- ISSALINE MODULAR SYSTEM NEW
- ISSALINE MODULAR WOOD NEW




In the competitive world of retail, standing out is crucial to attracting and satisfying customers. With the "Modular ISSALINE" system, customizing your store becomes not only possible, but also a significant competitive advantage. Let me guide you through the endless customization possibilities offered by this innovative system, transforming your store into a unique customer experience.

The concept of Modular ISSALINE is based on the idea of making the most of the space available in your store, offering a modern, streamlined presentation of products, enhanced by explanatory graphics. Its flexibility allows it to adapt to the specific needs of your store, creating an attractive and functional environment that guides customers in choosing the Personal Protective Equipment (PPE) best suited to their needs.

One of the distinguishing features of the Modular ISSALINE system is its modularity. You can customize your store layout according to the size of the available space and your aesthetic preferences. Whether you need a wall display, islands of products in the center of the store, or a combination of both, Modular ISSALINE can be configured to meet your needs.

Immagine creating a display wall that captures customers' attention as soon as they enter your store. With Modular ISSALINE, you can organize your PPE into neatly arranged and orderly boxes, highlighting the features and benefits of each product through clear and informative educational elements. This not only makes it easier for customers to locate what they need, but also helps them make informed decisions about their purchasing choices. Modular ISSALINE enhances your customers' experience, optimizes your store's operational efficiency. Its intuitive design and easy assembly saves time and resources during installation and maintenance. Furthermore, its durability and the possibility of modular upgrades ensure that your investment continues to provide value over time.

In store merchandising



ISSALINE WALL Make better use of your shop space



Choose your modu

The modules by composing module" with some of the a here.

oose your dule	3			1	-	
odules shown are made poosing the "BACK 5" with the addition of of the accessories shown	Art. 00740401 00740501	Description SHELF HOLDER 400 mm SHELF HOLDER 500 mm	Art. 65022421	Description HANGING BAR 350x1000 mm	Art. 62311221	Description UNIVERSAL BAR 1000 mm
		Sector and the sector			T	
	Art. 62600201	Description SHELF 300x1000 mm	Art. 22101401	Description PVC PRICE HOLDER	Art. 03102821	Description BROCHE HOOK 350 mm
	62601201	SHELF 300x1000 mm	22101401	40x1000 mm	2218109898	BROCHE HOOK PRICE HOLDER
	62602201 62603201	SHELF 500x1000 mm SHELF 600x1000 mm				POCKET
			N	A A A A A A A A A A A A A A A A A A A	Min	
Description HANGER Full box: 80 pcs.	Art. BUL02001	Description INFOGRAFIC SUPPORT 100x1000 mm	Art. 20702421	Description CLOTHES HOOK 350 mm	Art. IND00321	Description SHOES RACK 140x300x180 mm

1

Art.

900624

Module DORSAL

Art.	Description	q.tà
Art.	Description	y.ta
00196610	Adjustable foot for base	2
00200401	Base side closure 600x140mm	2
00300201	Base front closure 100x1000mm	1
00301201	Back head 200x1000mm	1
00312201	Back bottom unit 400x1000 mm	5
0110701401	Supporting perforated bracket 80x2360 mm	2
22101401	PVC price holder 40x1000 mm	1
62603201	Shelf 600x1000 mm	1
FT00101	Banner holder 1000x300 mm	1

|--|

Module APPAREL 1 Module BACK (see Module BACK) + following items

Art.	Description	q.tà
0980313	ISSALINE banner 980x310 mm	1
20702421	Clothes hook	2
62311221	Universal bar 1000 mm	1
65022421	Hanging bar 350x1000 mm	1





Excluded items.



Art.	Description	q.tà
0980313	ISSALINE banner 980x310 mm	1
65022421	Hanging bar 350x1000 mm	2





Excluded items.

Module APPAREL 3 Module BACK (see Module BACK) + following items

· Tonowing itema		
Art.	Description	q.tà
0980313	ISSALINE banner 980x310 mm	1
65022421	Hanging bar 350x1000 mm	1
00740501	Shelf holder 500 mm	4
62602201	Shelf 500x1000 mm	2
22101401	PVC price holder 40x1000 mm	2





Module GLOVES Module BACK (see Module BACK) + following items

Art.	Description	q.tà
00740501	Shelf holder 500 mm	2
03102821	Broche hook 350 mm	24
0980103	Gloves' use infographic 980x100 mm	1
0980104	Gloves' norms infographic 980x100 mm	1
0980313	ISSALINE banner 980x310 mm	1
2218109898	Broche hook price holder pocket	24
62311221	Universal bar 1000 mm	4
BUL02001	Infografic support 100x1000 mm	1

Confort e Brownershield



Module VARIOUS Module BACK (see Module BACK) + following items

· Tonowing ruenta		
Art.	Description	q.tà
03102821	Broche hook 350 mm	11
0980313	ISSALINE banner 980x310 mm	1
2218109898	Broche hook price holder pocket	11
62311221	Universal bar 1000 mm	2
65022421	Hanging bar 350x1000 mm	1





Module SHELF

MODULE BACK (See	woaure	BACK
+ following items		

Art.	Description	q.tà
00740501	Shelf holder 500 mm	6
0980313	ISSALINE banner 980x310 mm	1
22101401	PVC price holder 40x1000 mm	3
62602201	Shelf 500x1000 mm	3
IND00321	Shoes rack 140x300x180 mm	Optional. Quantity based on the footwear ordered





Module FALL PROTECTION Module BACK (see Module BACK) + following items

Art.	Description	q.tà
00740501	Shelf holder 500 mm	4
0980105	Infographie fall protection 1 980x100mm	1
0980106	Infographie fall protection 2 980x100mm	1
0980312	Akrobat banner 980x310 mm	1
62601201	Shelf 400x1000 mm	2
65022421	Hanging bar 350x1000mm	1
BUL02001	Infografic support 100x1000mm	2



Art.

900600N



Module CORNER KIT

Art.	Description	q.tà
00740401	Shelf holder 400 mm	8
3040019	Banner 300x810x920 mm	1
00601501	Shelf 400 mm	4
00603501	Base shelf widht 600 mm	1
0110701401	Supporting perforated bracket 80x2360 mm	2
00196610	Adjustable foot for base	2
00200401	Base side closure 600x140mm	2
00502401	Base front closure	1
00312501	Back bottom unit h 400 mm	5
00301501	Back bottom unit h 200 mm	1
FT00501	Banner holder h 300 mm	1
22114412	PVC price holderh h 40x400 mm	4
22114612	PVC price holderh ssh 40x600 mm	1



CHANGING ROOM WITH CURTAIN Description

Changing room with curtain 950x900xh2000 mm





ISSALINE MODULAR SYSTEM NEW

With its versatility, the ISSALINE MODULAR SYSTEM adapts to a variety of spaces, offering a solution that is easily adaptable to all kinds of environments. A minimal design meets your store's needs while helping to define neat and well-organized environments.

To perform assembly, follow the instructions and technical diagrams included in the hardware packages. Use the included hardware scrupulously.

Notes: Digital User's Manual. By scanning the QR code in the packaging, you will be guided through the assembly process in a clear and detailed manner.





MODULAR MENSOLES

Art.	Description	q.tà
900200	UPRIGHT	2
900201	SHELF	4
900205	GRAPHIC PANEL	1

ISSALINE Distances purposed	
-	Excluded items.

MODULAR APPAREL 1

Art.	Description	q.tà
900200	UPRIGHT	2
900203	HANGING BAR	1
900201	SHELF	3
900205	GRAPHIC PANEL	1



MODULAR APPAREL 2

Art.	Description	q.tà
900200	UPRIGHT	2
900203	HANGING BAR	2
900205	GRAPHIC PANEL	1



q.tà 2 1 2 1	ISSALINE Province Provin		
			Excluded items.

MODULAR GLOVES

MODULAR APPAREL 3

Description

HANGING BAR

GRAPHIC PANEL

UPRIGHT

SHELF

Art.

900200

900203

900201

900205

Art.	Description	q.tà
900200	UPRIGHT	2
900203	HANGING BAR	5
900204	BROCHES	5
900205	GRAPHIC PANEL	1



MODULAR MISCELLANEOUS

Art. Description		q.tà	
900200	UPRIGHT	2	
900203	HANGING BAR	3	
900204	BROCHES	2	
900205	GRAPHIC PANEL	1	



ISSALINE MODULAR WOOD NEW

The Issaline Modular Wood system is made using OSB panels, which offer multiple possibilities for customizing display spaces. The Modular Wood concept consists of simple but sturdy elements that can be adapted to different display needs.

This project focuses on the optimisation and reorganisation of space within the shop, allowing the best possible display of products when a display island is required and wall shelving is not possible.

Modular Wood, with an industrial style, is designed to display workwear and PPE.

Follow the instructions and technical diagrams included in the hardware packages to perform assembly. Use the included hardware scrupulously.

Made of OSB wood dim. 110 x h 130 x d 60 cm supplied with hanging bar.

MODULAR A graphics on Forex panel dim. 60x130 cm.

MODULAR A





Excluded items

900101 MODULAR **APPAREL B**

Made of OSB wood same structure as Modular A but with long hanging bar. Dim. cm 110 x h 130 x d 60 supplied with hanging bar.

900101SX 900101DX MODULAR B graphics on Forex graphics on Forex panel dim. 32x130 cm. panel dim. 32x130 cm.

MODULAR B



SSALINE






Made of OSB wood dim. 110 x h 90 x d 60 cm The two interior shelves are removable.

900105SX 900105DX MODULAR F Graphics on Forex Graphics on Forex nanel dim 60x90 cm nanel dim 60x90 cm

MODULAR F







900104 MODULAR E Made of OSB dim. cm 57,5 x h 200 x p 34 The four interior shelves are removable.





900104DX

MODULAR E





62713 Only on request Director chair, aluminum frame, folding.

900103 MODULAR APPAREL D Made of OSB wood dim. 57.5 cm x h 130 x d 34 The two interior shelves are removable. **900103SX** MODULAR D graphics on Forex panel size 34x130 cm.

SSALINE

900103DX MODULAR D graphics on Forex m. panel size 34x130 cm.





Excluded items.



900603 SHOES DISPLAY ISSALINE Excluded items.

SSALI

900618 ESPOCUB Excluded items.

ISSALINE

900615 GLOVES DISPLAY ISSALINE Convenient 12-position floor display, the display can also be used for face masks, headphones and glasses Excluded items.

SSALINE

GRIPPAZ FSDU GLOVES DISPLAY GRIPPAZ Practical cardboard floor display stand. Excluded items.



251-DS-0009 DISPLAY 9 BOUTON GLASSES Excluded items.



900800 DISPLAY 5 BOUTON GLASSES Excluded items.



900616 GLOVE HOLDER "TIE" Convenient 10-position wall display. Used also with gloves in polybag. Excluded items.





900601 ESPOSOCKS Excluded items.



900619 COUNTER DISPLAY STAND ISSALINE GLOVES Excluded items.



900629 COUNTER DISPLAY STAND G-TEK GLOVES Excluded items.



900613 PVC banner with eyelets. Size 150x80 cm





BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS

Corporate Headquarters & Sales Center Latham, NY Phone: 518-861-0133 · Toll Free: 800-262-5755

sales@pipusa.com · www.pipusa.com

Guilderland Center, NY

California Sales & Distribution Center Rancho Cucamonga, CA Phone: 909-987-2350 · Toll Free: 800-225-9225

Tennessee Sales & Distribution Center Memphis, TN Phone: 901-370-5828 · Toll Free: 888-456-8378

USA Manufacturing Facility Guilderland Center, NY

USA Manufacturing Facility Bluffton, IN Phone: 260-824-8146 USA Manufacturing Facility Chaska, MN Phone: 952-448-7430

Canada Distribution Center, Shipments & Returns Bolton (Toronto), Ontario Phone: 800-262-5755 x7258 www.pipcanada.ca

Mexico Sales & Distribution Monterrey, N.L., Mexico Phone: +52 (81) 8372-1825 www.pipmex.com

Arrico Regional Sales Office San Pedro Garza García, N.L., Mexico Phone: +52 (81) 8335-4744 · +52 (81) 1365-9569

EUROPE

France Administrative & Sales Offices L'hermenault, France Phone: + 33 (0) 2 51 50 19 80 www.pipeurope.com - info@pipeurope.com

INDUSTRIAL STARTER S.p.A. Altavilla Vicentina, Italy Phone.: +39 0444 573 422 www.industrialstarter.com - info@ind-starter.com

INDUSTRIAL STARTER CZECH s.r.o. Ostrava Radvanice, Ceská Republika Phone: +420 552 312 619 www.industrialstarter.com - infocz@ind-starter.com **KIT Safety** Dublin, Ireland Phone: +1 +353 1 642 3010 www.pipeurope.com

INDUSTRIAL STARTER ESPAÑA S.L.U. Puzol (Valencia), España Phone: +34 96 141 40 41 www.industrialstarter.com - comercial@starter.es

INDUSTRIAL STARTER POLSKA SP.Z O.O Sosnowiec, Polska Phone: +48 32 260 0026 www.industrialstarter.com - bok@industrialstarter.pl





Altavilla Vicentina (Vicenza)









ASIA PACIFIC - AUSTRALIA

Asia Pacific Administrative Headquarters Hong Kong, China Phone: 852-2475-9228 www.pipasiapacific.com

China Administrative & Sales Center Shanghai, China Phone: 86-021-63170303

China Regional Sales Office Yantai City, Shandong Province, China Phone: 86-0535-6602843

Singapore Sales Office Singapore

Phone: +65-91557756
Malaysia Sales Office

Penang, Malaysia Phone: 6-04-399-3328

PIP Australia Eagle Farm ,Queensland, Australia Phone: 1300 656 010 www.pipaus.com

ISM HEINRICH KRÄMER GMBH & CO. KG

Lippstadt, Alemania Phone: +49 (0) 29 41 / 76 06 - 0 vertrieb@ism-europa.de

Wolverhampton, United Kingdom Phone: +44 (0)1902 451 451 www.ultimateindustrial.co.uk - sales@ultimateindustrial.co.uk

Reproduction, even in part, of this catalogue is prohibited. Printed in Italy June 2024

EUROPE

PIP FRANCE ADMINISTRATIVE & SALES OFFICES

L'hermenault, France Tel: + 33 (0) 2 51 50 19 80 www.pipeurope.com - info@pipeurope.com

ISM Heinrich Krämer GmbH & Co. KG

Lippstadt, Germany Tel: +49 2941 76060 www.ism-europ.de - info@ism-europa.de

ULTIMATE INDUSTRIAL

Wolverhampton, United Kingdom Tel: +44 1902 451451 www.ultimateindustrial.co.uk - info@ultimateindustrial.co.uk

INDUSTRIAL STARTER S.P.A.

Altavilla Vicentina (Vicenza), Italy Tel: +39 0444 573422 www.industrialstarter.com - info@ind-starter.com

INDUSTRIAL STARTER CZECH S.R.O.

Ostrava Radvanice, Ceská Republika Tel: +420 552 312 619 www.industrialstarter.com - infocz@ind-starter.com

KIT SAFETY

Dublin, Ireland Tel: +353 1642 3010 www.pipeurope.com - sales@kit.ie

INDUSTRIAL STARTER ESPAÑA S.L.U

Puzol (Valencia), España Tel: +34 96 141 40 41 www.industrialstarter.com - comercial@starter.es

INDUSTRIAL STARTER POLSKA S.P.Z.O.O

Sosnowiec, Polska Tel: +48 32260 0026 www.industrialstarter.com - bok@industrialstarter.pl

